

REFERENCES

- ACT Government (1999) Painted Honeyeater (*Grantiella picta*): A vulnerable species. *Action Plan No. 19*. Environment ACT, Canberra.
- Adams, M., Reardon, T.R., Baverstock, P.R. and Watts, C.H.S. (1988) Electrophoretic resolution of species boundaries in Australian Microchiroptera. IV. The Molossidae (Chiroptera). *Australian Journal of Biological Sciences* 41: 315–326.
- Allison, F.R. and Hoye, G.A. (1995) Eastern Freetail-bat *Mormopterus norfolkensis*. Pp 484 in *The Mammals of Australia* (ed.) R. Strahan. Reed Books, Chatswood.
- Andren, M.J. (2004) *Nandewar biodiversity surrogates: vertebrate fauna*. Report for the Resource and Conservation Assessment Council (RACAC), NSW Regional Assessments, coordinated by NSW Department of Infrastructure, Planning and Natural Resources, Project No. NAND05. Department of Environment and Conservation, Coffs Harbour.
- Anstis, M. (2002) *Tadpoles of South-eastern Australia: A Guide with Keys*. Reed New Holland, Australia.
- Australian Museum (1979) *Faunal survey of the Newnes Plateau/Colo River area*. Australian Museum, Sydney.
- Barker, J., Grigg, G. and Tyler, M. (1995). *A field guide to Australian frogs*. Surrey Beatty and Sons. Chipping Norton, NSW.
- Barrett, G., Silcocks, A., Barry S., Cunningham, R. and Poulter, R. (2003) *The New Atlas of Australian Birds*. Royal Australian Ornithologists Union, Hawthorn East, Victoria.
- Belcher, C. (2003) Demographics of tiger quoll (*Dasyurus maculatus*) populations in south-eastern Australia. *Australian Journal of Zoology* 51: 611-626.
- Belcher, C. (2004) The largest surviving marsupial carnivore on mainland Australia: the Tiger or Spotted-tailed quoll *Dasyurus maculatus*, a nationally threatened, forest-dependent species. Pp 612-623 in *Conservation of Australia's Forest Fauna (second edition)* (ed.) D. Lunney. Southwood Press, Marrickville.
- Bell, S.A.J. (1997) *Flora and fauna assessment of the proposed Myrtle Grove fuel management burn, Wollemi National Park*. Report to NSW National Parks and Wildlife Service. Eastcoast Flora Survey, Warners Bay, NSW.
- Bell, S.A.J. (1998) *Wollemi National Park Vegetation Survey. Volume One, A Fire Management Document and Volume 2, Vegetation Community Profiles*. Report to the NSW National Parks and Wildlife Upper Hunter District.
- Berger, L., Speare, R., Daszak, P., Green, D.E., Cunningham, A.A., Coggin, C.L., Slocombe, R., Ragan, M.A., Hyatt, A.D., McDonald, K.R., Hines, H.B., Lips, K.R., Marantelli, G. and Parkes, H. (1998) Chytridiomycosis causes amphibian mortality associated with population declines in the rain forests of Australia and Central America. *Proceedings of the National Academy of Science USA* 95:9031-9036.
- Bladen, R.V., Dickman, C.R. and Hume I.D. (2002) Effects of habitat fragmentation on the demography, movements and social organisation of the eastern pygmy-possum *Cercartetus nanus* in northern New South Wales. *Wildlife Research* 29: 105-116.
- Blakers, M., Davies, S.J.J.F. and Reilly, P.N. (1984) *The Atlas of Australian Birds*. Melbourne University Press, Carlton, Victoria.
- Bowen, M. and Goldingay, R. (2000) Distribution and status of the eastern pygmy possum (*Cercartetus nanus*) in New South Wales. *Australian Mammalogy* 21:153-164.

- Brunner, H. and Coman, B. (1974) *Identification of Mammalian Hair*. Inkata Press, Melbourne.
- Cann, J. (1998) *Australian freshwater turtles*. Beaumont Publishing Pty Ltd, Singapore.
- Chafer, C.J. (1992) Observations of the Powerful Owl *Ninox strenua* in the Illawarra and Shoalhaven Regions of New South Wales. *Australian Bird Watcher* 14: 289-300.
- Churchill, S. (1998) *Australian Bats*. Reed New Holland, Sydney.
- Cogger, H.G. (1996) *Reptiles and Amphibians of Australia*. Fifth Edition with Amendments. Reed Books Australia, Port Melbourne.
- Colley, A. and Gold, H. (2004) *Blue Mountains: World Heritage*. The Colong Foundation for Wilderness Ltd, Sydney.
- Corben, C. (1989) Computer-based call analysis for microbat identification. *Macroderma* 5:7.
- Daly, G. (1998) Review of the status and assessment of the habitat of the Stuttering Frog *Mixophyes balbus* (Anura: Myobatrachidae) on the south coast of New South Wales. *Herpetofauna* 28: 2-11.
- Daly, G., Pennay, M. and Coombes, D. (2002) Surveys for the Stuttering Frog *Mixophyes balbus* on the south coast of New South Wales. *Herpetofauna* 32(2): 110-130.
- Debus, S.J.S. and Chafer, C.J. (1994) The Powerful Owl *Ninox strenua* in New South Wales. *Australian Birds* (Supplement) 28: 40-64.
- DEC (2004a) *Draft Fire Management Plan for Wollemi National Park*. NSW National Parks and Wildlife Service Central Coast Hunter Range and Blue Mountains Regions.
- DEC (2004b) *The Vertebrate Fauna of South Western Blue Mountains National Park*. Unpublished report funded by the Central Directorate Parks and Wildlife Division Biodiversity Survey Priorities Program by NSW Department of Environment and Conservation, Conservation Assessment and Data Unit, Metropolitan Branch, EPRD, Hurstville.
- DEC (2004c) *The Vertebrate Fauna of the Nattai and Bargo Reserves*. Unpublished report funded by the Central Directorate Parks and Wildlife Division Biodiversity Survey Priorities Program by NSW Department of Environment and Conservation, Conservation Assessment and Data Unit, Metropolitan Branch, EPRD, Hurstville.
- DEC (2004d) *The Vertebrate Fauna of Kanangra-Boyd National Park*. Unpublished report funded by the Central Directorate Parks and Wildlife Division Biodiversity Survey Priorities Program by NSW Department of Environment and Conservation, Conservation Assessment and Data Unit, Metropolitan Branch, EPRD, Hurstville.
- DEC (2004e) *Post-Fire Study of the Fauna of the Woronora Plateau. Progress Report – July 2004*. Unpublished report as part of the Special Areas Plan of Management (SASPoM) Research and Data Program by Conservation Assessment and Data Unit, Metropolitan Branch, EPRD, Hurstville.
- DEC (2004f) *Systematic Survey of Vertebrate Fauna in Lane Cove National Park*. Unpublished report funded by Sydney North, Central Directorate Parks and Wildlife Division of NSW Department of Environment and Conservation. Conservation Assessment and Data Unit, Metropolitan Branch, EPRD, Hurstville.
- DEC (2005a) *The Vertebrate Fauna of North-eastern Wollemi National Park*. Unpublished report funded by the Central Directorate Parks and Wildlife Division Biodiversity Survey Priorities Program by NSW Department of Environment and Conservation, Information and Assessment Section, Metropolitan Branch, EPRD, Hurstville.
- DEC (2005b) *The Vertebrate Fauna of Manobalai Nature Reserve and Crown Lands*. Unpublished report funded by the Central Directorate Parks and Wildlife Division Biodiversity Survey Priorities Program by NSW Department of Environment and Conservation, Information and Assessment Section, Metropolitan Branch, EPRD, Hurstville.

DEC (2005c) *The Vertebrate Fauna of Northern Yengo National Park*. Unpublished report funded by the Central Directorate Parks and Wildlife Division Biodiversity Survey Priorities Program by NSW Department of Environment and Conservation, Information and Assessment Section, Metropolitan Branch, EPRD, Hurstville.

DEC (2005d) *Draft Recovery Plan for the Brush-tailed Rock-wallaby Petrogale penicillata*. NSW Department of Environment and Conservation, Sydney.

DEC (2005e) *Draft Recovery Plan for the Large Forest Owls: Powerful Owl Ninox strenua Sooty Owl Tyto tenebricosa Masked Owl Tyto novaehollandiae*. NSW DEC, Sydney.

DEC (2005f) NSW Threatened Species Website: Yellow-bellied Sheathtail bat – species profile. <http://203.202.1.211/tsprofile/profile.aspx?id=10741>. Accessed 10/06/2005

DEC (2005g) NSW Threatened Species Website: – Greater Long-eared Bat – species profile. <http://203.202.1.211/tsprofile/profile.aspx?id=10568> Accessed 06/06/05.

DEC (2005h) Threatened Species Website: Eastern Cave Bat – species profile. <http://203.202.1.211/tsprofile/profile.aspx?id=10829>. Accessed 06/06/05.

DEC (2005i) Threatened Species Website: Rosenberg's Goanna – species profile. <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/profile.aspx?id=10826> Accessed 02/03/07.

DEC (2005j) Threatened Species Website: Large-eared Pied Bat – Species profile. <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/profile.aspx?id=10157> Accessed 02/03/07.

DEC (2005k) Threatened Species Website: Eastern False Pipistrelle – Species profile. <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/profile.aspx?id=10331> Accessed 02/03/07.

DEC (2005l) Threatened Species Website: Eastern Bentwing-bat – Species profile. <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/profile.aspx?id=10534> Accessed 02/03/07.

DEC (2005m) Threatened Species Website: Large-footed Myotis – Species profile. <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/profile.aspx?id=10549> Accessed 02/03/07.

DEC (2005n) Threatened Species Website: Greater Broad-nosed Bat – Species profile. <http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/profile.aspx?id=10748> Accessed 02/03/07.

DEC (2005o) Threatened Species Website: Eastern Quoll – Species profile. http://www.threatenedspecies.environment.nsw.gov.au/tsprofile/pas_profile.aspx?id=10920 Accessed 13/03/07.

DEC (2006a) *Terrestrial Vertebrate Fauna of the Greater Southern Sydney Region: Draft Volumes 1-5*. A joint project between the Sydney Catchment Authority and the Parks and Wildlife Division of the Department of Environment and Conservation by the Information and Assessment Section, Metropolitan Branch, Environmental Protection and Regulation Division, Hurstville.

DEC (2006b) *Atlas of NSW Wildlife. Database of Fauna and Flora records*. GISG, NSW Department of Environment and Conservation, Hurstville. Data extracted May 2006.

DEC (2006c) *Giant Burrowing Frog (Heleioporus australiacus) Draft Recovery Plan*. NSW Department of Environment and Conservation, Hurstville. Working Draft.

DEH (2004a) European Wild Rabbit *Oryctolagus cuniculus*. Fact sheet on invasive species. <http://www.deh.gov.au/biodiversity/invasive/publications/rabbit/index.html> Accessed 15/06/05.

DEH (2004b) The feral pig (*Sus scrofa*). Species Profile.
<http://www.deh.gov.au/biodiversity/invasive/publications/pig/index.html> Accessed 13/05/05.

DEH (2004c) *Heleioporus australiacus* Giant Burrowing Frog. Species Profile.
http://www.deh.gov.au/cgi-bin/sprat/public/publicspecies.pl?taxon_id=1973 Accessed 21/06/05.

DEH (2004d) EPBC Nomination *Litoria boorooolongensis*, Boorooolong Frog.
<http://www.deh.gov.au/biodiversity/threatened/nominations/pubs/boorooolong-frog.pdf> Accessed 19/5/05.

DEH (2004e) Draft Threat Abatement Plan for Psittacine Circoviral (Beak and Feather) Disease Affecting Endangered Psittacine Species.
<http://www.deh.gov.au/biodiversity/threatened/publications/tap/p-circoviral/pubs/p-circoviral.pdf> Accessed 23/05/05.

Donnellan, S.C. and Mahony, M.J. (2004) Allozyme, chromosomal and morphological variability in the *Litoria lesueuri* species group (Anura: Hylidae), including a description of a new species. *Australian Journal of Zoology* 52: 1-28.

DSE (2007) *Spotted-tailed Quoll Surveys Using Remote Cameras*. Article on Department of Environment and Sustainability website.
<http://www.dse.vic.gov.au/DSE/nrenari.nsf/LinkView/BCE14DCF803DD913CA256DB900345FFBA2A10FA90B8883144A256DEA0017F485> Accessed 13/03/07.

Duncan, A., Baker, G.B. and Montgomery, N. (eds.) (1999) *The Action Plan for Australian Bats*. Environment Australia, Canberra.

Dwyer, P.D. (1966) The population pattern of *Miniopterus schreibersii* (Chiroptera) in north eastern New South Wales. *Australian Journal of Zoology* 14:1073-1137.

Dwyer, P.D. (1995) Common Bent-wing Bat *Miniopterus schreibersii*. Pp 494-5 in: *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Eby, P., Richards, G., Collins L. and Parry-Jones, K. (1999) The distribution, abundance and vulnerability to population reduction of a nomadic nectarivore, the grey-headed flying-fox *Pteropus poliocephalus*, in New South Wales during a period of resource concentration. *Australian Zoologist* 31: 240-253.

Edgar, R and Belcher, C. (1995) Spotted-tailed Quoll *Dasyurus maculatus*. Pp 67-9 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Eldridge, M.D.B. and Close, R.L. (1995) Brush-tailed Rock-wallaby *Petrogale penicillata*. Pp 383-5 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Environment ACT (1999) Fact Sheet No. 22: Brush-tailed Rock-wallaby (*Petrogale penicillata*).
<http://www.environment.act.gov.au/nativeplantsandanimals/actplans.html> Accessed 15/06/04.

Environment ACT (2004) Information on Indian Myna Birds in the Australian Capital Territory.
<http://www.environment.act.gov.au/yourenvironmentwsp/indianmynabirds.html> Accessed 15/06/05.

Environment Australia (1999) Threat Abatement Plan for Predation by the European Red Fox.
<http://www.deh.gov.au/biodiversity/threatened/publications/tap/foxes/4.html> Accessed 17/02/06.

Firestone, K.B., Elphinstone, M.S., Sherwin, W.B. and Houlden, B.A. (1999) Phylogeographical population structure of Tiger Quolls *Dasyurus maculatus* (Dasyuridae:Marsupialia), an endangered carnivorous marsupial. *Molecular Ecology* 8: 1613-1625.

Garnett, S.T. and Crowley, G.M. (2000) *The Action Plan for Australian Birds 2000*. Environment Australia, Canberra.

Gaia Research Pty Ltd (2006a) *Targeted Surveys for the Stuttering Frog Mixophyes balbus in Macquarie Pass National Park and Tongarra Reserve*. Prepared for Department of Environment and Conservation, Parks and Wildlife Division, South Coast Region, Nowra.

Gaia Research Pty Ltd (2006b) *Targeted Searches for Tadpoles of the Southern Barred Frog Mixophyes balbus in the Blue Mountains National Park. Draft*. Prepared for the Department of Environment and Conservation, Metropolitan Branch, EPRD, Hurstville.

Gilmore, A. and Parnaby, H. (1994) *Vertebrate Fauna of Conservation Concern in North East NSW Forests. North East Forests Biodiversity Study Report No. 3e*. Unpublished report, NSW National Parks and Wildlife Service, Coffs Harbour.

Gillespie, G. (1999). Victoria's Newest Frog: the Booroolong Frog (*Litoria booroolongensis*). <http://frogs.org.au/vfg/features/booroolongensis.html> Accessed 24/05/05.

Glen, A.S. and Dickman, C.R. (2003) Effects of bait station design on the uptake of baits by non-target animals during control programmes for foxes and wild dogs. *Wildlife Research* 30: 147-9.

Glen, A.S. and Dickman, C.R. (2005) Complex interactions among mammalian carnivores in Australia, and their implications for wildlife management. *Biological Review* 80: 1-15

Goldingay, R.L and Jackson, S.M. (2004) A review of the ecology of the Australian Petauridae. Pp 376-400. *The Biology of Australian Possums and Gliders*. (eds.) R.L. Goldingay and S.M. Jackson. Surrey Beatty and Sons, Chipping Norton.

Goldingay R.L and Kavanagh R.P (1991) The Yellow-bellied Glider: a review of its ecology, and management considerations. In *Conservation of Australia's Forest Fauna*. (ed.) D. Lunney. Royal Zoological Society of NSW, Mosman.

Goldingay R.L and Kavanagh R.P (1995) Foraging behaviour and habitat use of the Feathertail Glider (*Acrobates pygmaeus*) at Waratah Creek, New South Wales. *Wildlife Research* 22: 457-470.

Goldney, D. and Cardale, S. (1993) *A survey of flora and vertebrate fauna along the route of the proposed telephone line from Wheelbarrow Gap to Wilsons Clearing, Wollemi National Park. Review of Environmental Factors*. A report to Telecom and the NSW National Parks and Wildlife Service.

Guarino, F. (2001) Diet of a large carnivorous lizard *Varanus varius*. *Wildlife Research* 28: 627-630.

Higgins, P.J. (ed.) (1999) *Handbook of Australian, New Zealand and Antarctic Birds, Volume 4, Parrots to Dollarbird*. Oxford University Press, Melbourne.

Higgins, P.J., Peter, J.M. and Steele, W.K. (eds.) (2001) *Handbook of Australian, New Zealand and Antarctic Birds, Volume 5 Tyrant-flycatchers to Chats*. Oxford University Press Australia, Melbourne.

Higgins, P.J. and Peter, J.M. (eds.) (2002) *Handbook of Australian, New Zealand and Antarctic Birds, Volume 6: Pardalotes to Shrike-thrushes*. Oxford University Press, Melbourne.

Hollis, C.J., Robertshaw, J.D. and Harden, R.H. (1986). Ecology of the Swamp Wallaby (*Wallabia bicolor*) in North-eastern New South Wales. I. Diet. *Australian Wildlife Research* 13: 355-365.

Hoskin, E. (1991) *The Birds of Sydney County of Cumberland New South Wales 1770-1989*. Surrey Beatty & Sons, Chipping Norton.

Hoye, G.A. (2001) *Spring Survey for Bats of the Baerami Oil Shale Mines, New South Wales*. A report to the National Parks and Wildlife Service of NSW Upper Hunter District, Bulga Sub-district. Fly By Nigh Bat Surveys Pty. Ltd.

Hoye, G.A. and Dwyer, P.D. (1995) Large-eared Pied Bat *Chalinolobus dwyeri*. Pp 510-511 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Hoye, G.A. and Richards, G.C. (1995) Greater Broad-nosed Bat *Scoteanax rueppellii*. Pp 527-528 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Hunter, D. and Gillespie, G. (2006) *Draft Recovery Plan for the Stuttering Frog Mixophyes balbus* 2006-2010. Unpublished report to the Biodiversity Group, Department of Environment and Heritage, Canberra.

IUCN (International Union for the Conservation of Nature) (2005) 100 of the World's Worst Invasive Alien Species <http://www.iucn.org/database/species/search.asp?st=100ss&fr=1&sts> Accessed 16/06/05

Kavanagh, R.P. (1997) *Ecology and Management of Large Forest Owls in South-eastern Australia*. Thesis submitted for the degree of Doctor of Philosophy at the School of Biological Sciences, University of Sydney.

Kavanagh, R.P. (2002a) Comparative diets of the Powerful Owl (*Ninox strenua*), Sooty Owl (*Tyto tenebricosa*) and Masked Owl (*Tyto novaehollandiae*) in southeastern Australia. Pp 175-191 in *Ecology and Conservation of Owls*. (eds.) I. Newton, R. Kavanagh, J. Olsen and I. Taylor. CSIRO, Victoria.

Kavanagh, R.P. (2002b) Conservation and management of large forest owls in southeastern Australia. Pp 201-219 in *Ecology and Conservation of Owls*. (eds.) I. Newton, R. Kavanagh, J. Olsen and I. Taylor. CSIRO, Victoria.

Kavanagh, R.P. (2004) Distribution and conservation status of the possums and gliders of New South Wales. Pp 130-148 in *The Biology of Australian Possums and Gliders*. (eds.) R.L. Goldingay and S.M. Jackson. Surrey Beatty and Sons, Chipping Norton.

Kavanagh, R.P. and Wheeler, R.J. (2004) Home-range of the greater glider *Petauroides volans* in tall montane forest of southeastern New South Wales, and changes following logging. Pp 413-425 in *The Biology of Australian Possums and Gliders*. (eds.) R.L. Goldingay and S.M. Jackson. Surrey Beatty and Sons, Chipping Norton.

Keast, J.A. (1968) Seasonal movements in the Australian honeyeaters (Meliphagidae) and their ecological significance. *Emu* 67: 159-210.

Keast, A. (1995) Habitat loss and species loss: the birds of Sydney 50 years ago and now. *Australian Zoologist* 30: 3-25.

Keith, D.A. (2004) *Ocean shores to desert dunes: the native vegetation of New South Wales and the ACT*. Department of Environment and Conservation, Hurstville.

Kerle, J.A. (2001) *Possums. The Brushtails, Ringtails and Greater Glider*. UNSW Press, Sydney.

Kerle, A. (2004) A cautionary tale: decline of the Common Brushtail Possum *Trichosurus vulpecula* and Common Ringtail Possum *Pseudocheirus peregrinus* in the woodlands of the western slopes and plains of New South Wales. Pp 71-84. *The Biology of Australian Possums and Gliders*. (eds.) R.L. Goldingay and S.M. Jackson. Surrey Beatty and Sons, Chipping Norton.

King, B.R. (1980) Social organisation and behaviour of the Grey-Crowned Babbler *Pomatostomus temporalis*. *Emu* 80: 59-76.

King, D. and Green, B. (1999) *Goannas: The Biology of Varanid Lizards* (Second Edition). New South Wales University Press, Kensington.

Kortner, G., Grasser, S. and Harden, B. (2003) Does fox baiting threaten the spotted-tailed quoll, *Dasyurus maculatus*? *Wildlife Research* 30: 111-118.

Law, B., Chidel, M. and Mong, A. (2005) Life under a sandstone overhang: the ecology of the Eastern Cave Bat *Vespadelus troughtoni* in northern New South Wales. *Australian Mammalogy* 27: 137-145.

Loyn, R.H. and French, K. (1991) Birds and environmental weeds in south-eastern Australia. *Plant Protection Quarterly* 6(3): 137-149.

Lunney, D. and Leary, T. (1988) The impact on native mammals of land-use changes and exotic species in the Bega district NSW, since settlement. *Australian Journal of Ecology* 13: 67-92.

Lunney, D. and Matthews, A. (2001) The contribution of the community in defining the distribution of a vulnerable species, the Spotted-tailed Quoll, *Dasyurus maculatus*. *Wildlife Research* 28: 537-45.

Lunney, D., Matthews, A. and Triggs, B (2002) Long-term changes in the mammal fauna of logged, coastal forests near Bega, New South Wales, detected by analysis of Dog and Fox scats. *Australian Mammalogy* 23: 101-114.

Mackowski, C.M. (1988) Characteristics of eucalypts incised for sap by Yellow-bellied Glider *Petaurus australis* (Marsupalia: Petauridae) in northeast NSW. *Australian Mammalogy* 11: 5-13.

Macqueen, A. (2004) *Somewhat perilous: the journeys of Singleton, Parr, Howe, Myles and Blaxland in the Northern Blue Mountains*. Andy Macqueen, Wentworth Falls, NSW.

Macqueen, A. (2005) *Two bushwalks to remote Wollemi National Park diatremes*. Unpublished report and discussion presented to the DEC Mudgee Region.

Mansergh, I. (1984) The status, distribution and abundance of *Dasyurus maculatus* (Tiger Quoll) in Australia, with particular reference to Victoria. *Australian Zoologist* 21: 109-122.

Marchant, S. and Higgins, P.J. (eds.) (1990) *Handbook of Australian, New Zealand & Antarctic Birds, Volume 1 Ratites to Ducks, Part A Ratites to Petrels and Part B Australian Pelican to Ducks*. Oxford University Press Australia, Melbourne.

Marchant, S. and Higgins, P.J. (eds.) (1993) *Handbook of Australian, New Zealand & Antarctic Birds, Volume 2 Raptors to Lapwings*. Oxford University Press Australia, Melbourne.

Martin, R.W. and Handasyde, K.A. (1995) Koala *Phascolarctos cinereus*. Pp 196-198 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Maxwell, S., Burbidge, A.A. and Morris, K. eds. (1996) *The 1996 Action Plan for Australian Marsupials and Monotremes*. Wildlife Australia, Canberra.

McDonald, R.C., Isbell, R.F., Speight, J.G., Walker, J. and Hopkins, M.S. (eds) (1990) *Australian Soil and Land Survey Field Handbook* (second edition). Inkata Press, Melbourne.

McIlroy, J.C. (1995) Common Wombat (*Vombatus ursinus*). Pp 204-205 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

McKean, J.L. (1966) Some new distributional records of broad-nosed bats (*Nycticeius* spp.). *Victorian Naturalist* 83: 25-30.

McNabb, E.G. (2002) Notes on the diet and observations of the Southern Boobook (*Ninox novaeseelandiae*) in Southern Victoria. . Pp 193-198 in *Ecology and Conservation of Owls*. (eds.) I. Newton, R. Kavanagh, J. Olsen and I. Taylor. CSIRO, Victoria.

Menkhorst, P.W. (1995a) Koala *Phascolarctos cinereus*. Pp 85-88 in *Mammals of Victoria. Distribution, Ecology and Conservation*. (ed.) P.W. Menkhorst. Oxford University Press, Melbourne.

Menkhorst, P.W. (1995b) Eastern Pygmy-possum *Cercatetus nanus*. Pp 90-91 in *Mammals of Victoria. Distribution, Ecology and Conservation*. (ed.) P.W Menkhorst. Oxford University Press, Melbourne.

Menkhorst, P.W. and Knight, F. (2001) *A Field Guide to the Mammals of Australia*. Oxford University Press, Melbourne.

Menkhorst, P.W. and Lumsden, L.F. (1995) Eastern False Pipistrelle *Falsistrellus tasmaniensis*. Pp 178-179 in *Mammals of Victoria. Distribution, Ecology and Conservation*. (ed.) P.W Menkhorst. Oxford University Press, Melbourne.

Menkhorst, P., Schedvin, N. and Geering, D. (1999) *Regent Honeyeater Recovery Plan 1999-2003*. Report prepared for the Regent Honeyeater Recovery Team. DNRE, East Melbourne.

Mitchell, P. (2002) *NSW Ecosystems Study: Background and Methodology*. Unpublished report to NSW National Parks and Wildlife Service, Hurstville.

Morgan, G. (2001) *Delineation and description of the Eastern Environmental Subregions (provinces) in New South Wales*. Final Report. Prepared for NSW National Parks and Wildlife Service, Hurstville.

Mosley, G. (1989) *Blue Mountains for World Heritage*. Colong Foundation for Wilderness, Sydney.

Murphy, M. (1996) A possible threat to the Broad-headed Snake *Hoplocephalus bungaroides*: Degradation of habitat by the Feral Goat *Capra hircus*. *Herpetofauna* 26: 37-38.

Murray, A.J. and Poore, R.N. (2004) Potential impact of aerial baiting for wild dogs on a population of spotted-tailed quolls (*Dasyurus maculatus*). *Wildlife Research* 23: 639-644.

NPWS (1997a) *Assessment, identification and options for the protection of the Wollemi Wilderness*. Unpublished report by the NSW National Parks and Wildlife Service, Sydney Zone, Parramatta.

NPWS (1997b) *NSW Comprehensive Regional Assessments: Vertebrate fauna surveys, 1997-1998 summer survey season: Field survey methods*. NSW National Parks and Wildlife Service, Hurstville. Unpublished.

NPWS (1999a) Threatened Species Information – Broad-headed Snake. http://www.nationalparks.nsw.gov.au/pdfs/tsprofile_broadheaded_snake.pdf Accessed 08/06/05.

NPWS (1999b) Threatened Species Information – Square-tailed Kite. http://www.nationalparks.nsw.gov.au/pdfs/tsprofile_squaretailed_kite.pdf Accessed 28/01/05.

NPWS (1999c) Threatened Species Information – Regent Honeyeater. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_regent_honeyeater.pdf Accessed 15/6/05.

NPWS (1999d) Threatened Species Information – Spotted-tailed Quoll. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_spottedtailed_quoll.pdf Accessed 15/6/04.

NPWS (1999e) Threatened Species Information – Koala. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_koala.pdf Accessed 15/6/04.

NPWS (1999f) Threatened Species Information – Yellow-bellied Glider. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_yellowbellied_glider.pdf Accessed 15/6/04.

NPWS (1999g) Threatened Species Information – Squirrel Glider. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_squirrel_glider.pdf Accessed 15/6/05.

NPWS (1999h) Threatened Species Information – Eastern Quoll. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_eastern_quoll.pdf Accessed 13/03/07.

NPWS (2001a) *Wollemi National Park - Plan of Management*. NSW National Parks and Wildlife Service.

NPWS (2001b) *The Fauna of Goulburn River National Park*. Unpublished report by the Central Directorate Conservation Assessment and Data Unit, Central Conservation Programs and Planning Division, Hurstville.

NPWS (2001c) *Threat abatement plan for Predation by the Red Fox (*Vulpes vulpes*)*. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2001d) Threatened Species Information – Giant Burrowing Frog *Heleioporus australiacus*. http://www.nationalparks.nsw.gov.au/pdfs/tsprofile_giant_burrowing_frog.pdf Accessed 15/6/05.

NPWS (2001e) *Hygiene Protocol for the Control of Disease in Frogs*. Information Circular No. 6. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2001f) Threatened Species Information – Red-crowned Toadlet *Pseudophryne australis*. http://www.nationalparks.nsw.gov.au/pdfs/tsprofile_redcrowned_toadlet.pdf Accessed 15/6/05.

NPWS (2001g) Threatened Species Information – Grey-headed Flying-fox. http://www.nationalparks.nsw.gov.au/PDFs/tsprofile_greyheaded_flyingfox.pdf Accessed 15/06/05.

NPWS (2002a) *Wollongong LGA Bioregional Assessment (Part II): Fauna of the Illawarra Escarpment, Coastal Plain and Plateau*. Central CPPD, NSW National Parks and Wildlife Service, Hurstville.

NPWS (2002b) *Brush-tailed Rock-wallaby (Petrogale penicillata) Recovery Plan*. Draft for public comment. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2002c) *Threatened Species of the Upper North Coast of New South Wales - Fauna*. TSU, Northern CPPD, NSW NPWS, Coffs Harbour.

NPWS (2003a) *Priorities for the Collection of Flora and Fauna Data in the Central Directorate*. NSW National Parks and Wildlife Service.

NPWS (2003b) *The Bioregions of New South Wales: their biodiversity, conservation and history*. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2003c) *Draft Recovery Plan for the Barking Owl (Ninox connivens)*. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2003d) *Draft Recovery Plan for the Koala (Phascolarctos cinereus)*. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2003e) *Recovery Plan for the Yellow-bellied Glider (Petaurus australis)*. NSW National Parks and Wildlife Service, Hurstville.

NPWS (2003f) *Warrumbungle Brush-tailed Rock-wallaby Endangered Population Recovery Plan*. NSW National Parks and Wildlife Service, Hurstville.

NSW Scientific Committee (1998a) Final determination to list predation by European Red Fox as a Key Threatening Process.

<http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Predation+by+the+European+red+fox+key+threatening+process+declaration> Accessed 15/6/04.

NSW Scientific Committee (1998b) Final determination to list Booroolong Frog as an Endangered species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Booroolong+Frog+-+endangered+species+listing> Accessed 24/05/05.

NSW Scientific Committee (1998c) Final determination to list Black-necked Stork as an Endangered species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Black-necked+stork+-+endangered+species+listing> Accessed 21/4/06.

NSW Scientific Committee (1998d) Final determination to list the Barking Owl as a Vulnerable species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Barking+Owl+-+vulnerable+species+listing> Accessed 27/05/05.

NSW Scientific Committee (1999a) Final determination to list predation by the plague minnow (*Gambusia holbrooki*) as a Key Threatening Process <http://www.nationalparks.nsw.gov.au/npws.nsf/content/predation+by+the+plague+minnow+gambusia+holbrooki+key+threatening+process+declaration> Accessed 14/06/05.

NSW Scientific Committee (1999b) Final Determination to list Bushrock Removal as a Key Threatening Process. <http://www.nationalparks.nsw.gov.au/pdfs/bushroc1k.pdf> Accessed 17/06/05.

NSW Scientific Committee (1999c) Final Determination to list the Glossy Black-cockatoo population, Riverina as an endangered population. <http://www.nationalparks.nsw.gov.au/npws.nsf/content/glossy+black+cockatoo+population+riverina+endangered+population+listing> Accessed 26/05/05.

NSW Scientific Committee (2000a) Final Determination to list predation by Feral Cats as a key threatening process. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Predation+by+feral+cats++key+threatening+process+declaration> Accessed 15/6/04.

NSW Scientific Committee (2000b) Final Determination to list Ecological consequences of high frequency fires as a Key Threatening Process. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Ecological+consequences+of+high+frequency+fires+key+threatening+process+declaration> Accessed 15/06/05.

NSW Scientific Committee (2000c) Final Determination to list human-caused climate change as a Key Threatening Process. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Human+caused+climate+change+key+threatening+process+declaration> Accessed 24/4/06

NSW Scientific Committee (2001a) Final Determination to list Gang-gang Cockatoo population, Hornsby and Ku-ring-gai Local Government Areas as an Endangered Population. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Gang+gang+cockatoo+population+Hornsby+and+Ku+ring+gai+Local+Government+Areas+endangered+population+listing> Accessed 27/05/05.

NSW Scientific Committee (2001b) Final Determination to list Brown Treecreeper (eastern subspecies) as a Vulnerable Species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Brown+treecreeper+eastern+subspecies+-+vulnerable+species+listing> Accessed 27/05/05.

NSW Scientific Committee (2001c) Final Determination to list Speckled Warbler as a Vulnerable Species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Speckled+warbler+-+vulnerable+species+listing> Accessed 07/02/05.

NSW Scientific Committee (2001d) Final Determination to list Black-chinned Honeyeater (eastern subspecies) as a Vulnerable Species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Black-chinned+honeyeater+eastern+subspecies+-+vulnerable+species+listing> Accessed 01/02/05.

NSW Scientific Committee (2001e) Final Determination to list Hooded Robin (south-eastern form) as a Vulnerable Species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Hooded+robin+south-eastern+form+-+vulnerable+species+listing> Accessed 07/02/05.

NSW Scientific Committee (2001f) Final Determination to list Diamond Firetail as a Vulnerable species. <http://www.nationalparks.nsw.gov.au/npws.nsf/content/diamond+firetail+-+vulnerable+species+listing> Accessed 14/06/05.

NSW Scientific Committee (2001g) Final Determination to list Eastern Pygmy-possum as a Vulnerable species. <http://www.nationalparks.nsw.gov.au/npws.nsf/content/eastern+pygmy-possum+-+vulnerable+species+listing> Accessed 13/05/05.

NSW Scientific Committee (2002a) Final determination to list competition and grazing by the feral European Rabbit as a key threatening process. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Competition+and+grazing+by+the+feral+European+rabbit+key+threatening+process+declaration> Accessed 15/6/04.

NSW Scientific Committee (2002b) Final Determination to list Stuttering Frog as an Endangered Species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Stuttering+frog+endangered+species+listing> Accessed 08/06/05

NSW Scientific Committee (2002c) Final Determination to list Stuttering Frog as an Endangered Species.

<http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Stuttering+frog+endangered+species+listing>
Accessed 08/06/06

NSW Scientific Committee (2002d) Final determination to list Competition from Feral Honeybees *Apis mellifera* as a Key Threatening Process.
<http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Competition+from+feral+honeybees+-+key+threatening+process+declaration> Accessed 24/4/06

NSW Scientific Committee (2002e) Final Determination to list Infection by Psittacine circoviral (beak and feather) disease affecting endangered psittacine species and populations as a Key Threatening Process.
<http://www.nationalparks.nsw.gov.au/npws.nsf/content/infection+by+psittacine+circoviral+beak+and+feather+disease+affecting+endangered+psittacine+species+and+populations+-+key+threatening+process+declaration> Accessed 23/05/05.

NSW Scientific Committee (2003a) Final Determination to list Brush-tailed Rock-wallaby (*Petrogale penicillata*) as an endangered species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Brush-tailed+rock+wallaby+-+endangered+species+listing>. Accessed 15/6/04.

NSW Scientific Committee (2003b) Final determination to list Infection of frogs by amphibian Chytrid causing the disease chytridiomycosis as a Key Threatening Process
<http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Infection+of+frogs+by+amphibian+chytrid+causing+the+disease+chytridiomycosis+key+threatening+process+declaration> Accessed 24/05/05.

NSW Scientific Committee (2003c) Final determination to list removal of dead wood and dead trees as a key threatening process.
http://www.nationalparks.nsw.gov.au/npws.nsf/Content/deadwood_removal_ktp Accessed 15/05/06.

NSW Scientific Committee (2003d) Final determination to list invasion of native plant communities by exotic perennial grasses as a Key Threatening Process.
<http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Invasion+of+native+plant+communities+by+exotic+perennial+grasses+key+threatening+process+declaration> Accessed 24/04/06.

NSW Scientific Committee (2004a) Final Determination to list competition and habitat degradation by Feral Goats. http://www.nationalparks.nsw.gov.au/npws.nsf/Content/feral_goats_ktp Accessed 15/06/05.

NSW Scientific Committee (2004b) Final Determination to list Feral Pigs as a Key Threatening Process. http://www.nationalparks.nsw.gov.au/npws.nsf/Content/feral_pigs_ktp. Accessed 13/05/05.

NSW Scientific Committee (2004c) Final Determination to list herbivory and land degradation caused by Feral Deer as a Key Threatening Process.
http://www.nationalparks.nsw.gov.au/npws.nsf/Content/feral_deer_ktp Accessed 21/06/06.

NSW Scientific Committee (2004d) Final determination to list Grey-crowned Babbler (eastern subspecies) as a vulnerable species. <http://www.nationalparks.nsw.gov.au/npws.nsf/Content/Grey-crowned+babbler+eastern+subspecies+-+vulnerable+species+listing>. Accessed 14/06/05.

NSW Scientific Committee (2005a). Final determination to list alteration of habitat following subsidence due to longwall mining as a Key Threatening Process.
http://www.nationalparks.nsw.gov.au/npws.nsf/Content/longwall_mining_ktp Accessed 24/10/05.

NSW Scientific Committee (2005b) Final determination to list Gang-gang Cockatoo as a Vulnerable species. http://www.nationalparks.nsw.gov.au/npws.nsf/Content/gang-gang_cockatoo_vulnerable. Accessed 03/02/06.

Oliver, D.L., Chambers, M.A. and Parker, D.G. (2003). Habitat and resource selection of the Painted Honeyeater (*Grantiella picta*) on the northern floodplains regions of New South Wales. *Emu* 103: 171-176.

Olsen, P.D. Water-rat *Hydromys chrysogaster*. (1995) Pp 628-629 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Olsen, P., Weston, M., Cunningham, R. and Silcocks, A. (2003) The State of Australia's Birds 2003. *Wingspan* 13(4) Supplement.

Parnaby, H. (1992a) An interim guide to identification of insectivorous bats of south-eastern Australia. *Technical Reports of the Australian Museum Number 8*. Australian Museum, Sydney.

Parnaby, H. (1992b) *An ultrasonic survey of microchiropteran bats of north-east NSW forests. North East Forests Biodiversity Study Report No. 3b*. NSW National Parks and Wildlife Service, Hurstville.

Parnaby, H. (1995) Greater Long-eared Bat *Nyctophilus timoriensis*. Pp 507-508 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Pell, A.S. and Tidemann, C.R. (1997) The Ecology of the Common Myna in urban nature reserves in the Australian Capital Territory. *Emu* 97: 141-149.

Penman, T., Lemckert, F. and Mahony, M. (2004) Two hundred and ten years looking for the Giant Burrowing Frog. *Australian Zoologist* 32: 597-604.

Pennay, M., Law, B. and Reinhold, L. (2004) *Bat calls of New South Wales: region based guide to the echolocation of microchiropteran bats*. NSW Department of Environment and Conservation, Hurstville.

Phillips, W. (1995) Eastern False Pipistrelle *Falsistrellus tasmaniensis*. Pp 520-521 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Pizzey, G. and Knight, F. (1999) *The Field Guide to the Birds of Australia*. Reprinted with corrections. Harper Collins, Sydney.

Poole, W.E. (1995) Common Wallaroo *Macropus robustus*. Pp. 347-349 in *The Mammals of Australia* (ed.) R. Strahan. Reed Books, Chatswood.

Pringle, R.M., Webb, J.K. and Shine, R. (2003) Canopy structure, microclimate and habitat selection by a nocturnal snake, *Hoplocephalus bungaroides*. *Ecology* 84: 2668-2679.

Quin, D.G. (1995) Population ecology of the Squirrel Glider (*Petaurus norfolkensis*) and the Sugar Glider (*P. breviceps*) at Limeburners Creek, on the central-north coast of New South Wales. *Wildlife Research* 22: 471-505

Reed, P.C., Lunney, D. and Walker, P. (1990) A 1986-1987 survey of the Koala *Phascolarctos cinereus* (Goldfuss) in New South Wales and an ecological interpretation of its distribution. Pp 55-74 in *Biology of the Koala*. (eds.) A.K. Lee, K.A. Handasyde and G.D. Sanson. Surrey Beatty and Sons, Sydney.

Reid, J. (1999) *Threatened and Declining Birds in the New South Wales Sheep-wheatbelt: Diagnosis, Characteristics and Management*. Report to NSW National Parks and Wildlife Service, Sydney.

Reinhold, L., Law, B., Ford, G. and Pennay, M. (2001) *Key to the Bat Calls of South east Queensland and North east New South Wales*. Queensland Department of Natural Resources and Mines, Brisbane.

Richards, G.C. (1992) *Fauna Survey: Wingham Management Area, Port Macquarie Region. Part 4: Bats*. Forest Resources Services Report No. 22, Forestry Commission of New South Wales.

Richards, G.C. (1995) Yellow-bellied Sheathtail-bat *Saccopteryx flaviventris*. Pp 467 – 468 in *Mammals of Australia* (ed.) R. Strahan. Reed Books, Chatswood.

Robinson, D. (1994) *Research plan for threatened woodland birds of south-eastern Australia*. Arthur Rylah Institute for Environmental Research Technical Report Series 133, ARIER, Melbourne.

Robinson, M. (1993) *A Field Guide to Frogs of Australia*. Reed Books, Port Melbourne.

Robinson D. and Traill, B.J. (1996) Conserving woodland birds in the wheat and sheep belts of southern Australia. *RAOU Conservation Statement 10*, RAOU, Melbourne.

Russell, R. (1995) Yellow-bellied Glider *Petaurus australis*. Pp 226-8 in *The Mammals of Australia*. (ed.) R. Strahan. Reed Books, Chatswood.

Schodde, R. and Mason, I.J. (1999) *The Directory of Australian Birds – Passerines*. CSIRO Publishing, Collingwood, Victoria.

Schulz, M. (1998) Bats and other fauna in disused Fairy Martin *Hirundo ariel* Nests. *Emu* 98: 184-191.

Scotts, D.J. and Craig, S.A. (1988) Improved hair sampling tube for the detection of small mammals. *Australian Wildlife Research* 15: 469-472.

Shelley, D. (1998) Survey of vertebrate fauna and habitats in a cypress pine-ironbark forest in central-west New South Wales. *Australian Zoologist* 30: 426-436.

Shelley, D. (2004) *Macquarie Marshes – Threatened species profiles*. Department of Infrastructure, Planning and Natural Resources, Dubbo.

Shine, R. and Fitzgerald, M. (1989) Conservation and reproduction of an endangered species: the Broad-headed Snake, *Hoplocephalus bungaroides* (Elapidae). *Australian Journal of Zoology* 25: 65-67

Short, J. and Milkovits, G. (1990) Distribution and status of the Brush-tailed Rock-wallaby in south-eastern Australia. *Australian Wildlife Research* 17: 169 –179.

Simpson, K. and Day, N. (1996) *Field Guide to the Birds of Australia*. 5th Edition. Penguin Books, Ringwood.

Smith, A.P. and Murray, M. (2003) Habitat requirements of the squirrel glider (*Petaurus norfolcensis*) and associated possums and gliders on the New South Wales central coast. *Wildlife Research* 30: 291-301.

Smith, A.P. and Quin, D.G. (1996) Patterns and causes of extinction and decline in Australian conilurine rodents. *Biological Conservation* 77: 243-267.

Smith, P.J., Smith, J.E., Pressey, R.L. and Whish, G.L. (1995) *Birds of Particular Conservation Concern in the Western Division of New South Wales: Distribution, Habitats and Threats*. NSW National Parks and Wildlife Service, Hurstville.

Story, R., Galloway, R.W., van-de Graaff, R.H.M. and Tweedie, A.D. (1963) *General Report on the Lands of the Hunter Valley*. Land Research Series No. 8. CSIRO, Melbourne.

Suckling, G.C. (1995a) Sugar glider *Petaurus breviceps*. Pp 229-231 in *The Mammals of Australia* (ed.) R. Strahan. Reed Books, Chatswood.

Suckling, G.C. (1995b) Squirrel glider *Petaurus norfolcensis*. Pp. 234-235 in *The Mammals of Australia* (ed.) R. Strahan. Reed Books, Chatswood.

Swift Parrot Recovery Team (2001) *Swift Parrot (Lathamus discolor) Recovery Plan 2001-2005*. Tasmanian Department of Primary Industries, Water and Environment and the Australian Department of Environment and Heritage, Canberra.

Swan, G., Shea, G. and Sadlier, R. (2004) *A Field Guide to Reptiles of New South Wales*. Second Edition. Reed New Holland, Sydney.

Tame, T. (1997) *The Biodiversity of the Dunns Swamp Area*. A vegetation, flora and fauna report on the results of the biodiversity surveys carried out during October 1996 and March 1997 at Dunns Swamp near Rylstone, NSW.

Taylor, I.R., Kirsten, I. and Peake, P. (2002a) Distribution and habitat of Barking Owls (*Ninox connivens*) in Central Victoria. Pp 107-15 in *Ecology and Conservation of Owls* (eds.) I. Newton, R. Kavanagh, J. Olsen and I. Taylor. CSIRO Publishing, Collingwood, Victoria.

Taylor, I.R., Kirsten, I. and Peake, P. (2002b) Habitat, Breeding and Conservation of the Barking Owl (*Ninox connivens*) in Northeastern Victoria, Australia. Pp 116-124 in *Ecology and Conservation of Owls* (eds.) I. Newton, R. Kavanagh, J. Olsen and I. Taylor. CSIRO Publishing, Collingwood, Victoria.

Thackway, R. and Cresswell, I.D. (eds.) (1995) *An interim biogeographic regionalisation for Australia: a framework for establishing the national system of reserves, version 4.0*. Australian Nature Conservation Agency, Canberra.

Thomson, P.C. and Kok, N.E. (2002) The fate of dried meat baits laid for fox control: the effect on bait presentation on take by foxes and non-target species, and on caching by foxes. *Wildlife Research* 29: 371-377.

Thumm, K. and Mahony, M. (2002) Evidence for continuous iteroparity in a temperate-zone frog, the red-crowned toadlet, *Pseudophryne australis* (Anura: Myobatrachidae). *Australian Journal of Zoology* 50: 151-167.

Tidemann, C.R. and Woodside, D.P. (1978) A collapsible bat trap compared with mist-nets. *Australian Wildlife Research* 5: 363-384.

Traill, B.J. and Duncan, S. (2000) *Status of birds in the New South Wales temperate woodlands region*. Unpublished consultancy report to the NSW National Parks and Wildlife Service.

Triggs, B. (1996) *Tracks, Scats and Other Traces. A Field Guide to Australian Mammals*. Oxford University Press, Melbourne.

Tulloch, A. (2001) *Distribution, abundance and habitat use of the Eastern Pygmy Possum, Cercartetus nanus, in Royal and Heathcote National Parks, New South Wales*. Thesis submitted for the degree of Bachelor of Science with Honours at the School of Biological Sciences, University of Sydney.

Tulloch, A. (2003) *Post-fire distribution, abundance and habitat use of small mammals in Royal National Park, Heathcote National Park and Garrawarra State Recreation Area, New South Wales. A survey targeting the Eastern Pygmy Possum, Cercartetus nanus*. Unpublished report for Royal National Park, NSW National Parks and Wildlife Service, Sydney South Region.

Turner, V. and Ward, S.J. (1995) Eastern Pygmy-possum *Cercartetus nanus*. Pp 217-218 in *The Mammals of Australia* (ed.) R. Strahan. Reed Books, Chatswood.

Tzaros, C. (2002) Swift Parrots – Swift Flight to Recovery. *Wingspan* 12(2): 8-11.

Walker, J. and Hopkins, M.S. (1990). Vegetation. Pages 58-86 in *Australian Soil and Land Survey Field Handbook*. Second edition. (eds) R.C. McDonald, R.F. Isbell, J.G. Speight, J. Walker, and M.S. Hopkins. Inkata Press, Melbourne.

Washington, H. and Mullins Imrie, J. (1998) *Biodiversity Assessment of the Proposed Glen Alice Fuel Management Burn, Wollemi National Park*. Report to the NSW National Parks and Wildlife Service, Mudgee Sub-district.

Webb, J.K. and Shine, R. (1997) Out on a limb: Conservation implications of tree hollow use by a threatened snake species (*Hoplocephalus bungaroides*: Serpentes, Elapidae). *Biological Conservation* 81: 21-23

Williams, N. (2006) *Summary of searches for Brush-tailed Rock-wallaby in the Widden Valley, focussing on the Myrtle Creek population*. Data sheets, summary tables and annotated maps prepared for the Brush-tailed Rock-wallaby Recovery Team and the Information and Assessment Section, NSW Department of Environment and Conservation, Hurstville.

Wilson, S. and Swan, G. (2003) *A Complete Guide to Reptiles of Australia*. Reed New Holland, Sydney.

Wong, V. (1994) *The Brush-tailed Rock-wallaby in the northern end of Wollemi National Park. Population Management Plan*. An unpublished report to the New South Wales National Parks and Wildlife Service.

APPENDIX A – LOCATION OF SURVEY SITES

Tabulated below is the location of systematic fauna survey sites in north-western Wollemi National Park and the techniques undertaken at each site. In addition to this, 24 further harp trap sites were erected on an opportunistic basis. All sites are located in Zone 56, using Australian Geodatum 66.

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| BSP | BGE01O | 239856 | 6349213 | 1 | 1 | | | | | | | | |
| BSP | BGE02O | 239842 | 6348354 | 1 | 1 | | | | | | | | |
| BSP | BGE03O | 239620 | 6350655 | 1 | 1 | | | | | | | | |
| BSP | BGE04O | 237358 | 6358238 | 1 | 1 | 1 | 1 | 1 | | 2 | | | |
| BSP | BGE05O | 237497 | 6356842 | 1 | 1 | 1 | | | | | | | |
| BSP | BGE06O | 239556 | 6354740 | 1 | 1 | 1 | | | | | | | |
| BSP | BGE07O | 239923 | 6351935 | 1 | 1 | 1 | | | | 1 | | | |
| BSP | BGE08W | 237235 | 6351353 | 1 | 1 | | | | | | | | |
| BSP | BGE09W | 239068 | 6351414 | | | 1 | | | | | | | |
| BSP | BGE10C | 239471 | 6356014 | 1 | 1 | | | | | | | | |
| BSP | BGE11O | 236100 | 6358957 | 1 | 1 | 1 | | | | | | | |
| BSP | BGE12M | 239631 | 6348646 | | | 1 | | | | | | | |
| BSP | BGE13O | 237450 | 6356750 | | | | | 1 | | | | | 1 |
| BSP | BGE14O | 239252 | 6354760 | | | | | | 1 | | | | |
| BSP | BGE15W | 239714 | 6353788 | | | | | | 1 | 1 | | | |
| BSP | BGE16O | 239777 | 6352263 | | | | | | 1 | | | | |
| BSP | BGE17W | 238353 | 6355928 | | | | | | | 1 | 1 | | |
| BSP | BGE18W | 237992 | 6345925 | 1 | 1 | 1 | | | | | | | |
| BSP | BGE19O | 237178 | 6346622 | 1 | 1 | 1 | 1 | 1 | | | | | |
| BSP | BGE20O | 237704 | 6348015 | 1 | 1 | 1 | 1 | 1 | | | | | |
| BSP | BGE21W | 238900 | 6347386 | 1 | 1 | | | | | | | | |
| BSP | BGE22W | 239248 | 6345477 | | | | | 1 | | | | | |
| BSP | BGE24O | 237473 | 6347592 | 1 | | | | | | | | | |
| BSP | BGE25W | 241841 | 6351696 | | | 1 | | | | | | | |
| BSP | BYL01W | 237998 | 6403535 | 1 | 1 | 1 | | | | | | | |
| BSP | BYL02W | 237893 | 6402306 | 1 | 1 | | | | | | | | |
| BSP | BYL03W | 237036 | 6404622 | 1 | 1 | | | | | | | | |
| BSP | BYL04O | 238020 | 6401309 | | | 1 | | | | | | | |
| BSP | BYL05O | 238000 | 6402650 | | | | 1 | 1 | | 1 | 1 | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| BSP | BYL06O | 236546 | 6401690 | 1 | | 1 | 1 | | 1 | 1 | | | |
| BSP | CRC01C | 253580 | 6359797 | | 1 | | | | | | | | |
| BSP | CRC03M | 259849 | 6360886 | | 1 | | | | | | | | |
| BSP | CRC04H | 259600 | 6360500 | 1 | | 1 | | | | 1 | | 1 | |
| BSP | CRC05O | 260180 | 6360950 | 1 | 1 | | | | | | | | |
| BSP | CRC06O | 259672 | 6360835 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | |
| BSP | CRC07O | 258164 | 6361334 | 1 | 1 | | | | | | | | |
| BSP | CRC08O | 258635 | 6360826 | 1 | | | | | | | | | |
| BSP | CRC09W | 258160 | 6366350 | 1 | 1 | | | | | | | | |
| BSP | CRC10O | 259124 | 6366009 | 1 | 1 | 1 | | 1 | 1 | | | | |
| BSP | CRC11W | 258106 | 6365446 | 1 | 1 | 1 | | | | | | 1 | |
| BSP | CRC12C | 254113 | 6364675 | 1 | 1 | | | | | | | | |
| BSP | CRC13C | 254275 | 6365750 | 1 | 1 | | | | | | | | |
| BSP | CRC14C | 255025 | 6366335 | 1 | 1 | | | | | | | | |
| BSP | CRC15M | 255332 | 6363935 | 1 | 1 | 1 | | | | | | 1 | |
| BSP | CRC16W | 254322 | 6363543 | | 1 | | | | | | 1 | | |
| BSP | CRC17H | 264109 | 6370946 | 1 | | | | | | | | | |
| BSP | CRC18C | 262858 | 6371503 | 1 | | 1 | | 1 | 1 | 1 | | 1 | |
| BSP | CRC19O | 262050 | 6371159 | 1 | 1 | | | | | | | | |
| BSP | CRC20O | 260926 | 6371037 | | 1 | | | | | | | | |
| BSP | CRC21O | 262501 | 6369639 | | 1 | | | | | 1 | | | |
| BSP | CRC22W | 259582 | 6367471 | 1 | 1 | 1 | | | | | | | |
| BSP | CRC23O | 262215 | 6368465 | | 1 | | | | | | | | |
| BSP | CRC24O | 253236 | 6369381 | 1 | | 1 | | | | | | | |
| BSP | CRC25O | 253416 | 6370337 | 1 | 1 | 1 | | | | | | | |
| BSP | CRC26O | 253620 | 6371725 | 1 | 1 | | | | | | | | |
| BSP | CRC27O | 254034 | 6372677 | 1 | 1 | 1 | | 1 | 1 | | | | |
| BSP | CRC28O | 254449 | 6371703 | 1 | | | | | | | | | |
| BSP | CRC29O | 255608 | 6372220 | 1 | 1 | | | | | | | | |
| BSP | CRC30C | 256560 | 6372271 | | 1 | | | | | | | | |
| BSP | CRC31O | 255727 | 6364649 | 1 | 1 | 1 | | | | | | | |
| BSP | CRC32O | 261249 | 6368417 | | 1 | | | | | | | | |
| BSP | CRC33C | 263050 | 6373165 | 1 | | | | | | | | 1 | |
| BSP | CRC34C | 262799 | 6372080 | 1 | | | | | | | | 1 | |
| BSP | CRC35M | 255452 | 6364330 | | | | | | | | | 1 | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| BSP | CRC36O | 256717 | 6372722 | | 1 | | | | | | | | |
| BSP | CRC37C | 259977 | 6367436 | 1 | | 1 | | | | | | | |
| BSP | CRC38O | 258604 | 6365545 | | | | | | | | | 1 | |
| BSP | CRC39O | 254271 | 6363345 | 1 | 1 | 1 | 1 | | | | | 1 | 1 |
| BSP | CRC40O | 254901 | 6363384 | | | | | 1 | | | | | |
| BSP | CRC41W | 256371 | 6364661 | | | | | 1 | | | | | |
| BSP | CRC42O | 258055 | 6365151 | | | | | 1 | | | | | |
| BSP | CRC43C | 258926 | 6365672 | | | | 1 | | | | | | |
| BSP | CRC44W | 259520 | 6367493 | | | | 1 | | | | | | |
| BSP | CRC45W | 262271 | 6369980 | | | | 1 | | | | | | |
| BSP | CRC46W | 263472 | 6370727 | | | | 1 | | | | | | |
| BSP | CRC47O | 264771 | 6371346 | 1 | 1 | 1 | 1 | | | | | | |
| BSP | CRC48O | 261977 | 6368414 | | | | 1 | | | | | | |
| BSP | CRC50O | 257812 | 6364120 | | | | | | | 1 | | | |
| BSP | CRC52O | 265277 | 6371301 | | | | | | | 1 | | | |
| BSP | CRN01C | 251952 | 6349756 | 1 | 1 | | | | | | | | |
| BSP | CRN02O | 251815 | 6357025 | 1 | 1 | | | | 1 | 1 | | | 1 |
| BSP | CRN03H | 251978 | 6353893 | 1 | 1 | | | | | | | | |
| BSP | CRN04W | 253880 | 6351831 | 1 | 1 | 1 | | | | | | | |
| BSP | CRN05O | 252897 | 6349675 | 1 | 1 | | | | | | | | |
| BSP | CRN06O | 253987 | 6349754 | 1 | 1 | | | | | | | | |
| BSP | CRN07O | 254699 | 6350387 | 1 | 1 | 1 | | | | | | | |
| BSP | CRN08O | 253160 | 6352663 | 1 | 1 | 1 | | | | | | | |
| BSP | CRN09C | 253750 | 6354059 | 1 | | | | | | | | | |
| BSP | CRN10O | 254595 | 6354203 | 1 | 1 | | | | | | | | |
| BSP | CRN11C | 255225 | 6354896 | 1 | 1 | | | | | | | | |
| BSP | CRN12O | 252238 | 6355495 | 1 | 1 | 1 | | | | | | | |
| BSP | CRN13O | 254209 | 6349027 | | | 1 | | | | | | | |
| BSP | CRN14O | 253826 | 6350735 | 1 | | 1 | | | | | | | |
| BSP | CRN15H | 252824 | 6353651 | 1 | 1 | | | | 1 | 1 | | | 1 |
| BSP | CRN16C | 251968 | 6350932 | | 1 | | | | | | | | |
| BSP | CRN20W | 251867 | 6356552 | | | | 1 | | | | | | |
| BSP | CRN21W | 252279 | 6355447 | | | | 1 | | | | | | |
| BSP | CRN22W | 252608 | 6354523 | | | | 1 | | | | | | |
| BSP | CRN23W | 253034 | 6353614 | | | | 1 | | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| BSP | CRN24W | 253167 | 6352778 | | | | 1 | | | | | | |
| BSP | CRN25O | 253834 | 6351710 | | | | 1 | | | | | | |
| BSP | CRN26O | 254651 | 6349498 | 1 | | | 1 | | | | | | |
| BSP | CRN27O | 254338 | 6347470 | 1 | | | 1 | | | | | | |
| BSP | CRN28O | 254726 | 6345826 | 1 | | | 1 | | | | | | |
| BSP | CRN29H | 253628 | 6358671 | 1 | | 1 | 1 | 1 | | | | 1 | |
| BSP | CRN30W | 253898 | 6359310 | 1 | 1 | | | | | | | | |
| BSP | CRN31O | 253430 | 6358035 | 1 | | 1 | | 1 | 1 | 1 | 1 | | |
| BSP | CRN32C | 252971 | 6357385 | 1 | 1 | | | | | | | | |
| BSP | CRN33C | 252710 | 6356920 | | | 1 | | | | | | | |
| BSP | CRN34W | 260962 | 6357283 | 1 | 1 | 1 | | 1 | | | | 1 | |
| BSP | CRN35W | 261500 | 6358396 | | | 1 | | | | | | | |
| BSP | CRN36C | 260058 | 6357649 | 1 | | | 1 | | | | | 1 | |
| BSP | CRN37O | 260425 | 6358475 | 1 | 1 | | | | | | | | |
| BSP | CRN38M | 261143 | 6357360 | | | | | | | | | 1 | |
| BSP | CRN39C | 261517 | 6348041 | | | 1 | 1 | | | | | | |
| BSP | CRN40C | 261490 | 6348090 | 1 | | | 1 | 1 | 1 | | | 1 | |
| BSP | CRN41O | 261769 | 6348497 | 1 | 1 | 1 | 1 | 1 | | | | | |
| BSP | CRN42O | 261221 | 6347601 | | | 1 | | | | | | | |
| BSP | CRN43W | 259989 | 6347360 | | | 1 | | | | | | | |
| BSP | CRN44C | 261239 | 6347668 | 1 | 1 | 1 | | 1 | | | | | |
| BSP | CRN45C | 262125 | 6348400 | 1 | | | | | | | | | |
| BSP | CRN46C | 262455 | 6348520 | 1 | | | | | | | | | |
| BSP | CRN47O | 263679 | 6352967 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | |
| BSP | CRN48C | 264200 | 6350900 | 1 | 1 | 1 | | | | | | 1 | |
| BSP | CRN49O | 263304 | 6353061 | 1 | | | | | | | | | |
| BSP | CRN50O | 262886 | 6354028 | 1 | 1 | | | | | | | | |
| BSP | CRN51O | 262617 | 6355254 | | | 1 | | | | | | | |
| BSP | CRN52C | 263000 | 6355720 | | | 1 | | | | | | | |
| BSP | CRN53O | 262625 | 6352960 | 1 | 1 | | | | | | | | |
| BSP | CRN54C | 261780 | 6352230 | 1 | 1 | | | | | | | | |
| BSP | CRN55O | 261500 | 6348150 | | | | | | 1 | | 1 | | |
| BSP | CRN56C | 245715 | 6353084 | 1 | 1 | 1 | | | | | | | |
| BSP | CRN57O | 245456 | 6351826 | 1 | | | 1 | | | | | | |
| BSP | CRN58O | 245468 | 6350845 | 1 | | | 1 | | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamside search | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|-----------------------------|--------------|------------|---------------------------|
| BSP | CRN59O | 245413 | 6350015 | 1 | | 1 | | | | | | | |
| BSP | CRN60H | 244322 | 6349645 | 1 | 1 | | | | | | | | |
| BSP | CRN61W | 245234 | 6351520 | | | | | 1 | | | | | |
| BSP | CRN62O | 245132 | 6350117 | | | | | 1 | | | | | |
| BSP | CRN63W | 244660 | 6349255 | | | | | 1 | | | | | |
| BSP | CRN64O | 244414 | 6348732 | 1 | | 1 | 1 | | | | | | |
| BSP | CRN65O | 243670 | 6351652 | 1 | | | | | | | | | |
| BSP | CRN66C | 244539 | 6352275 | 1 | | | | | | | | | |
| BSP | CRN67W | 246439 | 6353117 | 1 | | | | | | | | | |
| BSP | CRN68W | 245482 | 6346283 | 1 | 1 | | | | | | | | |
| BSP | CRN69W | 245766 | 6347352 | 1 | 1 | | | | | | | | |
| BSP | CRN70C | 246411 | 6348338 | 1 | 1 | | | | | | | | |
| BSP | CRN71W | 246881 | 6354709 | 1 | | | | | | | | | |
| BSP | CRN72O | 244750 | 6349700 | | | | 1 | | | | | | |
| BSP | CRN73O | 246300 | 6353636 | | | | | 1 | | | | | |
| BSP | CRN74C | 246250 | 6354200 | | | | | 1 | | 1 | | | |
| BSP | CRN76O | 245952 | 6355056 | 1 | 1 | 1 | | | 1 | | | | |
| BSP | CRN77O | 244346 | 6349035 | | | | | | | 1 | | | |
| BSP | CRN78C | 246141 | 6354406 | | | | | | | | | | 1 |
| BSP | GLC01W | 239589 | 6345066 | 1 | 1 | 1 | | | | | | | |
| BSP | GLC02W | 240078 | 6344515 | 1 | | | | | | | | | |
| BSP | GLC03O | 238797 | 6344250 | | | 1 | | | | | | | |
| BSP | GLC04W | 237764 | 6344706 | | | 1 | | | | | | | |
| BSP | GLC05O | 240043 | 6344048 | 1 | | | | | | | | | |
| BSP | GLC06O | 239859 | 6343905 | | | 1 | | | | | | | |
| BSP | GLC07O | 239407 | 6343743 | 1 | | | | | | | | | |
| BSP | GLC08W | 240106 | 6345131 | | | | 1 | | | | | | |
| BSP | GRW01W | 239274 | 6384589 | 1 | 1 | | | | | | | | |
| BSP | GRW02C | 239324 | 6384407 | 1 | 1 | | | | | | | | |
| BSP | GRW03C | 239967 | 6385186 | | 1 | 1 | | | | 1 | 1 | | |
| BSP | GRW04C | 240130 | 6386189 | 1 | | 1 | | | 1 | 1 | 1 | | |
| BSP | GRW05W | 236771 | 6386791 | 1 | 1 | 1 | | | | | 1 | | |
| BSP | GSP01O | 258263 | 6337892 | 1 | | | | | | | | | |
| BSP | GSP02O | 255524 | 6340358 | | | 1 | 1 | | | | | | |
| BSP | GSP03O | 258549 | 6337315 | | | 1 | | | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| BSP | GSP04O | 259427 | 6336638 | | 1 | | | | | | | | |
| BSP | GSP05W | 256445 | 6341754 | | | 1 | | | | | | | |
| BSP | GSP06W | 257731 | 6342868 | | | 1 | | | | | | | |
| BSP | GSP07O | 254382 | 6344367 | | | 1 | | | | | | | |
| BSP | GSP08C | 257975 | 6339069 | 1 | | 1 | | | | | | | |
| BSP | GSP09W | 258017 | 6340220 | 1 | 1 | 1 | | | | | | | |
| BSP | GSP10O | 256446 | 6342229 | 1 | 1 | | | | | | | | |
| BSP | GSP11C | 256351 | 6342958 | 1 | | | | | | | | | |
| BSP | GSP12C | 256331 | 6343877 | | 1 | | | | | | | | |
| BSP | GSP13W | 256379 | 6341484 | | 1 | | | | | | | | |
| BSP | GSP14O | 259931 | 6337635 | | 1 | | | | | | | | |
| BSP | GSP15W | 256571 | 6341385 | 1 | | | | | | | | | |
| BSP | GSP16O | 257133 | 6341858 | | | 1 | | | | | | | |
| BSP | GSP17O | 258036 | 6339069 | | | | | | | | 1 | | |
| BSP | GSP18W | 255403 | 6342637 | 1 | | | 1 | | | | | | |
| BSP | GSP19W | 256578 | 6340777 | 1 | | | 1 | | | | | | |
| BSP | GSP20W | 258050 | 6339950 | | | | 1 | | | | | | |
| BSP | GSP22W | 245343 | 6345121 | 1 | | | | | | | | | |
| BSP | GSP23W | 244953 | 6344268 | 1 | | | | | | | | | |
| BSP | GSP24O | 245545 | 6343750 | 1 | 1 | | | | | | | | |
| BSP | MMR03W | 252208 | 6329275 | 1 | | 1 | | | | | | | |
| BSP | MMR04O | 252809 | 6328720 | | | 1 | | | | | | | |
| BSP | MPM01W | 244927 | 6375282 | 1 | 1 | | | | | | | | |
| BSP | MPM02O | 245720 | 6375945 | 1 | 1 | | | | | | | | |
| BSP | MPM03W | 246900 | 6376387 | 1 | 1 | 1 | | | | | | | |
| BSP | MPM04O | 244816 | 6374245 | | 1 | | | | | | | | |
| BSP | MPM05W | 254902 | 6386028 | 1 | | 1 | | | | | | | |
| BSP | MPM06W | 255673 | 6384323 | 1 | 1 | | | | | | | | |
| BSP | MPM07W | 257835 | 6383645 | 1 | | 1 | | | | | | | |
| BSP | MPM08W | 259669 | 6381245 | 1 | 1 | 1 | 1 | | | | | | |
| BSP | MPM09O | 261009 | 6379974 | 1 | | 1 | | | | | | | |
| BSP | MPM10O | 261587 | 6379045 | 1 | | | | | | | | | |
| BSP | MPM11W | 249292 | 6376564 | 1 | 1 | 1 | | | | | | | |
| BSP | MPM12W | 250727 | 6377835 | 1 | 1 | | | | | | | | |
| BSP | MPM13O | 251849 | 6378269 | 1 | 1 | 1 | | | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamside search | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|-----------------------------|--------------|------------|---------------------------|
| BSP | MPM14W | 251941 | 6379261 | 1 | | | | | | | | | |
| BSP | MPM15W | 252763 | 6384794 | 1 | | | | | | | | | |
| BSP | MPM16W | 252949 | 6386806 | 1 | 1 | 1 | | | | | | | |
| BSP | MPM18O | 250365 | 6376796 | 1 | | | | | | | | | |
| BSP | MPM19C | 251532 | 6375374 | 1 | | | | | | | | | |
| BSP | MPM20W | 250074 | 6379656 | 1 | | | | | | | | | |
| BSP | MPM21W | 250681 | 6381613 | 1 | | | | | | | | | |
| BSP | MPM22O | 251704 | 6377805 | 1 | | | | | | | | | |
| BSP | MPM23O | 250962 | 6375974 | 1 | | | | | | | | | |
| BSP | MPM25W | 250529 | 6378853 | | | 1 | | | | | | 1 | |
| BSP | MPM27O | 258947 | 6382234 | | | 1 | | | | | | | |
| BSP | MPM28O | 258015 | 6383863 | | | | | | 1 | 1 | | | |
| BSP | MPM29O | 255476 | 6385549 | | | | | 1 | | | | | |
| BSP | MPM30W | 256782 | 6384787 | | | | | 1 | | | | | |
| BSP | MPM31O | 257866 | 6384050 | | | | | 1 | | | | | |
| BSP | MPM32W | 258371 | 6383307 | | | | | 1 | | | | | |
| BSP | MPM33W | 250362 | 6378901 | 1 | 1 | | | 1 | | | | 1 | |
| BSP | MPM34O | 249888 | 6378244 | | | | | 1 | | | | | |
| BSP | MPM35C | 249778 | 6377521 | 1 | | | | 1 | | | | | |
| BSP | MPM36C | 248777 | 6376868 | 1 | | | | 1 | | | | | |
| BSP | MPM37W | 246469 | 6376451 | | | | | 1 | 1 | | | | |
| BSP | MPM38O | 257293 | 6384589 | 1 | 1 | 1 | | | | | | 1 | |
| BSP | MPM40O | 259983 | 6380899 | | | | | | | | 1 | | |
| BSP | MPM41G | 253786 | 6373816 | 1 | 1 | | | | | | | | |
| BSP | MPM42W | 251906 | 6378844 | | | | | | | | 1 | | |
| BSP | MPM43W | 250065 | 6376959 | | | | | | | | 1 | | |
| BSP | MPM44W | 251351 | 6384526 | | | | | | | | 1 | | |
| BSP | MPM45W | 252502 | 6382699 | | | | | | | | 1 | | |
| BSP | MPM46W | 256100 | 6385125 | | | | | | | | 1 | | |
| BSP | MPM47O | 246705 | 6376515 | | | | | | | | 1 | | |
| BSP | OLN01W | 236658 | 6361089 | 1 | | | | | | | | | |
| BSP | OLN02W | 237361 | 6361245 | 1 | 1 | 1 | | | | | 1 | | |
| BSP | OLN03W | 237971 | 6361199 | 1 | | | | 1 | | | | | |
| BSP | OLN04M | 238798 | 6362057 | 1 | 1 | 1 | | | | | | | |
| BSP | OLN05M | 239604 | 6361066 | 1 | 1 | 1 | | | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamside search | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|------------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|-----------------------------|--------------|------------|---------------------------|
| BSP | OLN06O | 240826 | 6360769 | 1 | 1 | | | | | | | | |
| BSP | OLN07W | 241286 | 6361720 | 1 | 1 | 1 | | 1 | | | | | |
| BSP | OLN08W | 240006 | 6362914 | 1 | 1 | 1 | | | | 1 | | | |
| BSP | OLN09W | 238919 | 6363127 | 1 | 1 | 1 | | | | | | | |
| BSP | OLN10O | 242309 | 6359750 | 1 | 1 | 1 | | | | | | | |
| BSP | OLN11W | 241259 | 6363225 | 1 | 1 | 1 | | | | | | | |
| BSP | OLN12W | 241026 | 6364029 | 1 | 1 | 1 | | | | | | | |
| BSP | OLN13O | 240322 | 6364810 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | |
| BSP | OLN14H | 238383 | 6361164 | | | 1 | | | | | | | |
| BSP | OLN15S | 238921 | 6364294 | 1 | | | | | | | | | |
| BSP | OLN16W | 238232 | 6362849 | | | 1 | | | | | | | |
| BSP | OLN17W | 241162 | 6364094 | | | | | 1 | | | | | |
| BSP | OLN18W | 241644 | 6362078 | | | | | 1 | | | | | |
| BSP | OLN19O | 241386 | 6361101 | | | | | 1 | | 1 | | | |
| BSP | OLN21W | 241320 | 6363411 | | | | | | | | | 1 | |
| BSP | PTT13O | 268074 | 6351610 | 1 | 1 | | | | | | | | |
| BSP | PTT15O | 268149 | 6351041 | 1 | | 1 | | 1 | | | | | |
| BSP | PTT16O | 266640 | 6352002 | 1 | 1 | | | | | | | | |
| BSP | PTT17W | 267805 | 6351246 | | | 1 | | | | | | | |
| BSP | S-F-LNE-75-002-B | 237600 | 6364200 | | | | | | | 1 | | | |
| BSP | TLB01W | 235794 | 6389865 | 1 | 1 | 1 | 1 | | | | | | |
| BSP | TLB02O | 235980 | 6388701 | 1 | 1 | 1 | 1 | | | | | 1 | |
| BSP | TLB03O | 235855 | 6390994 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 |
| BSP | TLB04C | 235211 | 6390349 | 1 | | | 1 | | | | | 1 | |
| BSP | TLB05O | 235149 | 6389334 | | | 1 | | | | | | | |
| BSP | TLB06O | 236716 | 6391738 | 1 | | | | | | | | | |
| BSP | TLB07W | 236879 | 6392732 | | | 1 | | | | | | | |
| BSP | TLB08O | 236824 | 6389786 | 1 | 1 | | | | | | | | |
| BSP | TLB09W | 235995 | 6392357 | | | 1 | | | | | | | |
| BSP | TLB10O | 237573 | 6390468 | | | 1 | | | | | | | |
| BSP | TLB11W | 241067 | 6390857 | 1 | 1 | | | 1 | | | | | |
| BSP | TLB12C | 241490 | 6387390 | 1 | 1 | | | | | | | | |
| BSP | TLB13O | 241603 | 6391023 | 1 | 1 | 1 | | | | | | | |
| BSP | TLB15W | 235804 | 6390675 | | | | | 1 | | | | | |
| BSP | TLB16W | 235858 | 6389076 | | | | | | | 1 | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|-------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| BSP | TLB18O | 231720 | 6392168 | 1 | 1 | 1 | 1 | | | | | 1 | |
| BSP | TLB19W | 232276 | 6391228 | 1 | 1 | | | | | | | | |
| BSP | TLB20O | 232899 | 6390605 | | 1 | | | | | | | | |
| BSP | TLB21W | 230013 | 6396608 | 1 | 1 | 1 | | 1 | | | | | |
| BSP | TLB22W | 229627 | 6395665 | 1 | 1 | 1 | | | | | | | |
| BSP | TLB23W | 231011 | 6392982 | 1 | 1 | | | | | | | | |
| BSP | TLB24W | 231709 | 6398784 | | | 1 | | | | | | | |
| BSP | TLB25O | 232279 | 6391403 | | | 1 | | | | 1 | | | |
| BSP | TLB26O | 230803 | 6392960 | | | | 1 | | | | | | |
| BSP | TLB27W | 230364 | 6393811 | 1 | | | | | | | | | |
| BSP | TLB28W | 232434 | 6399470 | 1 | 1 | | | | | | | | |
| BSP | TLB29W | 232627 | 6400283 | 1 | 1 | 1 | | | | 1 | | | |
| BSP | TLB30W | 231454 | 6398999 | 1 | 1 | | | | | 1 | | | |
| BSP | TLB31W | 231366 | 6398188 | 1 | 1 | | | | | | | | |
| BSP | TLB32O | 233093 | 6397915 | 1 | 1 | 1 | | | | 1 | | | |
| BSP | TLB33W | 233122 | 6398823 | 1 | 1 | 1 | | | | | | | |
| BSP | TLB34O | 232399 | 6395505 | 1 | 1 | 1 | | 1 | | | | | |
| BSP | TLB35O | 232313 | 6393817 | 1 | 1 | 1 | | | | | | | |
| BSP | TLB36W | 234012 | 6393137 | 1 | 1 | 1 | | | | | | | |
| BSP | TLB37O | 233688 | 6394254 | 1 | 1 | 1 | 1 | 1 | | | 1 | | |
| BSP | TLB38W | 232566 | 6396604 | | | | | | | | 1 | | |
| BSP | TLB39O | 230104 | 6397624 | 1 | 1 | | | | | | | | |
| BSP | TLB40W | 230252 | 6392382 | 1 | | 1 | | | | | | | |
| BSP | TLB41W | 229519 | 6392402 | 1 | | | | | | | | | |
| BSP | TLB42W | 230661 | 6398653 | | | 1 | | | | | | | |
| BSP | TLB43O | 231786 | 6397304 | | | 1 | | | | | | | |
| BSP | TLB44O | 231567 | 6397708 | | | 1 | | | | | | | |
| BSP | TLB45W | 230514 | 6392933 | | | | | | 1 | | | | |
| BSP | TLB46W | 229748 | 6394701 | 1 | 1 | | | | | | | | |
| BSP | TLB47W | 232411 | 6400205 | | | | 1 | | | | | | |
| BSP | TLB48W | 233085 | 6398099 | | | | 1 | | | | | | |
| BSP | TLB49O | 234097 | 6393155 | | | | 1 | | | | | | |
| BSP | WDD03W | 255595 | 6389365 | 1 | 1 | 1 | | | | | | | |
| BSP | WDD05W | 255229 | 6390311 | 1 | 1 | | | | | | | | |
| BSP | WDD32W | 255553 | 6389683 | | | | | 1 | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamside search | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|--------------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|-----------------------------|--------------|------------|---------------------------|
| BSP | WDD36O | 255600 | 6389572 | | | | | | 1 | | | | |
| BSP | WDD37W | 253916 | 6393305 | 1 | 1 | | | | 1 | | | | |
| BSP | WDD38W | 252802 | 6391847 | 1 | 1 | | | | | | | | |
| BSP | WDD39W | 252487 | 6389920 | 1 | 1 | | | | | | | | |
| BSP | WDD40W | 252735 | 6396989 | 1 | 1 | | | | | | | | |
| BSP | WDD41W | 243836 | 6394773 | 1 | | | | | | | | | |
| BSP | WDD42W | 249735 | 6399998 | | 1 | | | | | | | | |
| BSP | WDD43W | 242490 | 6392019 | 1 | 1 | 1 | | | | | | | |
| BSP | WDD44W | 248025 | 6396894 | 1 | 1 | | | | | | | | |
| BSP | WDD45O | 247627 | 6398600 | 1 | | 1 | | | | | | | |
| BSP | WDD46H | 246998 | 6398846 | 1 | | | | | | | | | |
| BSP | WDD47W | 245034 | 6396911 | 1 | 1 | | | | | | | | |
| BSP | WDD48H | 248749 | 6399988 | 1 | 1 | | | | | | | | |
| BSP | WDD49W | 242683 | 6393402 | 1 | 1 | 1 | | | 1 | | | | |
| BSP | WDD50W | 246468 | 6398258 | | 1 | | | | | | | | |
| BSP | WDD51W | 248250 | 6399503 | 1 | 1 | | | | | | | | |
| BSP | WDD52W | 249102 | 6400079 | | | 1 | | | | | | | |
| BSP | WDD53O | 247275 | 6399065 | | | | 1 | | 1 | | | | |
| BSP | WDD54W | 249409 | 6400227 | | | | | 1 | | | | | |
| BSP | WDD55O | 242090 | 6390886 | | | | | | 1 | | | | |
| BSP | WDD56C | 242388 | 6391474 | | 1 | | 1 | | 1 | | | | |
| Central CRA | LJMP98020900 | 236408 | 6376803 | | | | | | | | | | 1 |
| Central CRA | LJMP98021008 | 254342 | 6344406 | | | | | | | | | | 1 |
| Central CRA | LJMP98021100 | 254235 | 6348998 | | | | | | | | | | 1 |
| Central CRA | LJMP98021107 | 257275 | 6339610 | | | | | | | | | | 1 |
| Central CRA | LKAB97080408 | 254110 | 6339670 | | | | | | | | | | 1 |
| Central CRA | LKEM97082004 | 255350 | 6364000 | | | | | | | | | | 1 |
| Central CRA | LKEM97082801 | 231406 | 6376249 | | | | | | | | | | 1 |
| Central CRA | LKEM9708280E | 234507 | 6377993 | | | | | | | | | | 1 |
| Central CRA | LKEM97082908 | 235486 | 6380004 | | | | | | | | | | 1 |
| Central CRA | LKEM9708290J | 239580 | 6387142 | | | | | | | | | | 1 |
| Central CRA | LKEM9708290R | 240430 | 6390760 | | | | | | | | | | 1 |
| Central CRA | LKEM9708290W | 238800 | 6383530 | | | | | | | | | | 1 |
| Central CRA | LKEM97090118 | 255350 | 6364000 | | | | | | | | | | 1 |
| Central CRA | S-F-SYD-42-002-R-A | 256010 | 6340880 | 1 | 1 | | | | 1 | 1 | | | 1 |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamsidesearch | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------|--------------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|----------------------------|--------------|------------|---------------------------|
| Central CRA | S-F-SYD-42-002-R-B | 256010 | 6340880 | | | | | 1 | | | | | |
| Central CRA | S-F-SYD-42-003-M | 256980 | 6340580 | 1 | 1 | | | 1 | 1 | | | | |
| Central CRA | S-F-SYD-42-004-G | 257300 | 6339700 | 1 | 1 | | | 1 | 1 | 1 | 1 | | 1 |
| Central CRA | S-F-SYD-42-006-R-A | 255400 | 6342620 | 1 | 1 | | | | | 1 | | | |
| Central CRA | S-F-SYD-42-006-R-B | 255400 | 6342620 | | | | | 2 | | | | | |
| Central CRA | S-F-SYD-42-007-M-A | 254600 | 6343650 | 1 | 1 | | | 2 | 1 | | | | |
| Central CRA | S-F-SYD-42-007-M-B | 254600 | 6343650 | | | | | 1 | | | | | |
| Central CRA | S-F-SYD-42-010-R-A | 253970 | 6348320 | 1 | 1 | | | 1 | 1 | | | | |
| Central CRA | S-F-SYD-42-010-R-B | 253970 | 6348320 | | | | | 2 | | | | | |
| Central CRA | S-F-SYD-42-011-M-A | 254250 | 6348780 | 1 | 1 | | 1 | | 1 | | 1 | 1 | |
| Central CRA | S-F-SYD-42-014-R | 234875 | 6378700 | 1 | 1 | | | 1 | 1 | | | | |
| Central CRA | S-F-SYD-42-015-M | 232075 | 6377225 | 1 | 1 | | | 1 | 1 | | | | |
| Central CRA | S-F-SYD-42-016-G | 235675 | 6379650 | 1 | 1 | | 1 | 1 | 1 | 1 | | | |
| Central CRA | S-F-SYD-42-018-R | 234500 | 6377975 | 1 | 1 | | | 1 | 1 | | | | 1 |
| Central CRA | S-F-SYD-42-019-M | 233000 | 6378300 | 1 | 1 | | | 1 | 1 | | | | 1 |
| Central CRA | S-F-SYD-42-020-G | 233675 | 6378225 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | | |
| Central CRA | S-F-SYD-42-022-R | 236425 | 6377725 | 1 | 1 | | | 1 | 1 | | | | 1 |
| Central CRA | S-F-SYD-42-023-M | 236300 | 6378400 | 1 | 1 | | | 1 | 1 | | | | 1 |
| Central CRA | S-F-SYD-42-024-G | 237300 | 6376725 | 1 | 1 | | 1 | 1 | 1 | 1 | | | 1 |
| Central CRA | S-F-SYD-42-026-R | 240610 | 6389440 | 1 | | | 1 | 1 | 1 | 1 | | | 1 |
| Central CRA | S-F-SYD-42-027-M | 240330 | 6390720 | 1 | 1 | | 1 | 1 | 1 | 1 | | | |
| Central CRA | S-F-SYD-42-028-G | 240550 | 6389925 | 1 | 1 | | | 1 | 1 | 1 | | | 1 |
| Central CRA | S-F-SYD-42-030-R | 240275 | 6388475 | 1 | 1 | | 1 | 1 | 1 | 1 | | | |
| Central CRA | S-F-SYD-42-031-M | 239685 | 6387800 | 1 | 1 | | 1 | 1 | 1 | 1 | | | 1 |
| Central CRA | S-F-SYD-42-032-G | 239900 | 6381130 | 1 | | | 1 | 1 | 1 | 1 | | | |
| Central CRA | S-F-SYD-42-034-R | 239130 | 6386400 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 |
| Central CRA | S-F-SYD-42-035-M | 239000 | 6383750 | 1 | 1 | 1 | | 1 | 1 | | | | |
| Central CRA | S-F-SYD-42-036-G | 238500 | 6382600 | 1 | 1 | 1 | | 1 | 1 | 1 | | | |
| Central CRA | S-F-SYD-42-042-M | 253013 | 6363890 | 1 | 1 | | | 1 | 1 | | | | |
| Central CRA | S-F-SYD-42-044-G | 252570 | 6364920 | 1 | 1 | | 1 | 1 | 1 | 1 | | | 1 |
| Central CRA | T-F-SYD-42-043 | 234820 | 6378800 | | | | | | | | 1 | | |
| Central CRA | T-F-SYD-42-044 | 234950 | 6378500 | | | | | | | | 1 | | |
| Central CRA | T-F-SYD-42-045 | 235120 | 6379601 | | | | | | | | 1 | | |
| Central CRA | T-F-SYD-42-046 | 240500 | 6390010 | | | | | 1 | | | | 1 | |
| Central CRA | T-F-SYD-42-131 | 235797 | 6379878 | | | | 1 | | | | | | |

| Survey program | Site number | Easting | Northing | Diurnal bird census | Diurnal reptile census | Site spotlight census | Harp trap | Bat ultrasound detection | Nocturnal call playback | Nocturnal streamside search | Elliott trap | Hair tubes | Transect spotlight survey |
|----------------------|------------------|---------|----------|---------------------|------------------------|-----------------------|-----------|--------------------------|-------------------------|-----------------------------|--------------|------------|---------------------------|
| Central CRA | T-F-SYD-42-132 | 232448 | 6377814 | | | | 1 | | | | | | |
| Central CRA | T-F-SYD-42-133 | 235450 | 6380100 | | | | 1 | 1 | | | | | |
| Central CRA | T-F-SYD-42-134 | 235750 | 6380070 | | | | 1 | | | | | | |
| Lower North East CRA | LJKL97082107 | 264950 | 6374350 | | | | | | | | | | 1 |
| Lower North East CRA | LPBB9708060M | 265150 | 6372900 | | | | | | | | | | 1 |
| Lower North East CRA | LPBB9708060S | 265125 | 6373050 | | | | | | | | | | 1 |
| Lower North East CRA | S-F-LNE-41-002-R | 266100 | 6373175 | 1 | 1 | | 1 | 2 | 1 | | | | |
| Lower North East CRA | S-F-LNE-41-003-M | 265200 | 6373000 | 1 | 1 | | | 1 | 1 | | | | |
| Lower North East CRA | S-F-LNE-41-035-M | 264050 | 6374350 | | 1 | | | | 1 | | | | |
| Lower North East CRA | S-F-LNE-41-036-G | 264750 | 6374600 | | 1 | | | | 1 | 1 | | | |
| Lower North East CRA | S-F-LNE-75-001-B | 237700 | 6364900 | 1 | | | | | | | | | |
| Lower North East CRA | S-F-LNE-75-002-B | 237600 | 6364200 | 1 | | | | | | | | | |
| Lower North East CRA | T-F-SYD-41-016 | 265250 | 6372600 | | 1 | | | | | | | | |
| Lower North East CRA | T-F-SYD-41-017 | 264200 | 6370900 | | 1 | | | | | | | | |
| Lower North East CRA | T-F-SYD-41-020 | 265150 | 6372900 | | | | | | | | 1 | | |
| Grand Total | | | | 234 | 211 | 109 | 88 | 61 | 85 | 21 | 25 | 23 | 15 |

APPENDIX B – SUMMARY OF EXPLORATORY DATA ANALYSES

Following is an overview of the exploratory statistical analyses that were undertaken to identify major associations between bird and reptile species and broad vegetation classes. It should be noted that these analyses were used to guide discussion only. The systematic data collected during the CRA and BSP surveys will be incorporated into more detailed modelling of habitat preferences across the greater northern Sydney region in coming years.

The software package *Primer 5 for Windows* (version 5.2.9) was used for the analyses.

Data used in the analyses

The analysis was performed on the following data set.

- A subset of systematic survey sites that had both diurnal bird and diurnal herpetofauna censuses undertaken at them. The results of bird and reptile censuses were analysed together.
- Presence-absence data was used as this is not sensitive to fluctuations in abundance or differences in count estimation by observers.
- For the diurnal birds, all records that were noted as flying ‘Above Canopy’ were excluded because it is not known if they were actually using the site or not. Both ‘on-site’ and ‘off-site’ bird records were included.
- Species that were only recorded from a single site were excluded, so single occurrences of rare species did not overly influence the data.

Step One

Similarity matrices are useful for identifying groups of sites that contain similar suites of species. Bray-Curtis similarity matrices were created for diurnal birds and reptiles to examine differences in species composition between groups of sites. This method creates pairwise comparisons for every site using the Bray-Curtis coefficient. Sites that are perfectly similar will have a coefficient of 1, and perfectly dissimilar will have a coefficient of 0. Matrices were the basis of further techniques performed, including ANOSIM and MDS.

Step Two

Non-metric multi-dimensional scaling (MDS) uses the similarity matrix to graphically present the pattern of similarity between sites. A three-dimensional MDS plot for sites coded by major vegetation class is presented in Figure 3.




Figure 3: Three-dimension MDS plot of sites coded by major vegetation class

Step Three

Analysis of Similarities (ANOSIM) was used to test for differences between the fauna assemblage of the major habitat types of the study area. It is an extremely robust procedure that requires few replicates or assumptions. For this reason it is ideal for application to data collected by many observers over an extended period of time. This statistical test is similar to Analysis of Variance (ANOVA), however it allows for the use of multivariate rather than univariate data. ANOSIM ascertains if there is a greater degree of similarity between replicates (sites) within a grouping than there is between sites from a different grouping. The output is an R statistic and a significance value for each assemblage pairing.

This test can only be applied to groups that were determined *a priori*. Nine major vegetation classes were tested in this analysis. These were Heathland, Dry Sclerophyll Forest, Grassy Woodland, Sheltered Dry Sclerophyll Forest, Wet Sclerophyll Forest (grassy), Wet Sclerophyll Forest (shrubby), Rainforest, and Forested Wetland. This technique helped identify differences in the fauna assemblage of these vegetation classes by determining whether or not the reptile and bird species located within a certain vegetation class was or was not significantly different from other vegetation classes. Table 7 presents a summary of these significance tests.

| | Grassy Woodlands | Wet Sclerophyll Forests (Grassy) | Sheltered Dry Sclerophyll Forests | Dry Sclerophyll Forests | Rainforest | Wet Sclerophyll Forests (Shrubby) | Heathlands | Forested Wetlands |
|-----------------------------------|------------------|----------------------------------|-----------------------------------|-------------------------|------------|-----------------------------------|------------|-------------------|
| Wet Sclerophyll Forests (Grassy) | NS | | | | | | | |
| Sheltered Dry Sclerophyll Forests | NS | NS | | | | | | |
| Dry Sclerophyll Forests | NS | NS | NS | | | | | |
| Rainforest | S | S | S | NS | | | | |
| Wet Sclerophyll Forests (Shrubby) | S | NS | NS | NS | NS | | | |
| Heathlands | NS | NS | S | NS | S | S | | |
| Forested Wetlands | NS | – | NS | NS | NS | NS | – | |
| | | | | | | | | |

S = significant difference; NS = no significant difference

Table 7: Results of ANOSIM between sites grouped into major vegetation classes

Step Four

SIMPER is a technique that isolates fauna species that characterise site-groupings identified in the similarity matrix and MDS analysis. It is an exploratory tool that allows examination of the species that contribute to the similarity or dissimilarity between groups of sites. This technique was used to derive the principal species characteristic of each vegetation class, as detailed in Section 3.3 (reptiles) and Section 3.4 (birds) of this report.

APPENDIX C – FAUNA SPECIES RECORDED IN NORTH-WESTERN WOLLEMI NATIONAL PARK

Below is a list of the fauna species recorded within north-western Wollemi National Park on the Atlas of NSW Wildlife (as at 19th June 2006). Taxonomical nomenclature follows that used on the Atlas of NSW Wildlife, with more updated scientific names noted where relevant. Records are derived from DEC systematic surveys (Biodiversity Survey Priorities and Comprehensive Regional Assessment), licensed data sets (Birds Australia and the Australian Museum) and incidental observations submitted by individuals, including park rangers and field officers; catchment officers; bushwalkers and naturalists; scientific researchers working in the area; and other visitors to the park.

The list contains records of various levels of reliability and spatial accuracy. Species where there is doubt about their occurrence within the study area due to possible identification inaccuracy have been marked with an asterisk * and due to spatial inaccuracy have been marked with an ^ . Introduced species are indicated with the addition of an !.

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | BSP | CRA | Birds Australia | Australian Museum | Other Sources |
|-----------------|-----------------------------------|-----------------------------|------------------|-----------------------|-----|-----|-----------------|-------------------|---------------|
| Frogs | | | | | | | | | |
| Myobatrachidae | <i>Crinia signifera</i> | Common Eastern Froglet | P | | ✓ | ✓ | | | ✓ |
| Myobatrachidae | <i>Heleioporus australiacus</i> | Giant Burrowing Frog | V | V | ✓ | ✓ | | | |
| Myobatrachidae | <i>Limnodynastes dumerilii</i> | Bullfrog | P | | ✓ | ✓ | | | ✓ |
| Myobatrachidae | <i>Limnodynastes ornatus</i> | Ornate Burrowing Frog | P | | | ✓ | | | |
| Myobatrachidae | <i>Limnodynastes peronii</i> | Striped Marsh Frog | P | | ✓ | | | | |
| Myobatrachidae | <i>Limnodynastes tasmaniensis</i> | Spotted Marsh Frog | P | | ✓ | ✓ | | | |
| Myobatrachidae | <i>Mixophyes balbus</i> | Stuttering Frog | E | V | ✓ | | | | |
| Myobatrachidae | <i>Pseudophryne australis</i> | Red-crowned Toadlet | V | | ✓ | ✓ | | | |
| Myobatrachidae | <i>Pseudophryne bibronii</i> | Bibron's Toadlet | P | | ✓ | ✓ | | | |
| Hylidae | <i>Litoria booroolongensis</i> * | Booroolong Frog * | E | | | | | ✓ | |
| Hylidae | <i>Litoria caerulea</i> | Green Tree Frog | P | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hylidae | <i>Litoria citropa</i> | Blue Mountains Tree Frog | P | | ✓ | | | | |
| Hylidae | <i>Litoria dentata</i> | Keferstein's Tree Frog | P | | ✓ | | | | |
| Hylidae | <i>Litoria jervisiensis</i> * | Jervis Bay Tree Frog * | P | | | | | ✓ | |
| Hylidae | <i>Litoria latopalmata</i> | Broad-palmed Frog | P | | | | | ✓ | |
| Hylidae | <i>Litoria lesueuri</i> | Lesueur's Frog | P | | ✓ | | | | |
| Hylidae | <i>Litoria peronii</i> | Peron's Tree Frog | P | | ✓ | ✓ | | | |
| Hylidae | <i>Litoria phyllochroa</i> | Green Stream Frog | P | | ✓ | | | ✓ | |
| Hylidae | <i>Litoria verreauxii</i> | Verreaux's Tree Frog | P | | ✓ | | | ✓ | |
| Hylidae | <i>Litoria wilcoxii</i> | Stoney Creek Frog | P | | ✓ | | | | |
| Reptiles | | | | | | | | | |
| Chelidae | <i>Chelodina longicollis</i> | Eastern Snake-necked Turtle | P | | ✓ | | | ✓ | |
| Gekkonidae | <i>Diplodactylus vittatus</i> | Eastern Stone Gecko | P | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Gekkonidae | <i>Oedura lesueuri</i> | Lesueur's Velvet Gecko | P | | ✓ | ✓ | | | ✓ |
| Gekkonidae | <i>Oedura robusta</i> | Robust Velvet Gecko | P | | ✓ | | | | |
| Gekkonidae | <i>Phyllurus platurus</i> | Broad-tailed Gecko | P | | ✓ | ✓ | | | ✓ |
| Gekkonidae | <i>Underwoodisaurus milii</i> | Thick-tailed Gecko | P | | ✓ | | | | |
| Pygopodidae | <i>Delma plebeia</i> | Leaden Delma | P | | ✓ | | | | |
| Pygopodidae | <i>Lialis burtonis</i> | Burton's Snake-lizard | P | | ✓ | | | | |
| Pygopodidae | <i>Pygopus lepidopodus</i> | Southern Scaly-foot | P | | ✓ | | | | |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | | Birds Australia | Australian Museum | Other Sources |
|-------------|--|---------------------------------|------------------|-----------------------|-----|-----------------|-------------------|---------------|
| | | | | BSP | CRA | | | |
| Agamidae | <i>Amphibolurus muricatus</i> | Jacky Lashtail | P | ✓ | ✓ | | | ✓ |
| Agamidae | <i>Amphibolurus nobbi</i> | Nobbi Lashtail | P | ✓ | | | | |
| Agamidae | <i>Physignathus lesueurii lesueurii</i> | Eastern Water Dragon | P | ✓ | ✓ | | | |
| Agamidae | <i>Pogona barbata</i> | Eastern Bearded Dragon | P | ✓ | ✓ | | | |
| Agamidae | <i>Tympanocryptis (revised to Rankinia) diemensis</i> | Mountain Heath Dragon | P | ✓ | ✓ | ✓ | ✓ | |
| Varanidae | <i>Varanus rosenbergi</i> | Rosenberg's Goanna | V | ✓ | ✓ | | | |
| Varanidae | <i>Varanus varius</i> | Lace Monitor | P | ✓ | ✓ | | | |
| Scincidae | <i>Anomalopus leuckartii</i> | Two-clawed Worm-skink | P | ✓ | | | | |
| Scincidae | <i>Anomalopus swansonii</i> | Punctate Worm-skink | P | ✓ | | | | |
| Scincidae | <i>Bassiana platynota (taxonomy revised to Acritoscincus platynotum)</i> | Red-throated Cool-skink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Carlia tetradactyla</i> | Southern Rainbow-skink | P | ✓ | | | | |
| Scincidae | <i>Cryptoblepharus virgatus</i> | Cream-striped Shining-skink | P | ✓ | ✓ | ✓ | ✓ | |
| Scincidae | <i>Ctenotus robustus</i> | Robust Ctenotus | P | ✓ | | | | |
| Scincidae | <i>Ctenotus taeniatus</i> | Copper-tailed Ctenotus | P | ✓ | ✓ | ✓ | ✓ | |
| Scincidae | <i>Egernia cunninghami</i> | Cunningham's Spiny-tailed Skink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Egernia striolata</i> | Tree-crevice Skink | P | ✓ | | | | |
| Scincidae | <i>Egernia whitii</i> | White's Rock-skink | P | ✓ | ✓ | ✓ | ✓ | |
| Scincidae | <i>Eulamprus heatwolei</i> | Warm-temperate Water-skink | P | ✓ | ✓ | | | |
| Scincidae | <i>Eulamprus quoyii</i> | Eastern Water-skink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Eulamprus tenuis</i> | Bar-sided Forest-skink | P | ✓ | | | | |
| Scincidae | <i>Eulamprus tympanum</i> | Cool-temperate Water-skink | P | ✓ | | | | |
| Scincidae | <i>Hemiergis decresiensis</i> | Three-toed Earless Skink | P | | | | ✓ | |
| Scincidae | <i>Lampropholis delicata</i> | Dark-flecked Garden Sunskink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Lampropholis guichenoti</i> | Pale-flecked Garden Sunskink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Lerista bougainvillii</i> | South-eastern Slider | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Lygisaurus foliorum (taxonomy revised to <i>Carlia foliorum</i>)</i> | Tree-base Litter-skink | P | ✓ | | | ✓ | |
| Scincidae | <i>Morethia boulengeri</i> | South-eastern Morethia Skink | P | ✓ | ✓ | | | |
| Scincidae | <i>Saiphos equalis</i> | Yellow-bellied Three-toed Skink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Saproscincus mustelinus</i> | Weasel Shadeskink | P | ✓ | ✓ | | ✓ | |
| Scincidae | <i>Tiliqua nigrolutea</i> | Blotched Bluetongue | P | ✓ | | | | |
| Scincidae | <i>Tiliqua scincoides</i> | Common Bluetongue | P | | ✓ | | | |
| Typhlopidae | <i>Ramphotyphlops nigrescens</i> | Blackish Blind Snake | P | ✓ | ✓ | ✓ | ✓ | |
| Boidae | <i>Morelia spilota spilota</i> | Diamond Python | P | ✓ | ✓ | | | |
| Boidae | <i>Morelia spilota variegata *</i> | Carpet Python* | P | | | | ✓ | |
| Elapidae | <i>Acanthophis antarcticus</i> | Southern Death Adder | P | | ✓ | | ✓ | |
| Elapidae | <i>Cacophis squamulosus</i> | Golden Crowned Snake | P | ✓ | | | ✓ | |
| Elapidae | <i>Demansia psammophis</i> | Yellow-faced Whipsnake | P | ✓ | | | | |
| Elapidae | <i>Hoplocephalus bungaroides</i> | Broad-headed Snake | E | V | ✓ | | ✓ | |
| Elapidae | <i>Hoplocephalus stephensi * </i> | Stephens' Banded Snake* | V | | | | ✓ | |
| Elapidae | <i>Notechis scutatus</i> | Mainland Tiger Snake | P | ✓ | ✓ | | ✓ | |
| Elapidae | <i>Pseudechis porphyriacus</i> | Red-bellied Black Snake | P | ✓ | ✓ | | ✓ | |
| Elapidae | <i>Pseudonaja textilis</i> | Eastern Brown Snake | P | | | | ✓ | |
| Elapidae | <i>Rhinoplocephalus nigrescens</i> | Small-eyed Snake | P | ✓ | ✓ | | ✓ | |
| Elapidae | <i>Suta spectabilis dwyeri</i> | Variable Black-naped Snake | P | | ✓ | | ✓ | |
| Elapidae | <i>Vermicella annulata</i> | Eastern Bandy-bandy | P | ✓ | | | | |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | BSP | CRA | Birds Australia | Australian Museum | Other Sources |
|-------------------|------------------------------------|-------------------------|------------------|-----------------------|-----|-----|-----------------|-------------------|---------------|
| Birds | | | | | | | | | |
| Megapodiidae | <i>Alectura lathami</i> | Australian Brush-turkey | P | | ✓ | ✓ | | | ✓ |
| Phasianidae | <i>Coturnix pectoralis</i> | Stubble Quail | P | | ✓ | | ✓ | | |
| Phasianidae | <i>Coturnix ypsiloniphora</i> | Brown Quail | P | | ✓ | | ✓ | | |
| Anatidae | <i>Anas gracilis</i> | Grey Teal | P | | ✓ | | ✓ | | |
| Anatidae | <i>Anas superciliosa</i> | Pacific Black Duck | P | | ✓ | | ✓ | | ✓ |
| Anatidae | <i>Aythya australis</i> | Hardhead | P | | ✓ | | ✓ | | |
| Anatidae | <i>Biziura lobata</i> | Musk Duck | P | | ✓ | | ✓ | | |
| Anatidae | <i>Chenonetta jubata</i> | Australian Wood Duck | P | | ✓ | ✓ | ✓ | | ✓ |
| Anatidae | <i>Cygnus atratus</i> | Black Swan | P | | | | ✓ | | |
| Podicipedidae | <i>Poliocephalus poliocephalus</i> | Hoary-headed Grebe | P | | | | ✓ | | |
| Podicipedidae | <i>Tachybaptus novaehollandiae</i> | Australasian Grebe | P | | ✓ | | ✓ | | ✓ |
| Anhingidae | <i>Anhinga melanogaster</i> | Darter | P | | ✓ | | ✓ | | ✓ |
| Phalacrocoracidae | <i>Phalacrocorax carbo</i> | Great Cormorant | P | | ✓ | | ✓ | | |
| Phalacrocoracidae | <i>Phalacrocorax melanoleucos</i> | Little Pied Cormorant | P | | ✓ | | ✓ | | ✓ |
| Phalacrocoracidae | <i>Phalacrocorax sulcirostris</i> | Little Black Cormorant | P | | ✓ | | ✓ | | ✓ |
| Phalacrocoracidae | <i>Phalacrocorax varius</i> | Pied Cormorant | P | | | | ✓ | | ✓ |
| Ardeidae | <i>Ardea alba</i> | Great Egret | P | | | | ✓ | | |
| Ardeidae | <i>Ardea pacifica</i> | White-necked Heron | P | | ✓ | | ✓ | | |
| Ardeidae | <i>Egretta novaehollandiae</i> | White-faced Heron | P | | ✓ | | ✓ | | |
| Ardeidae | <i>Nycticorax caledonicus</i> | Nankeen Night Heron | P | | ✓ | | ✓ | | |
| Threskiornithidae | <i>Platalea flavipes</i> | Yellow-billed Spoonbill | P | | | | ✓ | | |
| Threskiornithidae | <i>Threskiornis spinicollis</i> | Straw-necked Ibis | P | | | | ✓ | | |
| Ciconiidae | <i>Ephippiorhynchus asiaticus</i> | Black-necked Stork | E | | | | ✓ | | |
| Accipitridae | <i>Accipiter cirrocephalus</i> | Collared Sparrowhawk | P | | ✓ | | ✓ | | |
| Accipitridae | <i>Accipiter fasciatus</i> | Brown Goshawk | P | | ✓ | ✓ | ✓ | | |
| Accipitridae | <i>Accipiter novaehollandiae</i> | Grey Goshawk | P | | | | ✓ | | |
| Accipitridae | <i>Aquila audax</i> | Wedge-tailed Eagle | P | | ✓ | ✓ | ✓ | | ✓ |
| Accipitridae | <i>Elanus axillaris</i> | Black-shouldered Kite | P | | ✓ | | ✓ | | |
| Accipitridae | <i>Elanus scriptus</i> | Letter-winged Kite | P | | | | ✓ | | |
| Accipitridae | <i>Haliaeetus leucogaster</i> | White-bellied Sea-eagle | P | | | | ✓ | | |
| Accipitridae | <i>Haliastur sphenurus</i> | Whistling Kite | P | | | | ✓ | | |
| Accipitridae | <i>Hieraetus morphnoides</i> | Little Eagle | P | | ✓ | | ✓ | | |
| Accipitridae | <i>Lophoictinia isura</i> | Square-tailed Kite | V | | | | | | ✓ |
| Falconidae | <i>Falco berigora</i> | Brown Falcon | P | | ✓ | | ✓ | | |
| Falconidae | <i>Falco cenchroides</i> | Nankeen Kestrel | P | | ✓ | | ✓ | | |
| Falconidae | <i>Falco longipennis</i> | Australian Hobby | P | | ✓ | | ✓ | | |
| Falconidae | <i>Falco peregrinus</i> | Peregrine Falcon | P | | ✓ | | ✓ | | |
| Rallidae | <i>Fulica atra</i> | Eurasian Coot | P | | ✓ | | ✓ | | ✓ |
| Rallidae | <i>Gallinula tenebrosa</i> | Dusky Moorhen | P | | ✓ | | ✓ | | ✓ |
| Rallidae | <i>Porphyrio porphyrio</i> | Purple Swamphen | P | | ✓ | | ✓ | | ✓ |
| Rallidae | <i>Porzana tabuensis</i> | Spotless Crake | P | | ✓ | | | | |
| Turnicidae | <i>Turnix varia</i> | Painted Button-quail | P | | ✓ | ✓ | ✓ | | |
| Turnicidae | <i>Turnix velox</i> | Little Button-quail | P | | ✓ | | | | |
| Scolopacidae | <i>Gallinago hardwickii</i> | Latham's Snipe | P | | | | ✓ | | |
| Charadriidae | <i>Elseyornis melanops</i> | Black-fronted Dotterel | P | | | | ✓ | | |
| Charadriidae | <i>Vanellus miles</i> | Masked Lapwing | P | | ✓ | | ✓ | | ✓ |
| Columbidae | <i>Chalcophaps indica</i> | Emerald Dove | P | | ✓ | | | | |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | | | Birds Australia | Australian Museum | Other Sources |
|---------------|-------------------------------------|------------------------------|------------------|-----------------------|-----|---|-----------------|-------------------|---------------|
| | | | | BSP | CRA | | | | |
| Columbidae | <i>Geopelia cuneata</i> | Diamond Dove | P | ✓ | | | | | |
| Columbidae | <i>Geopelia humeralis</i> | Bar-shouldered Dove | P | ✓ | ✓ | | | | |
| Columbidae | <i>Geopelia placida</i> | Peaceful Dove | P | ✓ | ✓ | ✓ | | | ✓ |
| Columbidae | <i>Leucosarcia melanoleuca</i> | Wonga Pigeon | P | ✓ | ✓ | ✓ | | | ✓ |
| Columbidae | <i>Macropygia amboinensis</i> | Brown Cuckoo-dove | P | ✓ | | | | | |
| Columbidae | <i>Ocyphaps lophotes</i> | Crested Pigeon | P | ✓ | ✓ | ✓ | | | ✓ |
| Columbidae | <i>Phaps chalcoptera</i> | Common Bronzewing | P | ✓ | ✓ | ✓ | | | ✓ |
| Columbidae | <i>Phaps elegans</i> | Brush Bronzewing | P | ✓ | | | | | |
| Cacatuidae | <i>Cacatua galerita</i> | Sulphur-crested Cockatoo | P | ✓ | ✓ | ✓ | | | ✓ |
| Cacatuidae | <i>Cacatua sanguinea</i> | Little Corella | P | ✓ | | | | | |
| Cacatuidae | <i>Callocephalon fimbriatum</i> | Gang-gang Cockatoo | V | ✓ | ✓ | ✓ | | | ✓ |
| Cacatuidae | <i>Calyptorhynchus funereus</i> | Yellow-tailed Black-cockatoo | P | ✓ | ✓ | ✓ | | | ✓ |
| Cacatuidae | <i>Calyptorhynchus lathami</i> | Glossy Black-cockatoo | V | ✓ | ✓ | ✓ | | | ✓ |
| Cacatuidae | <i>Eolophus roseicapillus</i> | Galah | P | ✓ | | ✓ | | | ✓ |
| Psittacidae | <i>Alisterus scapularis</i> | Australian King-parrot | P | ✓ | ✓ | ✓ | | | ✓ |
| Psittacidae | <i>Glossopsitta concinna</i> | Musk Lorikeet | P | ✓ | | ✓ | | | |
| Psittacidae | <i>Glossopsitta pusilla</i> | Little Lorikeet | P | ✓ | ✓ | ✓ | | | ✓ |
| Psittacidae | <i>Neophema pulchella</i> | Turquoise Parrot | V | ✓ | ✓ | ✓ | | | |
| Psittacidae | <i>Platycercus adscitus eximius</i> | Eastern Rosella | P | ✓ | ✓ | ✓ | | | ✓ |
| Psittacidae | <i>Platycercus elegans</i> | Crimson Rosella | P | ✓ | ✓ | ✓ | | | ✓ |
| Psittacidae | <i>Psephotus haematonotus</i> | Red-rumped Parrot | P | ✓ | | ✓ | | | |
| Psittacidae | <i>Trichoglossus haematodus</i> | Rainbow Lorikeet | P | | ✓ | | | | |
| Cuculidae | <i>Cacomantis flabelliformis</i> | Fan-tailed Cuckoo | P | ✓ | ✓ | ✓ | | | ✓ |
| Cuculidae | <i>Cacomantis variolosus</i> | Brush Cuckoo | P | ✓ | | ✓ | | | ✓ |
| Cuculidae | <i>Chalcites basalis</i> | Horsfield's Bronze-cuckoo | P | ✓ | | ✓ | | | ✓ |
| Cuculidae | <i>Chalcites lucidus</i> | Shining Bronze-cuckoo | P | ✓ | | ✓ | | | |
| Cuculidae | <i>Chalcites osculans</i> | Black-eared Cuckoo | P | ✓ | | | | | ✓ |
| Cuculidae | <i>Cuculus pallidus</i> | Pallid Cuckoo | P | ✓ | | ✓ | | | |
| Cuculidae | <i>Eudynamys orientalis</i> | Pacific Koel | P | ✓ | | ✓ | | | |
| Cuculidae | <i>Scythrops novaehollandiae</i> | Channel-billed Cuckoo | P | ✓ | | ✓ | | | |
| Strigidae | <i>Ninox boobook</i> | Southern Boobook | P | ✓ | ✓ | ✓ | | | |
| Strigidae | <i>Ninox connivens</i> | Barking Owl | V | | | ✓ | | | |
| Strigidae | <i>Ninox strenua</i> | Powerful Owl | V | | ✓ | ✓ | | | ✓ |
| Tytonidae | <i>Tyto alba</i> | Barn Owl | P | ✓ | | | | | |
| Tytonidae | <i>Tyto novaehollandiae</i> | Masked Owl | V | ✓ | | | | | |
| Tytonidae | <i>Tyto tenebricosa</i> | Sooty Owl | V | ✓ | | | | | ✓ |
| Podargidae | <i>Podargus strigoides</i> | Tawny Frogmouth | P | ✓ | ✓ | ✓ | | | ✓ |
| Caprimulgidae | <i>Eurostopodus mystacalis</i> | White-throated Nightjar | P | ✓ | ✓ | ✓ | | | |
| Aegothelidae | <i>Aegotheles cristatus</i> | Australian Owlet-nightjar | P | ✓ | ✓ | ✓ | | | ✓ |
| Apodidae | <i>Apus pacificus</i> | Fork-tailed Swift | P | ✓ | | | | | |
| Apodidae | <i>Hirundapus caudacutus</i> | White-throated Needletail | P | ✓ | ✓ | ✓ | | | |
| Alcedinidae | <i>Alcedo azurea</i> | Azure Kingfisher | P | ✓ | | ✓ | | | |
| Halcyonidae | <i>Dacelo novaeguineae</i> | Laughing Kookaburra | P | ✓ | ✓ | ✓ | | | ✓ |
| Halcyonidae | <i>Todiramphus sanctus</i> | Sacred Kingfisher | P | ✓ | ✓ | ✓ | | | ✓ |
| Meropidae | <i>Merops ornatus</i> | Rainbow Bee-eater | P | ✓ | | ✓ | | | |
| Coraciidae | <i>Eurystomus orientalis</i> | Dollarbird | P | ✓ | | ✓ | | | |
| Menuridae | <i>Menura novaehollandiae</i> | Superb Lyrebird | P | ✓ | ✓ | ✓ | | | ✓ |
| Climacteridae | <i>Climacteris erythrops</i> | Red-browed Treecreeper | P | ✓ | ✓ | ✓ | | | ✓ |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | BSP | CRA | Birds Australia | Australian Museum | Other Sources |
|---------------|--------------------------------------|---|------------------|-----------------------|-----|-----|-----------------|-------------------|---------------|
| Climacteridae | <i>Climacteris picumnus picumnus</i> | Brown Treecreeper (eastern subsp.) | V | | ✓ | ✓ | ✓ | | ✓ |
| Climacteridae | <i>Cormobates leucophaeus</i> | White-throated Treecreeper | P | | ✓ | ✓ | ✓ | | ✓ |
| Maluridae | <i>Malurus cyaneus</i> | Superb Fairy-wren | P | | ✓ | ✓ | ✓ | | ✓ |
| Maluridae | <i>Malurus lamberti</i> | Variegated Fairy-wren | P | | ✓ | ✓ | ✓ | | ✓ |
| Pardalotidae | <i>Pardalotus punctatus</i> | Spotted Pardalote | P | | ✓ | ✓ | ✓ | | ✓ |
| Pardalotidae | <i>Pardalotus striatus</i> | Striated Pardalote | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Acanthiza chrysorrhoa</i> | Yellow-rumped Thornbill | P | | ✓ | | ✓ | | |
| Acanthizidae | <i>Acanthiza lineata</i> | Striated Thornbill | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Acanthiza nana</i> | Yellow Thornbill | P | | ✓ | | ✓ | | ✓ |
| Acanthizidae | <i>Acanthiza pusilla</i> | Brown Thornbill | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Acanthiza reguloides</i> | Buff-rumped Thornbill | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Calamanthus pyrrhopygius</i> | Chestnut-rumped Heathwren | P | | ✓ | ✓ | | | |
| Acanthizidae | <i>Gerygone fusca</i> | Western Gerygone | P | | ✓ | | ✓ | | |
| Acanthizidae | <i>Gerygone mouki</i> | Brown Gerygone | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Gerygone olivacea</i> | White-throated Gerygone | P | | ✓ | ✓ | ✓ | | |
| Acanthizidae | <i>Origma solitaria</i> | Rockwarbler | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Pycnoptilus floccosus</i> | Pilotbird | P | | ✓ | ✓ | | | ✓ |
| Acanthizidae | <i>Pyrrholaemus sagittatus</i> | Speckled Warbler | V | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Sericornis citreogularis</i> | Yellow-throated Scrubwren | P | | ✓ | ✓ | ✓ | | |
| Acanthizidae | <i>Sericornis frontalis</i> | White-browed Scrubwren | P | | ✓ | ✓ | ✓ | | ✓ |
| Acanthizidae | <i>Sericornis magnirostris</i> | Large-billed Scrubwren | P | | ✓ | ✓ | ✓ | | |
| Acanthizidae | <i>Smicromis brevirostris</i> | Weebill | P | | ✓ | | ✓ | | ✓ |
| Meliphagidae | <i>Acanthorhynchus tenuirostris</i> | Eastern Spinebill | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Anthochaera carunculata</i> | Red Wattlebird | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Anthochaera chrysoptera</i> | Little Wattlebird | P | | | ✓ | ✓ | | |
| Meliphagidae | <i>Entomyzon cyanotis</i> | Blue-faced Honeyeater | P | | ✓ | | ✓ | | |
| Meliphagidae | <i>Grantiella picta</i> | Painted Honeyeater | V | | ✓ | | ✓ | | |
| Meliphagidae | <i>Lichenostomus chrysops</i> | Yellow-faced Honeyeater | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Lichenostomus fuscus</i> | Fuscous Honeyeater | P | | ✓ | | ✓ | | |
| Meliphagidae | <i>Lichenostomus leucotis</i> | White-eared Honeyeater | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Lichenostomus melanops</i> | Yellow-tufted Honeyeater | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Lichenostomus penicillatus</i> | White-plumed Honeyeater | P | | ✓ | | ✓ | | ✓ |
| Meliphagidae | <i>Manorina melanocephala</i> | Noisy Miner | P | | ✓ | | ✓ | | ✓ |
| Meliphagidae | <i>Manorina melanophrys</i> | Bell Miner | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Meliphaga lewinii</i> | Lewin's Honeyeater | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Melithreptus brevirostris</i> | Brown-headed Honeyeater | P | | ✓ | ✓ | ✓ | | |
| Meliphagidae | <i>Melithreptus gularis gularis</i> | Black-chinned Honeyeater (eastern subsp.) | V | | ✓ | | ✓ | | |
| Meliphagidae | <i>Melithreptus lunatus</i> | White-naped Honeyeater | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Myzomela sanguinolenta</i> | Scarlet Honeyeater | P | | ✓ | | ✓ | | |
| Meliphagidae | <i>Philemon citreogularis</i> | Little Friarbird | P | | ✓ | | ✓ | | |
| Meliphagidae | <i>Philemon corniculatus</i> | Noisy Friarbird | P | | ✓ | ✓ | ✓ | | ✓ |
| Meliphagidae | <i>Phylidonyris novaehollandiae</i> | New Holland Honeyeater | P | | ✓ | ✓ | ✓ | | |
| Meliphagidae | <i>Phylidonyris pyrrhoptera</i> | Crescent Honeyeater | P | | ✓ | ✓ | | | |
| Meliphagidae | <i>Plectrorhyncha lanceolata</i> | Striped Honeyeater | P | | ✓ | | ✓ | | ✓ |
| Meliphagidae | <i>Xanthomyza phrygia</i> | Regent Honeyeater | E | E | ✓ | | ✓ | | ✓ |
| Petroicidae | <i>Eopsaltria australis</i> | Eastern Yellow Robin | P | | ✓ | ✓ | ✓ | | ✓ |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | | BSP | CRA | Birds Australia | Australian Museum | Other Sources |
|-------------------|---|---------------------------------------|------------------|-----------------------|---|-----|-----|-----------------|-------------------|---------------|
| | | | | | | | | | | |
| Petroicidae | <i>Melanodryas cucullata cucullata</i> | Hooded Robin (eastern subsp.) | V | | ✓ | | ✓ | | | ✓ |
| Petroicidae | <i>Microeca fascinans</i> | Jacky Winter | P | | ✓ | | ✓ | | | ✓ |
| Petroicidae | <i>Petroica boodang</i> | Scarlet Robin | P | | ✓ | ✓ | ✓ | | | |
| Petroicidae | <i>Petroica goodenovii</i> | Red-capped Robin | P | | ✓ | | ✓ | | | |
| Petroicidae | <i>Petroica phoenicea</i> | Flame Robin | P | | ✓ | ✓ | ✓ | | | |
| Petroicidae | <i>Petroica rosea</i> | Rose Robin | P | | ✓ | ✓ | ✓ | | | ✓ |
| Pomatostomidae | <i>Pomatostomus superciliosus</i> | White-browed Babbler | P | | ✓ | | ✓ | | | |
| Pomatostomidae | <i>Pomatostomus temporalis temporalis</i> | Grey-crowned Babbler (eastern subsp.) | V | | ✓ | | ✓ | | | |
| Eupetidae | <i>Cinclosoma punctatum</i> | Spotted Quail-thrush | P | | ✓ | ✓ | ✓ | | | ✓ |
| Eupetidae | <i>Psophodes olivaceus</i> | Eastern Whipbird | P | | ✓ | ✓ | ✓ | | | ✓ |
| Neosittidae | <i>Daphoenositta chrysoptera</i> | Varied Sittella | P | | ✓ | ✓ | ✓ | | | |
| Pachycephalidae | <i>Colluricinclla harmonica</i> | Grey Shrike-thrush | P | | ✓ | ✓ | ✓ | | | ✓ |
| Pachycephalidae | <i>Falcunculus frontatus</i> | Eastern Shrike-tit | P | | ✓ | ✓ | ✓ | | | ✓ |
| Pachycephalidae | <i>Pachycephala pectoralis</i> | Golden Whistler | P | | ✓ | ✓ | ✓ | | | ✓ |
| Pachycephalidae | <i>Pachycephala rufiventris</i> | Rufous Whistler | P | | ✓ | ✓ | ✓ | | | ✓ |
| Dicruridae | <i>Dicrurus bracteatus</i> | Spangled Drongo | P | | | | ✓ | | | |
| Dicruridae | <i>Grallina cyanoleuca</i> | Magpie-lark | P | | ✓ | | ✓ | | | |
| Dicruridae | <i>Monarcha melanopsis</i> | Black-faced Monarch | P | | ✓ | ✓ | ✓ | | | |
| Dicruridae | <i>Monarcha trivirgatus</i> * | Spectacled Monarch * | P | | | ✓ | | | | |
| Dicruridae | <i>Myiagra cyanoleuca</i> | Satin Flycatcher | P | | ✓ | | | | | |
| Dicruridae | <i>Myiagra inquieta</i> | Restless Flycatcher | P | | ✓ | | ✓ | | | |
| Dicruridae | <i>Myiagra rubecula</i> | Leaden Flycatcher | P | | ✓ | ✓ | ✓ | | | ✓ |
| Dicruridae | <i>Rhipidura albiscapa</i> | Grey Fantail | P | | ✓ | ✓ | ✓ | | | ✓ |
| Dicruridae | <i>Rhipidura leucophrys</i> | Willie Wagtail | P | | ✓ | ✓ | ✓ | | | ✓ |
| Dicruridae | <i>Rhipidura rufifrons</i> | Rufous Fantail | P | | ✓ | ✓ | ✓ | | | |
| Campephagidae | <i>Coracina novaehollandiae</i> | Black-faced Cuckoo-shrike | P | | ✓ | ✓ | ✓ | | | ✓ |
| Campephagidae | <i>Coracina papuensis</i> | White-bellied Cuckoo-shrike | P | | ✓ | ✓ | ✓ | | | |
| Campephagidae | <i>Coracina tenuirostris</i> | Cicadabird | P | | ✓ | ✓ | ✓ | | | ✓ |
| Campephagidae | <i>Lalage tricolor</i> | White-winged Triller | P | | ✓ | | ✓ | | | |
| Oriolidae | <i>Oriolus sagittatus</i> | Olive-backed Oriole | P | | ✓ | ✓ | ✓ | | | ✓ |
| Artamidae | <i>Artamus cyanopterus</i> | Dusky Woodswallow | P | | ✓ | ✓ | ✓ | | | |
| Artamidae | <i>Artamus superciliosus</i> | White-browed Woodswallow | P | | ✓ | | ✓ | | | |
| Artamidae | <i>Cracticus nigrogularis</i> | Pied Butcherbird | P | | ✓ | | ✓ | | | ✓ |
| Artamidae | <i>Cracticus torquatus</i> | Grey Butcherbird | P | | ✓ | ✓ | ✓ | | | |
| Artamidae | <i>Gymnorhina tibicen</i> | Australian Magpie | P | | ✓ | ✓ | ✓ | | | ✓ |
| Artamidae | <i>Strepera graculina</i> | Pied Currawong | P | | ✓ | ✓ | ✓ | | | ✓ |
| Artamidae | <i>Strepera versicolor</i> | Grey Currawong | P | | ✓ | ✓ | ✓ | | | ✓ |
| Corvidae | <i>Corvus coronoides</i> | Australian Raven | P | | ✓ | ✓ | ✓ | | | ✓ |
| Corvidae | <i>Corvus mellori</i> | Little Raven | P | | ✓ | | ✓ | | | |
| Corcoracidae | <i>Corcorax melanorhamphos</i> | White-winged Chough | P | | ✓ | ✓ | ✓ | | | ✓ |
| Ptilonorhynchidae | <i>Ailuroedus crassirostris</i> * | Green Catbird * | P | | | | | | | ✓ |
| Ptilonorhynchidae | <i>Ptilonorhynchus violaceus</i> | Satin Bowerbird | P | | ✓ | ✓ | ✓ | | | |
| Alaudidae | <i>Mirafra javanica</i> | Horsfield's Bushlark ^ | P | | | | ✓ | | | |
| Motacillidae | <i>Anthus australis</i> | Australian Pipit | P | | | ✓ | | ✓ | | |
| Estrildidae | <i>Neochmia modesta</i> | Plum-headed Finch | P | | | | ✓ | ✓ | | ✓ |
| Estrildidae | <i>Neochmia temporalis</i> | Red-browed Finch | P | | ✓ | ✓ | ✓ | | | ✓ |
| Estrildidae | <i>Stagonopleura bella</i> | Beautiful Firetail | P | | | | | ✓ | | ✓ |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | BSP | CRA | Birds Australia | Australian Museum | Other Sources |
|-------------------|---------------------------------|---|------------------|-----------------------|-----|-----|-----------------|-------------------|---------------|
| Estrildidae | <i>Stagonopleura guttata</i> | Diamond Firetail | V | | ✓ | | ✓ | | |
| Estrildidae | <i>Taeniopygia bichenovii</i> | Double-barred Finch | P | | ✓ | ✓ | | | ✓ |
| Estrildidae | <i>Taeniopygia guttata</i> | Zebra Finch ^ | P | | | | ✓ | | |
| Dicaeidae | <i>Dicaeum hirundinaceum</i> | Mistletoebird | P | | ✓ | ✓ | ✓ | | ✓ |
| Hirundinidae | <i>Cheramoeca leucosternus</i> | White-backed Swallow | P | | | | ✓ | | |
| Hirundinidae | <i>Hirundo neoxena</i> | Welcome Swallow | P | | ✓ | ✓ | ✓ | | ✓ |
| Hirundinidae | <i>Petrochelidon ariel</i> | Fairy Martin | P | | | | ✓ | | |
| Hirundinidae | <i>Petrochelidon nigricans</i> | Tree Martin | P | | ✓ | | ✓ | | |
| Sylviidae | <i>Acrocephalus australis</i> | Australian Reed-warbler | P | | | | ✓ | | ✓ |
| Sylviidae | <i>Cincloramphus cruralis</i> | Brown Songlark | P | | | | ✓ | | |
| Sylviidae | <i>Cincloramphus mathewsi</i> | Rufous Songlark | P | | ✓ | | ✓ | | |
| Sylviidae | <i>Cisticola exilis</i> | Golden-headed Cisticola | P | | | | ✓ | | |
| Zosteropidae | <i>Zosterops lateralis</i> | Silvereye | P | | ✓ | ✓ | ✓ | | ✓ |
| Muscicapidae | <i>Turdus merula</i> ^ | Eurasian Blackbird ^ | U | U | | | ✓ | | |
| Muscicapidae | <i>Zoothera lunulata</i> | Bassian Thrush | P | | ✓ | ✓ | ✓ | | |
| Sturnidae | <i>Acridotheres tristis</i> ^ | Common Myna ^ | U | U | ✓ | | ✓ | | |
| Sturnidae | <i>Sturnus vulgaris</i> ^ | Common Starling ^ | U | U | ✓ | | ✓ | | ✓ |
| Mammals | | | | | | | | | |
| Ornithorhynchidae | <i>Ornithorhynchus anatinus</i> | Platypus | P | | | | | | ✓ |
| Tachyglossidae | <i>Tachyglossus aculeatus</i> | Short-beaked Echidna | P | | ✓ | ✓ | | | |
| Dasyuridae | <i>Antechinus flavipes</i> | Yellow-footed Antechinus | P | | ✓ | ✓ | | ✓ | ✓ |
| Dasyuridae | <i>Antechinus stuartii</i> | Brown Antechinus | P | | ✓ | ✓ | | | |
| Dasyuridae | <i>Antechinus swainsonii</i> | Dusky Antechinus | P | | ✓ | | | | |
| Dasyuridae | <i>Dasyurus maculatus</i> | Spotted-tailed Quoll | V | E | ✓ | | | | ✓ |
| Dasyuridae | <i>Sminthopsis murina</i> | Common Dunnart | P | | ✓ | | | | |
| Peramelidae | <i>Perameles nasuta</i> | Long-nosed Bandicoot | P | | ✓ | | | | |
| Phascolarctidae | <i>Phascolarctos cinereus</i> * | Koala – 'probable' scat identification only * | V | | ✓ | | | | |
| Vombatidae | <i>Vombatus ursinus</i> | Common Wombat | P | | ✓ | ✓ | | | ✓ |
| Burramyidae | <i>Cercartetus nanus</i> | Eastern Pygmy-possum | V | | ✓ | | | | |
| Petauridae | <i>Petaurus australis</i> | Yellow-bellied Glider | V | | ✓ | ✓ | | | |
| Petauridae | <i>Petaurus breviceps</i> | Sugar Glider | P | | ✓ | ✓ | | | ✓ |
| Petauridae | <i>Petaurus norfolkensis</i> | Squirrel Glider | V | | ✓ | ✓ | | | |
| Pseudochiridae | <i>Petaurodes volans</i> | Greater Glider | P | | ✓ | ✓ | | | ✓ |
| Pseudochiridae | <i>Pseudochirus peregrinus</i> | Common Ringtail Possum | P | | ✓ | ✓ | | | |
| Acrobatidae | <i>Acrobates pygmaeus</i> | Feathertail Glider | P | | ✓ | | | | |
| Phalangeridae | <i>Trichosurus caninus</i> | Mountain Brushtail Possum | P | | ✓ | ✓ | | | |
| Phalangeridae | <i>Trichosurus vulpecula</i> | Common Brushtail Possum | P | | ✓ | ✓ | | | ✓ |
| Potoroidae | <i>Potorous</i> sp. * | Potoroo * | P | | | ✓ | | | |
| Macropodidae | <i>Macropus giganteus</i> | Eastern Grey Kangaroo | P | | ✓ | ✓ | | | ✓ |
| Macropodidae | <i>Macropus robustus</i> | Common Wallaroo | P | | ✓ | ✓ | | | ✓ |
| Macropodidae | <i>Macropus rufogriseus</i> | Red-necked Wallaby | P | | ✓ | ✓ | | | ✓ |
| Macropodidae | <i>Petrogale penicillata</i> | Brush-tailed Rock-wallaby | E | V | ✓ | | | | ✓ |
| Macropodidae | <i>Wallabia bicolor</i> | Swamp Wallaby | P | | ✓ | ✓ | | | ✓ |
| Pteropodidae | <i>Pteropus poliocephalus</i> | Grey-headed Flying-fox | V | V | ✓ | | | | |
| Rhinolophidae | <i>Rhinolophus megaphyllus</i> | Eastern Horseshoe-bat | P | | ✓ | ✓ | | | |
| Emballonuridae | <i>Saccopteryx flaviventris</i> | Yellow-bellied Sheathtail-bat | V | | ✓ | | | | |
| Molossidae | <i>Mormopterus planiceps</i> * | Little Mastiff-bat * | P | | | ✓ | | | |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status | | BSP | CRA | Birds Australia | Australian Museum | Other Sources |
|------------------|--|------------------------------------|------------------|-----------------------|-----|-----|-----|-----------------|-------------------|---------------|
| | | | | | | | | | | |
| Molossidae | <i>Mormopterus norfolkensis</i> | East-coast Freetail-bat | V | | ✓ | | | | | |
| Molossidae | <i>Mormopterus</i> species 2 (Adams et al. 1988) | Eastern Freetail-bat | P | | ✓ ✓ | | | | | |
| Molossidae | <i>Mormopterus</i> species 4 (long penis form) (Adams et al. 1988) | Southern Freetail-bat (long penis) | P | | ✓ | | | | | |
| Molossidae | <i>Tadarida australis</i> | White-striped Freetail-bat | P | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Chalinolobus dwyeri</i> | Large-eared Pied Bat | V | V | ✓ ✓ | | | | ✓ | |
| Vespertilionidae | <i>Chalinolobus gouldii</i> | Gould's Wattled Bat | P | | ✓ ✓ | | | | ✓ | |
| Vespertilionidae | <i>Chalinolobus morio</i> | Chocolate Wattled Bat | P | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Falsistrellus tasmaniensis</i> | Eastern False Pipistrelle | V | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Miniopterus schreibersii oceanensis</i> | Eastern Bentwing-bat | V | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Nyctophilus geoffroyi</i> | Lesser Long-eared Bat | P | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Nyctophilus gouldi</i> | Gould's Long-eared Bat | P | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Nyctophilus timoriensis</i> | Greater Long-eared Bat | V | V | ✓ | | | | | |
| Vespertilionidae | <i>Scoteanax rueppellii</i> | Greater Broad-nosed Bat | V | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Scotorepens balstoni</i> | Inland Broad-nosed Bat | P | | ✓ | | | | ✓ | |
| Vespertilionidae | <i>Scotorepens orion</i> | Eastern Broad-nosed Bat | P | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Vespadelus darlingtoni</i> | Large Forest Bat | P | | ✓ ✓ | | | | ✓ | |
| Vespertilionidae | <i>Vespadelus regulus</i> * | Southern Forest Bat * | P | | | ✓ | | | | |
| Vespertilionidae | <i>Vespadelus troughtoni</i> | Eastern Cave Bat | V | | ✓ ✓ | | | | | |
| Vespertilionidae | <i>Vespadelus vulturinus</i> | Little Forest Bat | P | | ✓ ✓ | | | ✓ | ✓ | |
| Muridae | <i>Hydromys chrysogaster</i> | Water-rat | P | | ✓ | | | | | |
| Muridae | <i>Mus musculus</i> | House Mouse ¹ | U | U | ✓ ✓ | | | | | |
| Muridae | <i>Rattus fuscipes</i> | Bush Rat | P | | ✓ ✓ | | | | ✓ | |
| Muridae | <i>Rattus rattus</i> | Black Rat ¹ | U | U | ✓ | | | | | |
| Muridae | <i>Rattus lutreolus</i> | Swamp Rat | P | | | | | | ✓ | |
| Leporidae | <i>Lepus capensis</i> | Brown Hare ¹ | U | U | ✓ | | | | | |
| Leporidae | <i>Oryctolagus cuniculus</i> | Rabbit ¹ | U | U | ✓ ✓ | | | | ✓ | |
| Canidae | <i>Canis lupus</i> | Dingo/Wild Dog ¹ | U | U | ✓ ✓ | | | | ✓ | |
| Canidae | <i>Vulpes vulpes</i> | Fox ¹ | U | U | ✓ ✓ | | | | | |
| Felidae | <i>Felis catus</i> | Feral Cat ¹ | U | U | ✓ ✓ | | | | | |
| Equidae | <i>Equus caballus</i> | Horse ¹ | U | U | ✓ | | | | | |
| Suidae | <i>Sus scrofa</i> | Feral Pig ¹ | U | U | ✓ | | | | | |
| Bovidae | <i>Bos taurus</i> | European Cattle ¹ | U | U | ✓ ✓ | | | | | |
| Bovidae | <i>Capra hircus</i> | Feral Goat ¹ | U | U | ✓ | | | | | |
| Bovidae | <i>Ovis aries</i> | Sheep ¹ | U | U | ✓ | | | | | |
| Cervidae | <i>Cervus/Dama</i> sp. | Unidentified Deer ¹ | U | U | ✓ | | | | | |

APPENDIX D – FAUNA SPECIES RECORDED AROUND (BUT NOT WITHIN) NORTH-WESTERN WOLLEMI NATIONAL PARK

Below is a list of fauna species recorded on the Atlas of NSW Wildlife within a five kilometre radius of the study area boundary, but not recorded from within the study area (as at 2nd May 2006).

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status |
|-------------------|-----------------------------------|--------------------------------------|------------------|-----------------------|
| Frogs | | | | |
| Myobatrachidae | <i>Adelotus brevis</i> | Tusked Frog | P | |
| Myobatrachidae | <i>Lechriodus fletcheri</i> | Fletcher's Frog | P | |
| Myobatrachidae | <i>Limnodynastes fletcheri</i> | Long-thumbed Frog | P | |
| Myobatrachidae | <i>Mixophyes fasciolatus</i> | Great Barred Frog | P | |
| Myobatrachidae | <i>Neobatrachus sudelli</i> | Painted Burrowing Frog | P | |
| Myobatrachidae | <i>Uperoleia laevigata</i> | Smooth Toadlet | P | |
| Hylidae | <i>Litoria chloris</i> | Red-eyed Tree Frog | P | |
| Reptiles | | | | |
| Chelidae | <i>Emydura macquarii signata</i> | Short-necked Turtle | P | |
| Varanidae | <i>Varanus gouldii</i> | Sand Monitor | P | |
| Scincidae | <i>Egernia modesta</i> | Eastern Ranges Rock-skink | P | |
| Scincidae | <i>Pseudemoia entrecasteauxii</i> | Tussock Cool-skink | P | |
| Scincidae | <i>Pseudemoia pagenstecheri</i> | Tussock Skink | P | |
| Typhlopidae | <i>Ramphotyphlops proximus</i> | Proximus Blind Snake | P | |
| Colubridae | <i>Boiga irregularis</i> | Eastern Brown Tree Snake | P | |
| Elapidae | <i>Drysdalia rhodogaster</i> | Mustard-bellied Snake | P | |
| Elapidae | <i>Pseudechis guttatus</i> | Spotted Black Snake | P | |
| Birds | | | | |
| Casuariidae | <i>Dromaius novaehollandiae</i> | Emu | P | |
| Phaethontidae | <i>Phaethon lepturus</i> | White-tailed Tropicbird | P | |
| Pelecanidae | <i>Pelecanus conspicillatus</i> | Australian Pelican | P | |
| Ardeidae | <i>Ardea ibis</i> | Cattle Egret | P | |
| Threskiornithidae | <i>Threskiornis molucca</i> | Australian White Ibis | P | |
| Accipitridae | <i>Aviceda subcristata</i> | Pacific Baza | P | |
| Accipitridae | <i>Hamirostra melanosternon</i> | Black-breasted Buzzard | V | |
| Accipitridae | <i>Milvus migrans</i> | Black Kite | P | |
| Falconidae | <i>Falco subniger</i> | Black Falcon | P | |
| Columbidae | <i>Lopholaimus antarcticus</i> | Topknot Pigeon | P | |
| Columbidae | <i>Streptopelia chinensis</i> | Spotted Turtle-dove ¹ | U | |
| Cacatuidae | <i>Calyptorhynchus banksii</i> | Red-tailed Black-cockatoo * | V | |
| Psittacidae | <i>Lathamus discolor</i> | Swift Parrot | E | E |
| Psittacidae | <i>Platycercus icterotis</i> * | Western Rosella * (probable escapee) | P | |
| Acanthizidae | <i>Aphelocephala leucopsis</i> | Southern Whiteface | P | |
| Meliphagidae | <i>Epthianura albifrons</i> | White-fronted Chat | P | |
| Meliphagidae | <i>Lichenostomus ornatus</i> | Yellow-plumed Honeyeater | P | |
| Meliphagidae | <i>Lichenostomus virescens</i> | Singing Honeyeater | P | |

| Family | Scientific name | Common name | NSW Legal Status | National Legal Status |
|------------------|--|---------------------------------|------------------|-----------------------|
| Meliphagidae | <i>Phylidonyris nigra</i> | White-cheeked Honeyeater | P | |
| Oriolidae | <i>Sphecotheres vieilloti</i> | Australasian Figbird | P | |
| Artamidae | <i>Artamus cinereus</i> | Black-faced Woodswallow | P | |
| Artamidae | <i>Artamus leucorynchus</i> | White-breasted Woodswallow | P | |
| Artamidae | <i>Artamus personatus</i> | Masked Woodswallow | P | |
| Corvidae | <i>Corvus orru</i> | Torresian Crow | P | |
| Alaudidae | <i>Alauda arvensis</i> | Eurasian Skylark ¹ | U | U |
| Passeridae | <i>Passer domesticus</i> | House Sparrow ¹ | U | U |
| Fringillidae | <i>Carduelis carduelis</i> | European Goldfinch ¹ | U | U |
| Sylviidae | <i>Megalurus gramineus</i> | Little Grassbird | P | |
| Mammals | | | | |
| Peramelidae | <i>Isoodon macrourus</i> | Northern Brown Bandicoot | P | |
| Potoroidae | <i>Potorous tridactylus</i> | Long-nosed Potoroo | V | |
| Macropodidae | <i>Macropus parma</i> | Parma Wallaby | V | |
| Vespertilionidae | <i>Miniopterus australis</i> | Little Bentwing-bat | V | |
| Vespertilionidae | <i>Myotis aduersus</i> (taxonomy revised to <i>Myotis macropus</i>) | Large-footed Myotis | V | |
| Vespertilionidae | <i>Vespadelus pumilus</i> | Eastern Forest Bat | P | |
| Muridae | <i>Pseudomys novaehollandiae</i> | New Holland Mouse | P | |



**Department of
Environment and
Conservation (NSW)**

**43 Bridge Street
Hurstville 2220
(02) 9585 6678
www.environment.nsw.gov.au**