

Appendix 2 - Vascular plant species recorded from survey sites in the Far North Coast

The common names are from PlantNet (<http://plantnet.rbgsyd.nsw.gov.au/>), though a few commonly used alternative names have been added as needed. In the following list, all significant taxa are indicated (§), as are exotic species (*). For significant taxa, the following abbreviations are used to indicate status: TSC-V and TSC-E = Vulnerable or Endangered under the NSW Threatened Species Conservation Act 1995 Rare = rare species in NSW (Sheringham & Westaway 1995, and P. Sheringham pers. comm); and standard codes are given for ROTAP species (Briggs & Leigh, 1995).

§-significant taxa *- Exotic taxa

Species and Taxonomic Authority	Status	Common Name
Fern Allies		
Psilotaceae		
<i>Psilotum nudum</i> (L.) P.Beauv.		Skeleton Fork-fern
Selaginellaceae		
<i>Selaginella uliginosa</i> (Labill.) Spring		Swamp Selaginella
Ferns		
Adiantaceae		
<i>Adiantum aethiopicum</i> L.		Common Maidenhair
<i>Adiantum diaphanum</i> Blume		Filmy Maidenhair
<i>Adiantum formosum</i> R.Br.		Black Stem, Black Stem Maidenhair, Giant Maidenhair
<i>Adiantum hispidulum</i> Sw.		Rough Maidenhair Fern
<i>Adiantum silvaticum</i> Tindale		
<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i> Kunze		
<i>Pellaea nana</i> (Hook.) Bostock		Dwarf Sickie Fern
<i>Pellaea paradoxa</i> (R.Br.) Hook.		
<i>Pellaea viridis</i> var. <i>viridis</i> (Forssk.) Prantl		Green Cliff Brake
Aspleniaceae		
<i>Asplenium attenuatum</i> R.Br.		Simple Spleenwort
<i>Asplenium australasicum</i> forma <i>australasicum</i> (J.Sm.) Hook.		Bird's Nest Fern
<i>Asplenium harmanii</i> D.L.Jones		
Azollaceae		
<i>Azolla filiculoides</i> Lam.		
<i>Azolla pinnata</i> R.Br.		
Blechnaceae		
<i>Blechnum camfieldii</i> Tindale		
<i>Blechnum cartilagineum</i> Sw.		Gristle Fern, Soft Water Fern
<i>Blechnum indicum</i> Burm.f.		Swamp Water Fern
<i>Doodia aspera</i> R.Br.		Prickly Rasp Fern
<i>Doodia caudata</i> (Cav.) R.Br.		Small Rasp Fern
Cyatheaceae		
<i>Cyathea australis</i> (R.Br.) Domin		Black Tree-fern, Rough Tree-fern
<i>Cyathea cooperi</i> (F.Muell.) Domin		Straw Tree-fern

Species and Taxonomic Authority	Status	Common Name
<i>Cyathea leichhardtiana</i> (F.Muell.) Copel.		Prickly Tree-fern, Prickly Tree Fern
Davalliaceae		
<i>Arthropteris beckeri</i> . (Hook.) Mett.		
<i>Arthropteris tenella</i> (G.Forst.) J.Sm. ex Hook.f.		
<i>Davallia solida</i> var. <i>pyxidata</i> (Cav.) Noot.		Hare's Foot Fern
<i>Nephrolepis cordifolia</i> (L.) Presl??		Fishbone Fern, Herringbone Fern, Sword Fern
Dennstaedtiaceae		
<i>Histiopteris incisa</i> (Thunb.) J.Sm.		Bat's Wing Fern, Oak Fern
<i>Hypolepis muelleri</i> N.A.Wakef.		Harsh Ground Fern
<i>Pteridium esculentum</i> (G.Forst.) Cockayne		Common Bracken, Gurgi (Cadigal), Austral Bracken, Bracken
Dicksoniaceae		
<i>Calochlaena dubia</i> (R.Br.) M.D.Turner & R.A.White		Rainbow Fern
Dryopteridaceae		
<i>Arachniodes aristata</i> (G.Forst.) Tindale		
<i>Lastreopsis decomposita</i> (R.Br.) Tindale		Trim Shield-fern, Trim Shield Fern
<i>Lastreopsis marginans</i> (F.Muell.) D.A.Sm. & Tindale		Bordered Shield Fern, Glossy Shield Fern
<i>Lastreopsis microsora</i> subsp. <i>microsora</i> (Endl.) Tindale		Creeping Shield Fern
<i>Lastreopsis munita</i> (Mett.) Tindale		Naked Shield Fern
Gleicheniaceae		
<i>Gleichenia dicarpa</i> R.Br.		Pouched Coral Fern, Tangle Fern
Lindsaeaceae		
‡ <i>Lindsaea brachypoda</i> (Baker) Salomon	TSC-V	
<i>Lindsaea linearis</i> Sw.		Screw Fern
Marsileaceae		
<i>Marsilea mutica</i> Mett.		Nardoo
Ophioglossaceae		
<i>Botrychium australe</i> R.Br.		Austral Moonwort, Parsley Fern, Austral Moorward
Osmundaceae		
<i>Todea barbara</i> (L.) T.Moore		King Fern
Polypodiaceae		
<i>Dictymia brownii</i> (Wikstr.) Copel.		Strap Fern
<i>Microsorium pustulatum</i> (G.Forst.) Copel.		Kangaroo Fern
<i>Platyserium bifurcatum</i> (Cav.) C.Chr.		Elkhorn
<i>Platyserium superbum</i> de Jonch. & Hennisman		Staghorn
<i>Pyrrosia confluens</i> var. <i>confluens</i> (R.Br.) Ching		Robber Fern, Horseshoe Felt Fern
<i>Pyrrosia rupestris</i> (R.Br.) Ching		Rock Felt Fern
Pteridaceae		
<i>Acrostichum speciosum</i> Willd.		Mangrove Fern, Leather Fern
<i>Pteris tremula</i> R.Br.		Tender Brake, Tender Brakefern
Schizaeaceae		
<i>Lygodium microphyllum</i> (Cav.) R.Br.		Climbing Snake Fern
<i>Schizaea bifida</i> Willd.		Forked Comb Fern
<i>Schizaea dichotoma</i> (L.) Sm.		Branched Comb Fern
Thelypteridaceae		
<i>Christella dentata</i> (Forssk.) Brownsey & Jermy		Binung, Binung

Species and Taxonomic Authority	Status	Common Name
<i>Cyclosorus interruptus</i> (Willd.) H.It		
Cycads		
Zamiaceae		
<i>Lepidozamia peroffskyana</i> Regel		Burrawang
Conifers		
Araucariaceae		
<i>Araucaria cunninghami</i> Aiton ex A.Cunn.		Hoop Pine
Cupressaceae		
<i>Callitris columellaris</i> F.Muell.		Coast Cypress Pine, Coastal Cypress Pine
Pinaceae		
* <i>Pinus elliotii</i> Engelm.		Slash Pine
Podocarpaceae		
<i>Podocarpus elatus</i> R.Br. ex Endl.		Plum Pine, Brown Pine
Dicots		
Acanthaceae		
<i>Brunoniella australis</i> (Cav.) Bremek.		Blue Trumpet
<i>Brunoniella pumilio</i> (R.Br.) Bremek.		Dwarf Brunoniella, Dwarf Blue Trumpet
<i>Brunoniella spiciflora</i> (F.Muell. ex Benth.) Bremek.		
<i>Hygrophila angustifolia</i> R.Br.		
<i>Pseuderanthemum variabile</i> (R.Br.) Radlk.		Pastel Flower
<i>Rostellularia adscendens</i> subsp. <i>adscendens</i> (R.Br.) R.M.Barker		
<i>Rostellularia obtusa</i> Nees		
* <i>Thunbergia alata</i> Bojer ex Sims		Black-eyed Susan
Aizoaceae		
<i>Sesuvium portulacastrum</i> L.		Sesuvium
<i>Tetragonia tetragonoides</i> (Pall.) Kuntze		New Zealand Spinach, Native Spinach
Akaniaceae		
<i>Akania bidwillii</i> (Hogg) Mabb.		Turnipwood
Alangiaceae		
<i>Alangium villosum</i> subsp. <i>polyosmoides</i> (F.Muell.) Bloemb.		Black Muskheart, Brown Muskheart, Canary Muskheart Muskwood
Amaranthaceae		
<i>Alternanthera denticulata</i> R.Br.		Lesser Joyweed
Anacardiaceae		
<i>Euroschinus falcata</i> var. <i>falcata</i> Hook.f.		Ribbonwood, Blush Cudgerie
* <i>Schinus terebinthifolius</i> Raddi		Brazilian Pepper Tree, Christmas Berry Tree
Apiaceae		
<i>Apium prostratum</i> Labill. ex Vent.		Sea Celery
<i>Centella asiatica</i> (L.) Urb.		
<i>Eryngium expansum</i> F.Muell.		
<i>Hydrocotyle acutiloba</i> (F.Muell.) Wakef.		
* <i>Hydrocotyle bonariensis</i> Lam.		Kurnell Curse
<i>Hydrocotyle peduncularis</i> R.Br. ex A.Rich.		
<i>Hydrocotyle tripartita</i> R.Br. ex A.Rich.		Pennywort
<i>Hydrocotyle verticillat</i> Thunb.		Shield Pennywort
<i>Lilaeopsis polyantha</i> (Gand.) H.Eichler		
<i>Platysace ericoides</i> (Sieber ex Spreng.) Norman		

Species and Taxonomic Authority	Status	Common Name
<i>Platysace lanceolata</i> (Labill.) Druce		Shrubby Platysace
<i>Trachymene incisa</i> Rudge		
<i>Xanthosia pilosa</i> Rudge		Woolly Xanthosia
Apocynaceae		
<i>Alyxia ruscifolia</i> R.Br.		Prickly Alyxia, Chain Fruit
<i>Carissa ovata</i> R.Br.		Kunkerberry, Currant Bush
<i>Melodinus acutiflorus</i> F.Muell.		
<i>Melodinus australis</i> (F.Muell.) Pierre		Southern Melodinus
<i>Ochrosia moorei</i> (F.Muell.) F.Muell. ex Benth.	TSC-E	Southern Ochrosia
<i>Parsonsia fulva</i> S.T.Blake		Furry Silkpod
<i>Parsonsia longipetiolata</i> J.B.Williams		Green-leaved Silkpod
<i>Parsonsia straminea</i> (R.Br.) F.Muell.		Common Silkpod, Monkey Rope
<i>Parsonsia velutina</i> R.Br.		
<i>Tabernaemontana pandacacui</i> Lam.		Banana Bush
Araliaceae		
<i>Polyscias elegans</i> (C.Moore & F.Muell.) Harms		Celery Wood, Silver Basswood, Black Pencil Ceda
<i>Polyscias sambucifolia</i> (DC. ex Sieber) Harms		Elderberry Panax, Ornamental Ash, Elderberry Ash
* <i>Schefflera actinophylla</i> (Endl.) Harms		Umbrella Tree
Argophyllaceae		
‡ <i>Argophyllum nullumense</i> R.T.Baker	3RCa	Silver Leaf
Aristolochiaceae		
<i>Pararistolochia praevenosa</i> (F.Muell.) M.J.Parsons		
Asclepiadaceae		
* <i>Araujia sericifera</i> E.Fourn.		Moth Vine, Mothplant
* <i>Asclepias curassavica</i> L.		Redhead Cottonbush, Blood Flower
<i>Cynanchum carnosum</i> (R.Br.) Merr. & Rolfe		
* <i>Gomphocarpus fruticosus</i> (L.) W.T.Aiton		Narrow-leaved Cotton Bush
* <i>Gomphocarpus physocarpus</i> E.Mey.		Balloon Cotton Bush
<i>Hoya australis</i> subsp. <i>australis</i> R. Br. Ex Traill		Native Hoya
<i>Marsdenia fraseri</i> Benth.		Narrow-leaved Milk Vine
<i>Marsdenia hemiptera</i> Rchb.		
<i>Marsdenia longiloba</i> Benth.	TSC-E	
<i>Marsdenia rostrata</i> R.Br.		Milk Vine
<i>Tylophora benthamii</i> S.T. Blake		Coast Tylophora
<i>Tylophora paniculata</i> R.Br.		Thin-leaved Tylophora
Asteraceae		
* <i>Ageratina adenophora</i> (Spreng.) R.M.King & H.Rob.		Crofton Weed
* <i>Ageratina riparia</i> (Regel) R.M.King & H.Rob.		Mistflower, Creeping Crofton Weed
* <i>Ageratum houstonianum</i> Mill.		
* <i>Ambrosia artemisiifolia</i> L.		Annual Ragweed
* <i>Aster subulatus</i> Michx.		Wild Aster, Bushy Starwort
* <i>Baccharis halimifolia</i> L.		Groundsel Bush
* <i>Bidens pilosa</i> L.		Cobblers Pegs, Pitch-forks, Teasers
* <i>Bidens tripartita</i> L.		Burr Marigold
<i>Brachyscome microcarpa</i> F.Muell.		
<i>Centipeda minima</i> (L.) A.Braun & Asch.		Spreading Sneezeweed

Species and Taxonomic Authority	Status	Common Name
* <i>Chrysanthemoides monilifera</i> subsp. <i>rotundata</i> (DC.) Norl. (L.) Norl.		Bitiou Bush
* <i>Cirsium vulgare</i> (Savi) Ten.		Spear Thistle
* <i>Conyza bonariensis</i> (L.) Cronquist		Flaxleaf Fleabane
* <i>Cotula coronopifolia</i> L.		Water Buttons
* <i>Crassocephalum crepidioides</i> (Benth.) S.Moore		Thickhead
<i>Eclipta platyglossa</i> F.Muell.		
<i>Eclipta prostrata</i> (L.) L.		
* <i>Emilia sonchifolia</i> (L.) DC.		
<i>Enydra fluctuans</i> DC.		
<i>Epaltes australis</i> Less.		Spreading Nut-heads
* <i>Erechtites valerianifolia</i> (Wolf) DC.		Brazilian Fireweed
* <i>Gamochaeta spicata</i> (Lam.) Cabrera		
* <i>Hypochaeris microcephala</i> var. <i>albiflora</i> (Sch.Bip.) Cabrera		White Flatweed
* <i>Hypochaeris radicata</i> L.		Catsear, Flatweed
<i>Lagenophora gracilis</i> Steetz		
<i>Lagenophora stipitata</i> (Labill.) Druce		Blue Bottle-daisy, Common Lagenophora
<i>Leptinella longipes</i> Hook.f.	Uncommon	
<i>Melanthera biflora</i> (L.) Wild		
<i>Olearia nernstii</i> (F.Muell.) F.Muell. ex Benth.		
<i>Ozothamnus diosmifolius</i> (Vent.) DC.		Rice Flower, White Dogwood, Pill Flower, Sago Bush
* <i>Senecio madagascariensis</i> Poir.		Fireweed
* <i>Soliva anthemifolia</i> (Juss.) R.Br. ex Less.		Dwarf Jo-jo, Button Burweed
* <i>Sonchus oleraceus</i> L.		Common Sowthistle
<i>Vernonia cinerea</i> (L.) Less.		
<i>Vernonia cinerea</i> var. <i>cinerea</i> (L.) Less.		
* <i>Xanthium italicum</i> Moretti		Hunter Burr
<i>Xerochrysum bracteatum</i> (Vent.) Tzvelev		Golden Everlasting
Avicenniaceae		
<i>Avicennia marina</i> subsp. <i>australasica</i> (Walp.) Moldenke		Mangrove, Grey Mangrove
Basellaceae		
* <i>Anredera cordifolia</i> (Ten.) Steenis		Madeira Vine, Lamb's Tail, Jalap, Potato Vine
* <i>Jacaranda mimosifolia</i> D.Don		Jacaranda
Bignoniaceae		
* <i>Macfadyena unguis-cati</i> (L.) A.H.Gentry		Cat's Claw Creeper
<i>Pandorea jasminoides</i> (Lindl.) Schum.		Bower Vine
<i>Pandorea pandorana</i> (Andrews) Steenis		Wonga Wonga Vine
Brassicaceae		
* <i>Cardamine paucijuga</i> Turcz.		
Burseraceae		
<i>Canarium australasicum</i> (F.M.Bailey) Leenh.		Mango Bark, Carrot Wood, Brown Cudgerie, Parsnip Wood
Cactaceae		
* <i>Opuntia stricta</i> (Haw.) Haw.		Common Prickly Pear, Smooth Pest Pear
Casuarinaceae		
<i>Casuarina glauca</i>		Swamp Oak

Species and Taxonomic Authority	Status	Common Name
<i>Casuarina equisetifolia</i> subsp. <i>incana</i> (Benth.) L.A.S.Johnson		Horsetail She-oak, Horsetail Sheoak
<i>Allocasuarina littoralis</i> (Salisb.) L.A.S.Johnson		Black She-oak
<i>Allocasuarina torulosa</i> (Aiton) L.A.S.Johnson		Forest Oak
Celastraceae		
<i>Celastrus subspicata</i> Hook.		Large-leaved Staff Vine
<i>Denhamia celastroides</i> (F.Muell.) Jessup		Denhamia, Orange Boxwood
<i>Elaeodendron australe</i> Vent.		
<i>Hedraianthera porphyropetala</i> F.Muell.		Hedraianthera
<i>Hippocratea barbata</i> F.Muell.		Knot Vine
Chenopodiaceae		
<i>Atriplex semibaccata</i> R.Br.		Creeping Saltbush, Berry Saltbush
<i>Einadia hastata</i> (R.Br.) A.J.Scott		Berry Saltbush
<i>Rhagodia candolleana</i> subsp. <i>candolleana</i> Moq.		
<i>Sarcocornia quinqueflora</i> subsp. <i>quinqueflora</i> (Bunge ex Ung.-Sternb.) A.J.Scott		
<i>Suaeda australis</i> (R.Br.) Moq.		
Clusiaceae		
<i>Hypericum gramineum</i> G.Forst.		Small St. John's Wort
<i>Hypericum japonicum</i> Thunb.		
Convolvulaceae		
<i>Calystegia marginata</i> R.Br.		
<i>Convolvulus erubescens</i> Sims		Blushing Bindweed
<i>Dichondra repens</i> J.R.Forst. & G.Forst.		Kidney Weed
* <i>Ipomoea cairica</i> (L.) Sweet		
<i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i> (L.) R.Br.		
Corokiaceae		
‡ <i>Corokia whiteana</i> L.S.Sm.	TSC-V	
Crassulaceae		
* <i>Bryophyllum delagoense</i> (Eckl. & Zeyh.) Schinz		Mother-of-millions
Cucurbitaceae		
<i>Diplocyclos palmatus</i> (L.) Jeffrey		
‡ <i>Trichosanthes subvelutina</i> F.Muell. ex Cogn.	3RC-	
<i>Zehneria cunninghamii</i> (F.Muell.) Benth.		Slender Cucumber
Cunoniaceae		
<i>Aphanopetalum resinosum</i> Endl.		Gum Vine
<i>Callicoma serratifolia</i> Andrews		Black Wattle, Callicoma, Silver-leaf Butterwood
<i>Geissois benthamiana</i> F.Muell.		Red Carabeen, Red Bean, Leather Jacket, Brush Mahogany
<i>Pseudoweinmannia lachnocarpa</i> (F.Muell.) Engl.		Rose Marara
Davidsoniaceae		
‡ <i>Davidsonia jerseyana</i> (F.Muell. ex F.M.Bailey) G.J.Harden & J.B.Williams	TSC-E	Davidson's Plum
Dilleniaceae		
<i>Adrastaea salicifolia</i> (DC.) F.Muell.		
<i>Hibbertia acicularis</i> (Labill.) F.Muell.		
<i>Hibbertia aspera</i> DC.		Rough Guinea Flower
<i>Hibbertia dentata</i> R.Br. ex DC.		Trailing Guinea Flower

Species and Taxonomic Authority	Status	Common Name
<i>Hibbertia diffusa</i> DC.		Wedge Guinea Flower
<i>Hibbertia empetrifolia</i> subsp. <i>empetrifolia</i> (DC.) Hoogland		
<i>Hibbertia fasciculata</i> DC.		
<i>Hibbertia linearis</i> DC.		
<i>Hibbertia riparia</i> (R.Br. ex DC.) Hoogland		Erect Guinea-flower
<i>Hibbertia scandens</i> (Willd.) Gilg		Climbing Guinea Flower
Droseraceae		
<i>Drosera auriculata</i> Backh. ex Planch.		Sundew
<i>Drosera spatulata</i> Labill.		Sundew
Ebenaceae		
<i>Diospyros australis</i> (R.Br.) Hiern		Black Plum, Yellow Persimmon, Grey Plum
<i>Diospyros fasciculosa</i> (F.Muell.) F.Muell.		Grey Ebony, Clustered Persimmon, Long Tom
‡ <i>Diospyros mabacea</i> (F.Muell.) F.Muell.	TSC-E	
‡ <i>Diospyros major</i> var. <i>ebenus</i> (G.Forst.) Bakh.	TSC-E	Ebony
<i>Diospyros pentamera</i> (Woolfs & F.Muell.) F.Muell.		Myrtle Ebony, Grey Persimmon, Black Myrtle, Grey Plum
Elaeocarpaceae		
<i>Elaeocarpus eumundii</i> F.M.Bailey		Eumundi Quandong, Smooth-leaved Quandong
<i>Elaeocarpus grandis</i> F.Muell.		Blue Quandong, Blue Fig, Silver Quandong
<i>Elaeocarpus kirtonii</i> F.Muell. ex F.M.Bailey		Silver Quandong, White Quandong, Brown-hearted Quandong, Brownheart, Mountain Beech, Pigeonberry Ash, White Beech, Whitewood
<i>Elaeocarpus obovatus</i> G.Don		Hard Quandong, Blueberry Ash, Whitewood, Grey Carabeen, Freckled Oliveberry, Grey Carrobeen
<i>Elaeocarpus reticulatus</i> Sm.		Blueberry Ash, Ash Quandong, Blue Olive Berry, Fairy Petticoats, Fringe Tree, Koda, Lily of the valley Tree, Scrub Ash
‡ <i>Elaeocarpus williamsianus</i> Guymmer	TSC-E	Hairy Quandong
‡ <i>Elaeocarpus</i> sp. Rocky Creek (G.Read AQ 562114)	TSC-E	Minyon Quandong
<i>Sloanea australis</i> (Benth.) F.Muell.		Maiden's Blush, Blush Alder, Blush Carrabeen, Blush
<i>Sloanea woollsii</i> F.Muell.		Yellow Carabeen, Carribin, Grey Carrobean, Carabeen
Epacridaceae		
<i>Acrotriche aggregata</i> R.Br.		Red Cluster Heath, Tall Acrotriche, Tall Groundberry
<i>Agortia pedicellata</i> (C.T.White) Quinn in Quinn et al		
<i>Astroloma pinifolium</i> (R.Br.) Benth.		Pine Heath
<i>Brachyloma daphnoides</i> (Sm.) Benth.		Daphne Heath
<i>Brachyloma scortechinii</i> F.Muell.		
<i>Epacris microphylla</i> R.Br.		
<i>Epacris obtusifolia</i> Sm.		Blunt-leaf Heath
<i>Epacris pulchella</i> Cav.		Wallum Heath
<i>Leucopogon deformis</i> R.Br.		
<i>Leucopogon ericoides</i> (Sm.) R.Br.		Pink Beard-heath
<i>Leucopogon juniperinus</i> R.Br.		Prickly Beard-heath
<i>Leucopogon lanceolatus</i> var. <i>gracilis</i> Benth.		

Species and Taxonomic Authority	Status	Common Name
<i>Leucopogon leptospermoides</i> R.Br.		
<i>Leucopogon margarodes</i> R.Br.		
<i>Leucopogon parviflorus</i> (Andrews) Lindl.		Coastal Beard-heath, Native Currant
<i>Leucopogon virgatus</i> (Labill.) R.Br.		
<i>Monotoca elliptica</i> (Sm.) R.Br.		Tree Broom-heath
<i>Monotoca scoparia</i> (Sm.) R.Br.		
<i>Sprengelia sprengelioides</i> (R.Br.) Druce		
<i>Styphelia viridis</i> subsp. <i>breviflora</i> (Benth.) J.M.Powell		Green Five Corners
<i>Trochocarpa laurina</i> R.Br.		Tree Heath, Axebreaker, Sandberry, Wheel-fruit
Euphorbiaceae		
<i>Acalypha capillipes</i> Muell.Arg.		
‡ <i>Acalypha eremorum</i> Muell.Arg.	TSC-E	
<i>Actephila lindleyi</i> (Steud.) Airy Shaw		Actephila
<i>Alchornea ilicifolia</i> (J.Sm.) Muell.Arg.		Dovewood, Native Holly
<i>Baloghia inophylla</i> (G.Forst.) P.S.Green		Brush Bloodwood, Ivory Birch, Scrub Bloodwood
<i>Breynia oblongifolia</i> Muell.Arg.		Coffee Bush
<i>Bridelia exaltata</i> F.Muell.		Brush Ironbark, Scrub Ironbark, Grey Birch, Brown Birch
<i>Claoxylon australe</i> Baill.		Brittlewood
<i>Cleistanthus cunninghamii</i> Muell.Arg.		Cleistanthus, Omega
<i>Croton verreauxii</i> Baill.		Green Native Cascarilla
<i>Drypetes deplanchei</i> (Brongn. & Gris) Merr.		Yellow Tulipwood, Greybark, Yellow Tulip, Grey Boxwood, White Myrtle, Grey Bark
<i>Excoecaria agallocha</i> L.		Milky Mangrove
<i>Excoecaria dallachyana</i> L.		Milky Mangrove, River Poison Tree, Blind-your-eye
‡ <i>Fontainea australis</i> Jessup & Guymmer	TSC-V	Southern Fontainea
<i>Glochidion ferdinandi</i> (Muell.Arg.) F.M.Bailey		Cheese Tree
<i>Glochidion sumatranum</i> Miq.		Umbrella Cheese Tree
<i>Homalanthus populifolius</i> Graham		
<i>Macaranga tanarius</i> (L.) Muell.Arg.		Nasturtium Tree, Blush Macaranga, David's Heart, Heart Leaf
<i>Mallotus discolor</i> F.Muell. ex Benth.		White Kamala, Yellow Kamala
<i>Mallotus philippensis</i> (Lam.) Muell.Arg.		Red Kamala, Orange Kamala
<i>Phyllanthus virgatus</i> G.Forst.		
<i>Poranthera microphylla</i> Brongn.		
<i>Pseudanthus orientalis</i> (Baill.) F.Muell.		
<i>Ricinocarpos pinifolius</i> Desf.		Wedding Bush
<i>Tragia novae-hollandiae</i> Muell.Arg.		Stinging Vine
* <i>Triadica sebifera</i> (L.) Small		Chinese Tallowood
Eupomatiaceae		
<i>Eupomatia bennettii</i> F.Muell.		Small Bolwarra
<i>Eupomatia laurina</i> R.Br.		Bolwarra, Copper Laurel
Fabaceae (Caesalpinioideae)		
* <i>Caesalpinia decapetala</i> (Roth) Alston		Thorny Poinciana, Wait-a-while
* <i>Caesalpinia scortechinii</i> (F.Muell.) Hattink		Large Prickle-vine, Wait-a-while
* <i>Caesalpinia subtropica</i> Pedley		Corky Prickle-vine

Species and Taxonomic Authority	Status	Common Name
<i>Cassia brewsteri</i> var. <i>marksiana</i> (F.Muell.) Benth.		Native Laburnum
<i>Chamaecrista nomame</i> var. <i>nomame</i> (Siebold) H.Ohashi		
<i>Chorizema parviflorum</i> Benth.		Eastern Flame Pea
* <i>Senna pendula</i> var. <i>glabrata</i> (Vogel) H.S.Irwin & Barneby		
* <i>Senna septemtrionalis</i> (Viv.) H.S.Irwin & Barneby		Arsenic Bush
Fabaceae (Faboideae)		
<i>Aotus ericoides</i> (Vent.) Don		
<i>Aotus lanigera</i> A.Cunn. ex Benth.		
<i>Austrosteenisia blackii</i> var. <i>blackii</i> (F.Muell.) R.Geesink		Blood Vine
<i>Austrosteenisia glabristyla</i> Jessup		Giant Blood Vine
<i>Bossiaea ensata</i> Sieber ex DC.		Sword Bossiaea
<i>Bossiaea heterophylla</i> Vent.		Variable Bossiaea
‡ <i>Callerya australis</i> (Endl.) Schot	3RC	Native Wisteria
<i>Callerya megasperma</i> (F.Muell.) Schot		Native Wisteria
<i>Canavalia rosea</i> (Sw.) DC.		Coastal Jack Bean
<i>Castanospermum australe</i> A.Cunn. ex Mudie		Black Bean, Moreton Bay Chestnut
<i>Daviesia arborea</i> W.Hill		
<i>Daviesia ulicifolia</i> subsp. <i>stenophylla</i> G.Chandler & Crisp		Gorse Bitter Pea
<i>Daviesia ulicifolia</i> subsp. <i>ulicifolia</i> Andrews		Gorse Bitter Pea
<i>Derris involuta</i> (Sprague) Sprague		
‡ <i>Desmodium acanthocladum</i> F.Muell.	TSC-V	Thorny Pea
<i>Desmodium brachypodum</i> A.Gray		Large Tick-trefoil, Large Tick-trefoil
<i>Desmodium gunnii</i> Benth. ex Hook.f.		Slender tick trefoil
<i>Desmodium nemorosum</i> Benth.		
<i>Desmodium rhytidophyllum</i> Benth.		
<i>Desmodium varians</i> (Labill.) G.Don		Slender Tick-trefoil
<i>Dillwynia floribunda</i> Sm.		
<i>Dillwynia retorta</i> (J.C.Wendl.) Druce		
<i>Erythrina crista-galli</i> L.		Cockspur Coral Tree
<i>Erythrina vespertilio</i> Benth.		Bat-Wing Coral Tree, Bat's Wing Coral Tree
<i>Galactia tenuiflora</i> var. <i>villosa</i> (Wight & Arn.) Benth		
<i>Glycine clandestina</i> J.C.Wendl.		
<i>Glycine microphylla</i> (Benth.) Tindale		Small-leaf glycine
<i>Glycine tabacina</i> (Labill.) Benth.		
<i>Gompholobium virgatum</i> Sieber ex DC.		Leafy Wedge Pea
<i>Hardenbergia violacea</i> (Schneev.) Stearn		Purple Coral Pea, False Sarsparilla, Waraburra
<i>Hovea acutifolia</i> A.Cunn. ex G.Don		
<i>Indigofera australis</i> Willd.		Australian Indigo
<i>Jacksonia scoparia</i> R.Br.		Winged Broom-pea, Dogwood
<i>Kennedia rubicunda</i> Vent.		Dusky Coral Pea
* <i>Lablab purpureus</i> (L.) Sweet		Indian Bean
<i>Lespedeza juncea</i> subsp. <i>sericea</i> (Thunb.) Steenis		
<i>Zornia muriculata</i> D.C. subsp. <i>angustata</i>		
<i>Mucuna gigantea</i> (Willd.) DC.		Burny Bean
<i>Oxylobium arborescens</i> R.Br.		Tall Shaggy Pea
<i>Oxylobium robustum</i> Joy Thomps.		Tree Shaggy Pea
<i>Phyllota phyllicoides</i> Benth.		Heath Phyllota
<i>Pultenaea myrtoidea</i> A.Cunn. ex Benth.		

Species and Taxonomic Authority	Status	Common Name
<i>Pultenaea retusa</i> Sm.		
<i>Pultenaea spinosa</i> (DC.) H.B.Will.		
<i>Pultenaea villosa</i> Willd.		
<i>Viminaria juncea</i> (Schrad.) Hoffmanns.		Golden spray, Native Broom
Fabaceae (Mimosoideae)		
<i>Acacia aulacocarpa</i> A.Cunn. ex Benth.		Salwood, Golden-flowered Salwood, Lancewood
‡ <i>Acacia bakeri</i> Maiden	TSC-V	Baker's Wattle, Marblewood, Scrub Wattle, White Marblewood
<i>Acacia concurrens</i> Pedley		Curracabah
<i>Acacia disparrima</i> subsp. <i>disparrima</i> M.McDonald & Maslin		Salwood, Southern Salwood, Brush Ironbark Wattle, Hickory
<i>Acacia elongata</i> Sieber ex DC.		Swamp Wattle
<i>Acacia irrorata</i> subsp. <i>irrorata</i> Sieber ex Spreng.		Green Wattle, Blueskin
<i>Acacia leiocalyx</i> subsp. <i>leiocalyx</i> (Domin) Pedley		Curracabah
<i>Acacia longifolia</i> subsp. <i>sophorae</i> (Labill.) Court		Coast Wattle, Wadanguli (Cadigal)
<i>Acacia longissima</i> H.L.Wendl.		Long-leaf Wattle
<i>Acacia maidenii</i> F.Muell.		Maiden's Wattle
<i>Acacia melanoxylon</i> R.Br.		Blackwood
* <i>Acacia saligna</i> (Labill.) H.L.Wendl.		Golden Wreath Wattle, Orange Wattle,
<i>Acacia suaveolens</i> (Sm.) Willd.		Sweet Wattle
<i>Acacia ulicifolia</i> (Salisb.) Court		Prickly Moses
<i>Acacia viscidula</i> Benth.		Sticky Wattle
<i>Archidendron grandiflorum</i> (Sol. ex Benth.) I.C.Nielsen		Pink Lace Flower, Laceflower Tree, Tassel Tree, Fairy Paint Brushes
‡ <i>Archidendron hendersonii</i> (F.Muell.) I.C.Nielsen	TSC-V	White Lace Flower, Tulip Siris
‡ <i>Archidendron muellerianum</i> (Maiden & R.T.Baker) I.C.Nielsen		Veiny Lace Flower, Small-flower Laceflower
<i>Pararchidendron pruinosum</i> var. <i>pruinosum</i> (Benth.) I.C.Nielsen		Snow Wood
Flacourtiaceae		
<i>Scolopia braunii</i> (Klotzsch) Sleumer		Flintwood, Mountain Cherry, Brown Birch, Scolopia
‡ <i>Xylosma terrae-reginae</i> C.T.White & Sleumer	TSC-E	Xylosma
Goodeniaceae		
<i>Dampiera stricta</i> (Sm.) R.Br.		
<i>Goodenia hederacea</i> subsp. <i>hederacea</i> Sm.		Forest Goodenia, Ivy Goodenia
<i>Goodenia heterophylla</i> subsp. <i>eglandulosa</i> Carolin		
<i>Goodenia paniculata</i> Sm.		Branched Goodenia
<i>Goodenia rotundifolia</i> R.Br.		
<i>Scaevola calendulacea</i> (Andrews) Druce		
Haloragaceae		
<i>Gonocarpus chinensis</i> subsp. <i>verrucosus</i> (Maiden & Betche) Orchard		
<i>Gonocarpus humilis</i> Orchard		
<i>Gonocarpus micranthus</i> Thunb.		
<i>Gonocarpus tetragynus</i> Labill.		
<i>Gonocarpus teucroides</i> DC.		Raspwort
<i>Haloragis heterophylla</i> Brongn.		Rough Raspwort

Species and Taxonomic Authority	Status	Common Name
* <i>Myriophyllum aquaticum</i> (Vell.) Verdc.		Parrots Feather, Brazilian Water-milfoil
 Icacinaceae		
<i>Citronella moorei</i> (Benth.) R.A.Howard		Churnwood
 Lamiaceae		
<i>Lycopus australis</i> R.Br.		Native gipsywort, Australian Gipsywort
<i>Plectranthus parviflorus</i> Willd.		
<i>Prostanthera nivea</i> A. Cunn ex. Benth.		Snowy Mint Bush
* <i>Salvia coccinea</i> Juss. ex Murray		
 Lauraceae		
<i>Beilschmiedia elliptica</i> C.T.White & W.D.Francis		Grey Walnut
<i>Beilschmiedia obtusifolia</i> (F.Muell. ex Meisn.) F.Muell.		Blush Walnut
<i>Cassytha filiformis</i> L.		
<i>Cassytha glabella</i> R.Br.		
<i>Cassytha pubescens</i> R.Br.		
* <i>Cinnamomum camphora</i> (L.) T.Nees & C.H.Eberm.		Camphor Laurel
<i>Cinnamomum oliveri</i> F.M.Bailey		Oliver's Sassafras
<i>Cinnamomum virens</i> R.T.Baker		Red-barked Sassafras
‡ <i>Cryptocarya foetida</i> R.T.Baker	TSC-V	Stinking Cryptocarya
<i>Cryptocarya glaucescens</i> R.Br.		Jackwood
<i>Cryptocarya laevigata</i> Blume		Red-fruited Laurel, Glossy Laurel
<i>Cryptocarya microneura</i> Meisn.		Murrogun
<i>Cryptocarya obovata</i> R.Br.		Pepperberry
<i>Cryptocarya rigida</i> Meisn.		Forest Maple
<i>Cryptocarya triplinervis</i> R.Br.		Three-veined Cryptocarya, Three-veined Laurel
<i>Cryptocarya triplinervis</i> var. <i>pubens</i> R.Br.		Three-veined Cryptocarya
<i>Endiandra discolor</i> Benth.		Rose Walnut, Domatia Tree
‡ <i>Endiandra floydii</i> B.Hyland	TSC-V	
‡ <i>Endiandra globosa</i> Maiden & Betche	2RC-	Black Walnut
‡ <i>Endiandra hayesii</i> Kosterm.	TSC-V	Rusty Rose Walnut
‡ <i>Endiandra muelleri</i> subsp. <i>bracteata</i> Meisn.	TSC-E	Green-leaved Rose Walnut
<i>Endiandra muelleri</i> subsp. <i>muelleri</i> Meisn.		Green-leaved Rose Walnut
<i>Endiandra pubens</i> Meisn.		Hairy Walnut
<i>Endiandra sieberi</i> Nees		Hard Corkwood
<i>Endiandra virens</i> F.Muell.		White Apple
<i>Litsea australis</i> B.Hyland		Brown Bolly Gum
<i>Litsea reticulata</i> (Meisn.) F.Muell		Bolly Gum
<i>Neolitsea australiensis</i> Kosterm.		Green Bolly Gum
<i>Neolitsea dealbata</i> (R.Br.) Merr.		Hairy-leaved Bolly Gum
 Lentibulariaceae		
<i>Utricularia gibba</i> L.		Floating Bladderwort
 Lobeliaceae		
<i>Lobelia anceps</i> L.f.		
<i>Lobelia gibbosa</i> Labill.		Tall Lobelia
<i>Lobelia trigonocaulis</i> F.Muell.		Forest Lobelia
<i>Pratia purpurascens</i> (R.Br.) E.Wimm.		Whiteroot
 Loganiaceae		
<i>Logania pusilla</i> R.Br.		
<i>Mitrasacme alsinoides</i> R.Br.		

Species and Taxonomic Authority	Status	Common Name
<i>Mitrasacme paludosa</i> R.Br.		
<i>Mitrasacme polymorpha</i> R.Br.		
Loranthaceae		
<i>Amyema cabbagei</i> (Blakely) Danser		
<i>Amyema congener</i> subsp. <i>congener</i> (Sieber ex Schult. & Schult.f.) Tiegh.		
<i>Amyema mackayense</i> Barlow subsp. <i>mackayense</i>		Mangrove Mistletoe
<i>Amylothea dictyophleba</i> (F.Muell.) Tiegh.		
<i>Benthamina alyxifolia</i> (F.Muell. ex Benth.) Tiegh.		Shiny-leaved Mistletoe
<i>Dendrophthoe vitellina</i> (F.Muell.) Tiegh.		
<i>Muellerina celastroides</i> (Sieber ex Schult. & Schult.f.) Tiegh.		
Lythraceae		
* <i>Cuphea carthagenensis</i> (Jacq.) J.F.Macbr		
Malaceae		
* <i>Eriobotrya japonica</i> (Thunb.) Lindl.		Loquat
* <i>Rhaphiolepis indica</i> (L.) Lindl. ex Ker Gawl.		Indian Hawthorn
Malvaceae		
<i>Hibiscus diversifolius</i> Jacq.		Swamp Hibiscus
<i>Hibiscus heterophyllus</i> subsp. <i>heterophyllus</i> Vent.		Native Rosella, Toilet Paper Bush
<i>Hibiscus tiliaceus</i> L.		Cottonwood Hibiscus
* <i>Sida rhombifolia</i> L.		Paddy's Lucerne
‡ <i>Sida cordifolia</i> L.	Rare	
* <i>Urena lobata</i> L.		Congo Jute
Melastomataceae		
<i>Melastoma affine</i> D.Don		Blue Tongue, Native Lasiandra
Meliaceae		
<i>Anthocarapa nitidula</i> (Benth.) T.D.Penn. ex Mabb.		Incense Cedar
<i>Dysoxylum fraserianum</i> (Juss.) Benth.		Rosewood, Rose Mahogany
<i>Dysoxylum mollissimum</i> subsp. <i>molle</i> (Miq.) Mabb.		
<i>Dysoxylum rufum</i> (A. Rich.) Benth		Hairy Rosewood
<i>Synoum glandulosum</i> subsp. <i>glandulosum</i> (Sm.) Juss.		Scentless Rosewood
<i>Toona ciliata</i> M.Roem.		Red Cedar
Menispermaceae		
<i>Carronia multiseptata</i> F.Muell.		
<i>Legnephora moorei</i> (F.Muell.) Miers		Round-leaf Vine
<i>Sarcopetalum harveyanum</i> F.Muell.		Pearl Vine
<i>Stephania aculeata</i> F.M.Bailey		Prickly Snake Vine
<i>Stephania japonica</i> var. <i>discolor</i> (Thunb.) Miers		Snake Vine
‡ <i>Tinospora tinosporoides</i> (F.Muell.) Forman	TSC-V	Arrow-head Vine
Menyanthaceae		
<i>Nymphoides indica</i> (L.) Kuntze		Water Snowflake
<i>Villarsia exaltata</i> (Sol. ex Sims) G.Don		Yellow Marsh Flower
Monimiaceae		
<i>Daphnandra tenuipes</i> J.R.Perkins		Red-flowered Socketwood
<i>Doryphora sassafras</i> Endl.		Sassafras
<i>Palmeria scandens</i> F.Muell.		Anchor Vine, Pomegranate Vine
<i>Wilkiea austroqueenslandica</i> Domin		Smooth Wilkiea

Species and Taxonomic Authority	Status	Common Name
<i>Wilkiea huegeliana</i> (Tul.) A.DC.		Veiny Wilkiea
<i>Wilkiea macrophylla</i> (R.Cunn.) A.DC.		Large-leaved Wilkiea
Moraceae		
<i>Ficus coronata</i> Spin		Sandpaper Fig, Creek Sandpaper Fig
<i>Ficus fraseri</i> Miq.		Sandpaper Fig
<i>Ficus macrophylla</i> Desf. ex Pers.		Moreton Bay Fig
<i>Ficus obliqua</i> G.Forst.		Small-leaved Fig
<i>Ficus rubiginosa</i> Desf. ex Vent.		Port Jackson Fig, Rusty Fig
<i>Ficus superba</i> var. <i>superba</i> Miq.		
<i>Ficus virens</i> var. <i>sublanceolata</i> Aiton		White Fig
<i>Ficus watkinsiana</i> F.M.Bailey		Strangling Fig
<i>Maclura cochinchinensis</i> (Lour.) Corner		Cockspur Thorn
* <i>Morus nigra</i> Britton, N.L. & Brown A.		Black Mulberry
<i>Streblus brunonianus</i> (Endl.) F.Muell.		Whalebone Tree
<i>Trophis scandens</i> (Lour.) Hook. & Arn.		Burny Vine
Myoporaceae		
<i>Myoporum acuminatum</i> R.Br.		
<i>Myoporum boninense</i> subsp. <i>australe</i> Koidz.Chinnock		
Myrsinaceae		
<i>Aegiceras corniculatum</i> (L.) Blanco		River Mangrove
* <i>Ardisia crenata</i> Sims		Coralberry
<i>Embelia australiana</i> (F.Muell.) F.M.Bailey		Embelia
<i>Myrsine howittiana</i> (F.Muell. ex Mez) Jackes		Brush Muttonwood
<i>Myrsine subsessilis</i> F.Muell.		Red Muttonwood
<i>Myrsine variabilis</i> R.Br.		Muttonwood
Myrtaceae		
<i>Acmena hemilampra</i> subsp. <i>hemilampra</i> (F.Muell. ex F.M.Bailey) Merr. & L.M.Perry		Broad-leaved Lilly Pilly, Blush Satinash
<i>Acmena ingens</i> (F.Muell. ex C.Moore) Guymer & B.Hyland		Red Apple
<i>Acmena smithii</i> (Poir.) Merr. & L.M.Perry		Lilly Pilly, Midjuburi (Cadigal)
<i>Angophora paludosa</i> (G.J.Leach) K.R.Thiele & Ladiges		Narrow-leaved Rough-barked Apple
<i>Angophora subvelutina</i> F.Muell.		Broad-leaved Apple
<i>Archirhodomyrtus beckler</i> (F.Muell.) A.J.Scott		Rose Myrtle
<i>Austromyrtus dulcis</i> (C.T.White) L.S.Sm.		Midgen Berry
<i>Babingtonia densifolia</i> (Sm.) F.Muell.		
<i>Babingtonia similis</i> A.R.Bean		
<i>Backhousia myrtifolia</i> Hook. & Harv.		Grey Myrtle, Ironwood
<i>Baeckea frutescens</i> F. Muell.		
<i>Callistemon pachyphyllus</i> Cheel		Wallum Bottlebrush
<i>Callistemon salignus</i> (Sm.) Sweet		Willow Bottlebrush
<i>Corymbia gummifera</i> (Gaertn.) K.D.Hill & L.A.S.Johnson		Red Bloodwood
<i>Corymbia henryi</i> (S.T.Blake) K.D.Hill & L.A.S.Johnson		Large-leaved Spotted Gum
<i>Corymbia intermedia</i> (R.T.Baker) K.D.Hill & L.A.S.Johnson		Pink Bloodwood
<i>Decaspermum humile</i> (G.Don) A.J.Scott		Silky Myrtle
<i>Eucalyptus acmenoides</i> Schauer		White Mahogany
<i>Eucalyptus carnea</i> R.T.Baker		Thick-leaved Mahogany

Species and Taxonomic Authority	Status	Common Name
<i>Eucalyptus eugenioides</i> Sieber ex Spreng.		Thin-leaved Stringybark
<i>Eucalyptus grandis</i> W.Hill ex Maiden		Flooded Gum, Rose Gum
<i>Eucalyptus microcorys</i> F.Muell.		Tallowwood
<i>Eucalyptus pilularis</i> Sm.		Blackbutt
<i>Eucalyptus propinqua</i> H.Deane & Maiden		Small-fruited Grey Gum, Grey Gum
<i>Eucalyptus resinifera</i> subsp. <i>hemilampra</i> (F.Muell.) L.A.S.Johnson & K.D.Hill		Red Mahogany
<i>Eucalyptus robusta</i> Sm.		Swamp Mahogany
<i>Eucalyptus seeana</i> Maiden		Narrow-leaved Red Gum
<i>Eucalyptus siderophloia</i> Benth.		Grey Ironbark
<i>Eucalyptus signata</i> Sm.		Scribbly Gum
<i>Eucalyptus tereticornis</i> Sm.		Forest Red Gum
<i>Eucalyptus tindaliae</i> Blakely		Stringybark
<i>Gossia acmenoides</i> (F.Muell.) N.Snow & Guymer		Scrub Ironwood
<i>Gossia bidwillii</i> (Benth.) N.Snow & Guymer		Python Tree
‡ <i>Gossia fragrantissima</i> (F.Muell. ex Benth.) N.Snow & Guymer	TSC-E	Sweet Myrtle
<i>Gossia hillii</i> (Benth.) N.Snow & Guymer		Scaly Myrtle
<i>Gossia punctata</i> N.Snow & Guymer		
<i>Homoranthus virgatus</i> A.Cunn. ex Schauer		
<i>Leptospermum brachyandrum</i> (F.Muell.) Druce		
<i>Leptospermum juniperinum</i> Sm.		Prickly Tea-tree
<i>Leptospermum laevigatum</i> (Gaertn.) F.Muell.		Coast Teatree
<i>Leptospermum liversidgei</i> R.T.Baker & H.G.Sm.		
<i>Leptospermum microcarpum</i> Cheel		
<i>Leptospermum petersonii</i> F.M.Bailey		Lemon-scented Teatree
<i>Leptospermum polygalifolium</i> Salisb.		Tantoon
<i>Leptospermum polygalifolium</i> subsp. <i>cismontanum</i> Joy Thomps.		Tantoon
<i>Leptospermum polygalifolium</i> subsp. <i>polygalifolium</i> Salisb.		Tantoon
<i>Leptospermum semibaccatum</i> Cheel		
<i>Leptospermum speciosum</i> Schauer		
<i>Leptospermum trinervium</i> (Sm.) Joy Thomps.		Slender Tea-tree
<i>Leptospermum whitei</i> Cheel		
<i>Lophostemon confertus</i> (R.Br.) Peter G.Wilson & J.T.Waterh.		Brush Box
<i>Lophostemon suaveolens</i> (Sol. ex Gaertn.) Peter G.Wilson & J.T.Waterh.		Swamp Mahogany, Swamp Turpentine
<i>Melaleuca alternifolia</i> (Maiden & Betche) Cheel		
<i>Melaleuca linarifolia</i> Sm.		Flax-leaved Paperbark, Budjur (Gadigal)
<i>Melaleuca nodosa</i> (Sol. ex Gaertn.) Sm.		
<i>Melaleuca quinquenervia</i> (Cav.) S.T.Blake		Broad-leaved Paperbark
<i>Melaleuca sieberi</i> Schauer		
<i>Melaleuca squamea</i> Labill.		Swamp Honey-myrtle
<i>Melaleuca styphelioides</i> Sm.		Prickly-leaved Tea Tree
<i>Ochrosperma citriodorum</i> Penfold & J. L. Willis		
<i>Ochrosperma lineare</i> (C.T.White) Trudgen		Straggly Baeckea
<i>Pilidiostigma glabrum</i> Burret		Plum Myrtle

Species and Taxonomic Authority	Status	Common Name
* <i>Psidium cattleianum</i> var. <i>cattleianum</i> Sabine		Porpay, Red or Strawberry Guava, Cherry Guava
* <i>Psidium guajava</i> L.		Common Guava, Yellow Guava
‡ <i>Rhodamnia maideniana</i> C.T.White	2RC-	Smooth Scrub Turpentine
<i>Rhodamnia rubescens</i> (Benth.) Miq.		Scrub Turpentine
<i>Rhodomyrtus psidioides</i> (G.Don) Benth.		Native Guava
<i>Syncarpia glomulifera</i> (Sm.) Nied.		Turpentine
<i>Syzygium australe</i> (J.C.Wendl. ex Link) B.Hyland		Brush Cherry
<i>Syzygium corynanthum</i> (F.Muell.) L.A.S.Johnson		Sour Cherry
<i>Syzygium francisii</i> (F.M.Bailey) L.A.S.Johnson		Giant Water Gum
‡ <i>Syzygium hodgkinsoniae</i> (F.Muell.) L.A.S.Johnson	TSC-V	Smooth-barked Rose Apple
<i>Syzygium luehmannii</i> (F.Muell.) L.A.S.Johnson		Small-leaved Lilly Pilly
‡ <i>Syzygium moorei</i> (F.Muell.) L.A.S.Johnson	TSC-V	Coolamon, Durobby
<i>Syzygium oleosum</i> (F.Muell.) B.Hyland		Blue Lilly Pilly
<i>Tristanopsis laurina</i> (Sm.) Peter G.Wilson & J.T.Waterh.		Water Gum, Kanooka, Kanuka
<i>Waterhousea floribunda</i> (F.Muell.) B.Hyland		Weeping Lilly Pilly, Weeping Myrtle
Nyctaginaceae		
<i>Pisonia aculeata</i> L.		Thorny Pisonia
Ochnaceae		
* <i>Ochna serrulata</i> (Hochst.) Walp.		Mickey Mouse Plant
Oleaceae		
<i>Jasminum didymum</i> G.Forst.		Jasmine
<i>Jasminum volubile</i> Jacq.		Stiff Jasmine
* <i>Ligustrum lucidum</i> Aiton		Large Leaved Privet
* <i>Ligustrum sinense</i> Lour.		Small Leaved Privet
<i>Notelaea johnsonii</i> P.S.Green		Veinless Mock-olive
<i>Notelaea longifolia</i> Vent.		Large Mock-olive, Large-leaved Olive
<i>Notelaea venosa</i> F.Muell.		Veined Mock-olive, Smooth Mock-olive, Large-leaved Mock-olive
<i>Olea paniculata</i> L.		Native Olive, Maulwood
Onagraceae		
‡ <i>Ludwigia octovalvis</i> (Jacq.) Raven	Uncommon	Willow Primrose
<i>Ludwigia peploides</i> subsp. <i>montevidensis</i> (Kunth) Raven		Water Primrose
Oxalidaceae		
<i>Oxalis chnoodes</i> Lourteig		
* <i>Oxalis corniculata</i> L.		
<i>Oxalis exilis</i> A.Cunn.		
* <i>Oxalis purpurea</i> Jacq.		
<i>Oxalis radicata</i> A.Rich.		
Passifloraceae		
* <i>Passiflora edulis</i> Sims		Common Passionfruit
* <i>Passiflora foetida</i> var. <i>hispida</i> L.		Stinking Passionflower
<i>Passiflora herbertiana</i> Ker Gawl.		Native Passionfruit
* <i>Passiflora suberosa</i> L.		Cork Passionflower, Small Passionfruit
* <i>Passiflora suberosa</i> L.		
* <i>Passiflora subpeltata</i> Ortega		White Passionflower
Peperomiaceae		
<i>Peperomia blanda</i> var. <i>floribunda</i> (Miq.) H.Huber		
Phytolaccaceae		
<i>Monococcus echinophorus</i> F.Muell.		

Species and Taxonomic Authority	Status	Common Name
* <i>Phytolacca octandra</i> L.		Inkweed
* <i>Rivina humilis</i> L.		Coral Berry
Piperaceae		
<i>Piper novae-hollandiae</i> Miq.		Giant Pepper Vine
Pittosporaceae		
<i>Auranticarpa rhombifolia</i> (A.Cunn. ex Hook.) L.W.Cayzer et al.		Holley-leaved Pittosporum, White Hollywood
<i>Bursaria spinosa</i> Cav.		Blackthorn, Boxthorn, Sweet Bursaria
<i>Hymenosporum flavum</i> (Hook.) F.Muell.		Native Frangipani
<i>Pittosporum multiflorum</i> (A.Cunn. ex Loudon) L.W.Cayzer et al.		Orange Thorn
<i>Pittosporum revolutum</i> Dryand. ex W.T.Aiton		Wild Yellow Jasmine, Rough-fruit Pittosporum
<i>Pittosporum undulatum</i> Vent.		Native Daphne, Sweet Pittosporum
Plantaginaceae		
<i>Veronica calycina</i> R.Br.		Hairy Speedwell
<i>Veronica plebeia</i> R.Br.		Trailing Speedwell, Creeping Speedwell
Polygalaceae		
‡ <i>Polygala japonica</i> Houtt.	TSC-E	
* <i>Polygala paniculata</i> L.		
Polygonaceae		
<i>Persicaria decipiens</i> (R.Br.) K.L.Wilson		Slender knotweed, Slender Knotweed
<i>Persicaria dichotoma</i> (Blume) Masam.		
‡ <i>Persicaria elatior</i> R. Br.	TSC-V	
<i>Persicaria hydropiper</i> (L.) Spach		
<i>Persicaria orientalis</i> (L.) Spach		Princes Feathers
<i>Persicaria strigosa</i> (R.Br.) H.Gross		
<i>Rumex brownii</i> Campd.		Swamp Dock
* <i>Rumex obtusifolius</i> subsp. <i>obtusifolius</i> L.		Broadleaf Dock
Polyosmaceae		
<i>Polyosma cunninghamii</i> Benn.		Featherwood
Proteaceae		
<i>Banksia aemula</i> R.Br.		Wallum Banksia
<i>Banksia ericifolia</i> subsp. <i>macrantha</i> (A.S.George)		Heath-leaved Banksia
<i>Banksia integrifolia</i> subsp. <i>integrifolia</i> L.f.		Coast Banksia
<i>Banksia integrifolia</i> subsp. <i>monticola</i> K.R.Thiele		
<i>Banksia oblongifolia</i> Cav.		Fern-leaved Banksia
<i>Banksia robur</i> Cav.		Swamp Banksia
<i>Banksia serrata</i> L.f.		Old-man Banksia, Wiriyan (Cadigal)
<i>Conospermum taxifolium</i> C.F.Gaertn.		Variable Smoke-bush, Yew-leaf Smoke Bush, Paint Brush
‡ <i>Grevillea hilliana</i> F.Muell.	TSC-E	White Yiel Yiel, White Silky Oak
<i>Grevillea robusta</i> A.Cunn. ex R.Br.		Silky Oak
<i>Hakea florulenta</i> Meisn.		
<i>Helicia ferruginea</i> F.Muell.		Rusty Helicia, Rusty Oak, Hairy Honeysuckle
<i>Helicia glabriflora</i> F.Muell.		Smooth or Pale Helicia, Pale Oak, Leather Oak, Brown Oak
<i>Lomatia silaifolia</i> (Sm.) R.Br.		Crinkle Bush, Fern-leaved Lomatia, Parsley Bush

Species and Taxonomic Authority	Status	Common Name
‡ <i>Macadamia tetraphylla</i> L.A.S.Johnson	TSC-V	
<i>Persoonia cornifolia</i> A.Cunn. ex R.Br.		
<i>Persoonia linearis</i> Andrews		Narrow-leaved Geebung
<i>Persoonia media</i> R.Br.		
<i>Persoonia stradbokensis</i> Domin		
<i>Persoonia tenuifolia</i> R.Br.		Fine-leaf Geebung
<i>Persoonia virgata</i> R.Br.		
<i>Petrophile canescens</i> A.Cunn. ex R.Br.		Conesticks
<i>Stenocarpus sinuatus</i> R.Br.		Scrub Beefwood
<i>Strangea linearis</i> Meisn.		
<i>Triunia youngiana</i> (C.Moore & F.Muell.) L.A.S.Johnson & B.G.Briggs		Spice Bush, Native Honeysuckle, Red Nut
Quintiniaceae		
<i>Quintinia verdonii</i> F.Muell.		Grey Possumwood, Smooth Possumwood
Ranunculaceae		
<i>Clematis glycinoides</i> Benth.		Headache Vine
<i>Clematis glycinoides</i> var. <i>submutica</i> Benth.		Headache Vine
<i>Ranunculus inundatus</i> R.Br. ex DC.		River Buttercup
* <i>Ranunculus repens</i> L.		Creeping Buttercup
* <i>Ranunculus sceleratus</i> L.		Celery Buttercup
Rhamnaceae		
<i>Alphitonia excelsa</i> (Fenzl) Benth.		Red Ash
<i>Emmenosperma alphitonioides</i> F.Muell.		Yellow Ash Bonewood Yellow Almond Grey Ash, Yellow Rosewood Pink Ooline
<i>Pomaderris argyrophylla</i> subsp. <i>argyrophylla</i> N. A. Wakef		
<i>Pomaderris discolor</i> (Vent.) Poir.		
Rhizophoraceae		
<i>Bruguiera gymnorhiza</i> (L.) Lam.		Black Mangrove
<i>Rhizophora stylosa</i> Griff.		Spider Mangrove, Red Mangrove, Stilt-rooted Mangrove
Ripogonaceae		
<i>Ripogonum album</i> R.Br.		White Supplejack
<i>Ripogonum brevifolium</i> Conran & Clifford		Small-leaved Supplejack
<i>Ripogonum discolor</i> F.Muell.		Prickly Supplejack
<i>Ripogonum elseyanum</i> F.Muell.		Hairy Supplejack
<i>Ripogonum fawcettianum</i> F.Muell. ex Benth.		Small Supplejack
Rosaceae		
* <i>Potentilla indica</i> (Jacks.) Th.Wolf		Indian Strawberry
<i>Rubus moluccanus</i> var. <i>trilobus</i> A.R.Bean		Molucca Bramble
<i>Rubus parvifolius</i> L.		Native Raspberry
<i>Rubus rosifolius</i> Sm.		Rose-leaf Bramble, Native Raspberry
Roussaceae		
<i>Abrophyllum ornans</i> (F.Muell.) Hook.f. ex Benth.		Native Hydrangea
Rubiaceae		
<i>Asperula gemella</i> Airy Shaw & Turrill		Twin-leaved Bedstraw
<i>Atractocarpus benthamianus</i> (F.Muell.) Puttock		Native Gardenia
<i>Atractocarpus chartaceus</i> (F.Muell.) Puttock		Thin-leaved Gardenia Narrow-leaved Gardenia
<i>Coelospermum paniculatum</i> F.Muell.		

Species and Taxonomic Authority	Status	Common Name
* <i>Coffea arabica</i> L.		Coffee
<i>Cyclophyllum longipetalum</i> S.T.Reynolds & R.J.F.Hend.		Coast Canthium
<i>Hodgkinsonia ovatiflora</i> F.Muell.		
<i>Ixora beckleri</i> Benth.		Native Ixora
<i>Morinda canthoides</i> (F.Muell.) Halford & R.J.F.Hend.		Veiny Morinda
<i>Morinda jasminoides</i> A.Cunn.		Sweet Morinda
<i>Pomax umbellata</i> (Gaertn.) Sol. ex A.Rich.		Billy Buttons
<i>Psychotria loniceroides</i> Sieber ex DC.		Hairy Psychotria
<i>Psychotria simmondsiana</i> F.M.		Small Psychotria
<i>Psydrax lamprophyllum</i> (F.Muell.) Bridson		Large-leaved Canthium
<i>Psydrax odorata</i> (G.Forst.) A.C.Sm. & S.P.Darwin		Shiny-leaved Canthium, Iamboto
‡ <i>Randia moorei</i> F.Muell. ex Benth.	TSC-E	Spiny Gardenia
* <i>Richardia brasiliensis</i> Gomes		White Eye, Mexican Clover
Rutaceae		
‡ <i>Acronychia baeuerlenii</i> T.G.Hartley	3RC-	Byron Bay Acronychia
<i>Acronychia imperforata</i> F.Muell.		Logan Apple
‡ <i>Acronychia littoralis</i> T.G.Hartley & J.B.Williams	TSC-E	Scented Acronychia
<i>Acronychia oblongifolia</i> (A.Cunn. ex Hook.) Endl. ex Heynh.		White Aspen, Yellow Wood
<i>Acronychia pubescens</i> (F.M.Bailey) C.T.White		Hairy Acronychia
<i>Acronychia wilcoxiana</i> (F.Muell.) T.G.Hartley		Silver Aspen
<i>Boronia falcifolia</i> A. Cunn. Ex Lindl.		
<i>Boronia rosmarinifolia</i> A.Cunn. ex Endl.		
<i>Bosistoa pentacocca</i> var. <i>pentacocca</i> (F.Muell.) Baill.		Ferny-leaf Bosistoa
‡ <i>Bosistoa transversa</i> J.F.Bailey & C.T.White	TSC-V	Three-leaved Bosistoa
<i>Bouchardatia neurococca</i> (F.Muell.) Baill.		Union Nut
* <i>Citrus australasica</i> F.Muell.		Finger Lime
* <i>Citrus taitensis</i> Risso		Rough Lemon, Rangpur Lime, Wild Lemon, Bush Lemon
<i>Flindersia australis</i> R.Br.		Crows Ash, Australian Teak
<i>Flindersia bennettiana</i> F.Muell. ex Benth.		Bennett's Ash
<i>Flindersia schottiana</i> F.Muell.		Cudgerie, Bumpy Ash, Southern Silver Ash
<i>Geijera salicifolia</i> Schott		Green Satinheart
<i>Halfordia kendack</i> F.Muell.		Saffron Heart
<i>Medicosma cunninghamii</i> (Hook.) Hook.f.		Pinkheart, Bonewood
<i>Melicope elleryana</i> (F.Muell.) T.G.Hartley		Pink-flowered Doughwood
<i>Melicope hayesii</i> T.G.Hartley		Small-leaved Doughwood
* <i>Murraya paniculata</i> (L.) Jack		
<i>Nematolepis squamea</i> subsp. <i>squamea</i> (Labill.) Paul G.Wilson		Satinwood
<i>Pentaceras australe</i> (F.Muell.) Hook.f. ex Benth.		Bastard Crow's Ash, Black Teak, Penta Ash
<i>Sarcomelicope simplicifolia</i> subsp. <i>simplicifolia</i> (Endl.) T.G.Hartley		Big Yellow Wood, Yellow Wood
<i>Zieria laevigata</i> Bonpl.		Smooth Zieria, Smooth-leaved Zieria, Twiggy Midge Bush
<i>Zieria laxiflora</i> (Benth.) Domin		Wallum Zieria
<i>Zieria smithii</i> Jacks.		Sandfly Zieria, Smithian Zieria, Dr Smith's Zieria

Species and Taxonomic Authority	Status	Common Name
Santalaceae		
<i>Exocarpos cupressiformis</i> Labill.		Cherry Ballart, Native Cherry
<i>Exocarpos latifolius</i> R.Br.		Broad-leaved Native Cherry
<i>Leptomeria acida</i> R.Br.		Native Currant, Sour Currant Bush
<i>Leptomeria drupacea</i> (Labill.) Druce		
Sapindaceae		
<i>Alectryon coriaceus</i> (Benth.) Radlk.		Beach Alectryon, Beach Birds Eye
<i>Alectryon subcinereus</i> (A.Gray) Radlk.		Native Quince, Wild Quince, Bird's Eye
<i>Alectryon tomentosus</i> (F.Muell.) Radlk.		Hairy Bird's Eye, Bed-jacket
<i>Arytera distylis</i> (F.Muell. ex Benth.) Radlk.		Twin-leaved Coogera
<i>Arytera divaricata</i> F.Muell.		Coogera, Rose Tamarind
<i>Atalaya multiflora</i> Benth.		Broad-leaved Whitewood
<i>Atalaya salicifolia</i> (A.DC.) Blume		Brush Whitewood
<i>Cardiospermum grandiflorum</i> Sweet		Balloon Vine
<i>Cupaniopsis anacardioides</i> (A.Rich.) Radlk.		Tuckeroo
‡ <i>Cupaniopsis newmanii</i> S.T.Reynolds	2RC-	Long-leaved Tuckeroo
<i>Cupaniopsis parvifolia</i> (F.M.Bailey) L.A.S.Johnson		Small-leaved Tuckeroo
‡ <i>Diploglottis campbellii</i> Cheel	TSC-E	Small-leaved Tamarind
<i>Diploglottis cunninghamia</i> (Hook.) Hook.f. ex		Native Tamarind
<i>Dodonaea triquetra</i> J.C.Wendl.		Hop Bush
<i>Elatostachys nervosa</i> (F.Muell.) Radlk.		Beetroot Tree
<i>Guioa semiglauc</i> (F.Muell.) Radlk.		Guioa
<i>Harpullia alata</i> F.Muell.		Wing-leaved Tulip
<i>Harpullia hillii</i> F.Muell.		Blunt-leaved Tulip
<i>Harpullia pendula</i> Planch. ex F.Muell.		Tulipwood
<i>Jagera pseudorhus</i> var. <i>pseudorhus</i> forma <i>pseudorhus</i> (A.Rich.) Radlk.		Foam Bark Tree, Foambark Tree
‡ <i>Lepiderema pulchella</i> Radlk.	TSC-V	Fine-leaved Tuckeroo
<i>Mischocarpus anodontus</i> (F.Muell.) Radlk.		Fine-leaved Brush Apple, Pear-fruited Tamarind
<i>Mischocarpus australis</i> S.T.Reynolds		Shiny Brush Apple, Red Pear Fruit
<i>Mischocarpus pyriformis</i> subsp. <i>pyriformis</i> (F.Muell.) Radlk.		Pear-fruited Tamarind
<i>Sarcopteryx stipata</i> (F.Muell.) Radlk.		Steelwood, Corduroy
<i>Toechima dasyrrhache</i> Radlk.		Blunt-leaved Steelwood
<i>Toechima tenax</i> (A.Cunn. ex Benth.) Radlk		
Sapotaceae		
<i>Pouteria australis</i> (R.Br.) Baehni		Black Apple
<i>Pouteria chartacea</i> (F.Muell. ex Benth.) Baehni		Thin-leaved Plum, Thin-leaved Coondoo
<i>Pouteria myrsinifolia</i> (F.Muell.) Jessup		Blunt-leaved Coondoo, Yellow Plumwood
<i>Pouteria pohlmanniana</i> var. <i>pohlmanniana</i> (F.Muell.) Baehni.		Yellow Boxwood
<i>Niemeyera antiloga</i> (F.Muell.) T.D.Penn.		Brown Pearwood
<i>Pouteria queenslandica</i> (P.Royen) Jessup		Blush Coondoo
Scrophulariaceae		
‡ <i>Artanema fimbriatum</i> D.Don	Uncommon	
<i>Bacopa monnieri</i> (L.) Pennell		Bacopa, Brahmi
Simaroubaceae		
<i>Ailanthus triphylla</i> (Dennst.) Alston		White Bean, White Siris
Solanaceae		
* <i>Cestrum nocturnum</i> L.		Lady-of-the-Night

Species and Taxonomic Authority	Status	Common Name
<i>Duboisia myoporoides</i> R.Br.		Corkwood, Eye-opening Tree, Poisonous Corkwood
Poison Corkwood, Yellow Basswood		
* <i>Physalis peruviana</i> L.		Cape Gooseberry
<i>Solanum americanum</i> Mill.		Glossy Nightshade
* <i>Solanum capsicoides</i> All.		Devil's Apple
<i>Solanum densevestitum</i> F.Muell. ex Benth.		
* <i>Solanum mauritianum</i> Scop.		Wild Tobacco Bush
* <i>Solanum nigrum</i> L.		Black-berry Nightshade
<i>Solanum prinophyllum</i> Dunal		Forest Nightshade
* <i>Solanum pseudocapsicum</i> L.		Madeira Winter or Jerusalem Cherry
* <i>Solanum seaforthianum</i> Andrews		Climbing Nightshade
Stackhousiaceae		
<i>Stackhousia nuda</i> Lindl.		
Sterculiaceae		
<i>Brachychiton acerifolius</i>		Flame Tree
<i>Commersonia bartramia</i> (L.) Merr.		Brown Kurrajong
<i>Heritiera trifoliolata</i> (F.Muell.) Kosterm.		White Booyong, Crowsfoot Elm
<i>Sterculia quadrifida</i> R.Br.		Red-fruited Kurrajong, Peanut Tree
Stylidiaceae		
<i>Stylidium debile</i> var. <i>debile</i> F.Muell.		Frail Triggerplant
<i>Stylidium laricifolium</i> Rich		Giant Trigger Plant
Surianaceae		
<i>Gulfoylia monostylis</i> (Benth.) F.Muell.		
Symplocaceae		
<i>Symplocos stawellii</i> F.Muell.		White Hazelwood
<i>Symplocos thwaitesii</i> F.Muell.		Buff Hazelwood, Buff Hazelwood
Theophrastaceae		
<i>Samolus repens</i> (J.R.Forst. & G.Forst.) Pers.		Creeping Brookweed
Thymelaeaceae		
<i>Pimelea ligustrina</i> Labill.		
<i>Pimelea linifolia</i> Sm.		Slender Rice Flower
<i>Pimelea linifolia</i> subsp. <i>collina</i> (R.Br.) Threlfall		Slender Rice Flower
<i>Wikstroemia indica</i> (L.) C.A.Mey.		
Tiliaceae		
<i>Triumfetta rhomboidea</i> Jacq.		
Tremandraceae		
<i>Tetradlea thymifolia</i> Sm.		Thyme Pink-bells, Black-eyed Susan
Ulmaceae		
<i>Aphananthe philippinensis</i> Planch.		Rough-leaved Elm, Native Elm
<i>Celtis paniculata</i> (Endl.) Planch.		Native Celtis
* <i>Celtis sinensis</i> Pers.		Japanese Hackberry
<i>Trema tomentosa</i> var. <i>viridis</i> (Roxb.) H.Hara		Native Peach, Poison Peach
Urticaceae		
<i>Dendrocnide excelsa</i> (Wedd.) Chew		Giant Stinging Tree
‡ <i>Dendrocnide moroides</i> (Wedd.) Chew,	TSC-E	Gympie Stinger
<i>Dendrocnide photinophylla</i> (Kunth) Chew		Shiny-leaved Stinging Tree

Species and Taxonomic Authority	Status	Common Name
<i>Pipturus argenteus</i> (G.Forst.) Wedd.		Native Mulberry, La Masigogo, Kwelakwela, Tare, Koro
Uvulariaceae		
<i>Tripladenia cunninghamii</i> D.Don		
Verbenaceae		
<i>Callicarpa pedunculata</i> R.Br.		Callicarpa
* <i>Duranta erecta</i> L.		Sky Flower
* <i>Verbena hispida</i> Ruiz & Pav.		
<i>Verbena incompta</i> P.W.Michael		Purpletop
<i>Gmelina leichhardtii</i> (F.Muell.) Benth.		White Beech
<i>Clerodendrum floribundum</i> R.Br.		Smooth Clerodendrum
<i>Clerodendrum inerme</i> (L.) Gaertn.		Scrambling Clerodendrum
<i>Clerodendrum tomentosum</i> R.Br.		Hairy Clerodendrum, Downy Chance Tree
<i>Lantana camara</i> L.		Lantana
Violaceae		
<i>Viola hederacea</i> Labill.		Ivy-leaved Violet
<i>Hybanthus stellarioides</i> (Domin) P.I.Forst.		
<i>Viola betonicifolia</i> Sm.		Native Violet
<i>Viola banksii</i> K.R.Thiele & Prober		
Viscaceae		
<i>Notothixos cornifolius</i> Oliv.		Kurrajong Mistletoe
<i>Notothixos incanus</i> (Hook.) Oliv.		
<i>Notothixos subaureus</i> Oliv.		Golden Mistletoe
Vitaceae		
<i>Cayratia acris</i> (F.Muell.) Domin		
<i>Cayratia clematidea</i> (F.Muell.) Domin		Native Grape
<i>Cissus antarctica</i> Vent.		
<i>Cissus hypoglauca</i> A.Gray		
<i>Cissus sterculiifolia</i> (F.Muell. ex Benth.) Planch.		Yaroong
<i>Tetrastigma nitens</i> (F.Muell.) Planch.		
Winteraceae		
<i>Tasmania insipida</i> R.Br. ex DC.		Brush Pepperbush
Monocots		
Amaryllidaceae		
<i>Crinum pedunculatum</i> R.Br.		Swamp Lily, River Lily
Anthericaceae		
<i>Arthropodium milleflorum</i> (DC.) J.F.Macbr.		Pale Vanilla-lily
<i>Arthropodium minus</i> R.Br.		
<i>Caesia parviflora</i> var. <i>parviflora</i> R.Br.		Pale Grass-lily
<i>Laxmannia compacta</i> Conran & P.I.Forst.		
<i>Laxmannia gracilis</i> R.Br.		Slender Wire Lily
<i>Tricoryne elatior</i> R.Br.		Yellow rush lily, Yellow Autumn-lily
Araceae		
<i>Alocasia brisbanensis</i> (F.M.Bailey) Domin		Cunjevoi, Spoon Lily
<i>Gymnostachys anceps</i> R.Br.		Settlers's Twine, Boorgay
* <i>Monstera deliciosa</i> Liebm.		Fruit Salad Plant
<i>Pothos longipes</i> Schott		Pothos

Species and Taxonomic Authority	Status	Common Name
Areaceae		
* <i>Archontophoenix alexandrae</i> (H.Wendl.) H.Wendl. & Drude		Alexandra Palm, King Alexander Palm
<i>Archontophoenix cunninghamiana</i> (H.Wendl.) H.Wendl. & Drude		Bangalow Palm, Piccabeen
<i>Calamus muelleri</i> H.Wendl. & Drude		Southern Lawyer Cane, Wait-a-while
<i>Linospadix monostachya</i> (C.Mart.) H.Wendl.		Walking Stick Palm
<i>Livistona australis</i> (R.Br.) Mart.		Cabbage Fan-palm, Cabbage-tree Palm, Cabbage Tree Palm, Daranggara
* <i>Syagrus romanzoffiana</i>		Queen Palm
Asparagaceae		
* <i>Asparagus aethiopicus</i> (L.) Oberm.		
* <i>Asparagus africanus</i> (Lam.) Oberm.		
* <i>Asparagus plumosus</i> (Baker) Oberm.		Climbing Asparagus Fern
Asteliaceae		
‡ <i>Cordyline congesta</i> (Sweet) Steud.	2RC-	
<i>Cordyline petiolaris</i> (Domin) Pedley		Broad-leaved Palm Lily
<i>Cordyline rubra</i> Otto & A.Dietr.		Palm-lily
<i>Cordyline stricta</i> (Sims) Endl.		Narrow-leaved Palm Lily
Balsaminaceae		
* <i>Impatiens walleriana</i> Hook.f.		
Colchicaceae		
<i>Burchardia umbellata</i> R.Br.		Milkmaids
* <i>Gloriosa superba</i> L.		Glory Lily, Climbing Lily
Commelinaceae		
<i>Aneilema acuminatum</i> R.Br.		
* <i>Commelina benghalensis</i> L.		
<i>Commelina cyanea</i> R.Br.		Native Wandering Jew
<i>Murdannia graminea</i> (R.Br.) G.A.Br ckn.		
<i>Polia crispata</i> (R.Br.) Benth.		Polia
* <i>Tradescantia fluminensis</i> Vell.		Wandering Jew
Cyperaceae		
<i>Abildgaardia ovata</i> (Burm.f.) Kral		
<i>Baumea articulata</i> (R.Br.) S.T.Blake		Jointed Twig-rush
<i>Baumea juncea</i> R.Br.		Twig Rush
<i>Baumea muelleri</i> (C.B.Clarke) S.T.Blake		
<i>Baumea rubiginosa</i> (Spreng.) Boeck.		
<i>Baumea teretifolia</i> R.Br.		
<i>Bolboschoenus caldwellii</i> (V.J.Cook) Sojak		
<i>Bolboschoenus fluviatilis</i> (Torr.) Sojak		Marsh Club-rush
<i>Carex appressa</i> R.Br.		Tall Sedge
<i>Carex breviculmis</i> R.Br.		
<i>Carex gaudichaudiana</i> Kunth		
<i>Carex inversa</i> Boott		
<i>Carex maculata</i> Boott		
<i>Caustis recurvata</i> Spreng.		
<i>Chorizandra cymbaria</i> R.Br.		
<i>Cladium procerum</i> S.T.Blake		

Species and Taxonomic Authority	Status	Common Name
* <i>Cyperus brevifolius</i> (Rottb.) Hassk.		
<i>Cyperus eglobosus</i> K.L.Wilson		
<i>Cyperus enervis</i> R.Br.		
<i>Cyperus exaltatus</i> Retz.		
<i>Cyperus gracilis</i> R.Br.		Slender Flat-sedge
<i>Cyperus gunnii</i> subsp. <i>gunnii</i> Hook.f.		
<i>Cyperus haspan</i> subsp. <i>juncoides</i> (Lam.) Kuek.		
<i>Cyperus lucidus</i> R.Br.		Leafy Flat Sedge
<i>Cyperus pilosus</i> Vahl		
<i>Cyperus polystachyos</i> (Rottb.) P.Beauv.		
<i>Cyperus sphaeroides</i> L.A.S.Johnson & O.D.Evans		
<i>Cyperus stradbrokeensis</i> Domin		
<i>Cyperus tetraphyllus</i> R.Br.		
<i>Cyperus trinervis</i> R.Br.		
<i>Eleocharis acuta</i> R.Br.		
<i>Eleocharis dietrichiana</i> Boeck.		
<i>Eleocharis equisetina</i> C.Presl		
* <i>Eleocharis minuta</i> Boeck.		
<i>Eleocharis sphacelata</i> R.Br.		
‡ <i>Eleocharis tetraquetra</i> Nees		
<i>Exocarya scleroides</i> (F.Muell.) Benth.		
<i>Isolepis nodosa</i> (Rottb.) Goetgh. et al.		Knobby Club Rush
<i>Fimbristylis dichotoma</i> (L.) Vahl		Common Fringe-sedge
<i>Fimbristylis ferruginea</i> (L.) Vahl		
<i>Fimbristylis tristachya</i> R.Br.		
<i>Gahnia aspera</i> (R.Br.) Spreng.		Rough Saw-sedge
<i>Gahnia clarkei</i> Benl		Tall Saw-sedge
<i>Gahnia insignis</i> S.T.Blake		
<i>Gahnia sieberiana</i> Kunth		Red-fruit Saw-sedge
<i>Isolepis cernua</i> (Vahl) Roem. & Schult.		Nodding Club-rush
<i>Isolepis inundata</i> (R.Br.) Poir.		
<i>Lepidosperma laterale</i> R.Br.		
<i>Lepironia articulata</i> (Retz.) Domin		
<i>Ptilothrix deusta</i> (R.Br.) K.L.Wilson		
<i>Rhynchospora corymbosa</i> (L.) Britton		
<i>Rhynchospora rubra</i> (Lour.) Makino		
<i>Schoenoplectus mucronatus</i> (L.) Palla ex A.Kern.		
<i>Schoenoplectus subulatus</i> (Vahl) Lye		
<i>Schoenus apogon</i> Roem. & Schult.		Common Bog-rush, Fluke Bog-rush
<i>Schoenus brevifolius</i> R.Br.		Black Bog-rush
<i>Schoenus ericetorum</i> R.Br.		
<i>Schoenus nitens</i> (R.Br.) Roem. & Schult		
‡ <i>Scleria levis</i> Retz.	Rare	
<i>Scleria mackaviensis</i> Boeck.		
‡ <i>Scleria rugosa</i> R.Br.	Rare	
Dioscoreaceae		
<i>Dioscorea transversa</i> R.Br.		Native Yam

Species and Taxonomic Authority	Status	Common Name
Flagellariaceae		
<i>Flagellaria indica</i> L.		Whip Vine, Bush Cane, Supplejack
Hydrocharitaceae		
<i>Ottelia ovalifolia</i> subsp. <i>ovalifolia</i> (R.Br.) Rich.		Swamp Lily
Hypoxidaceae		
<i>Hypoxis hygrometrica</i> Labill.		Golden Weather Grass
<i>Hypoxis hygrometrica</i> var. <i>villosisepala</i> R.J.F.Hend.		Golden Weather Grass
Iridaceae		
<i>Patersonia fragilis</i> (Labill.) Asch. & Graebn.		Swamp Iris
<i>Patersonia glabrata</i> R.Br.		Leafy Purple-flag, Bugulbi
<i>Patersonia sericea</i> R.Br.		Silky Purple-Flag
<i>Sisyrinchium</i> species A		Scourweed
Juncaceae		
* <i>Juncus cognatus</i> Kunth		
<i>Juncus kraussii</i> subsp. <i>australiensis</i> Hochst.		Sea Rush
<i>Juncus mollis</i> L.A.S.Johnson		
<i>Juncus prismatocarpus</i> R.Br.		
<i>Juncus subsecundus</i> N.A.Wakef.		
<i>Juncus usitatus</i> L.A.S.Johnson		
Juncaginaceae		
<i>Triglochin multifructum</i> Aston		
<i>Triglochin procerum</i> R.Br.		Water Ribbons
<i>Triglochin striatum</i> Ruiz & Pav.		Streaked Arrowgrass
Lomandraceae		
<i>Lomandra confertifolia</i> subsp. <i>pallida</i> (F.M.Bailey) Fahn		Mat-rush
<i>Lomandra elongata</i> (Benth.) Ewart		
<i>Lomandra filiformis</i> (Thunb.) Britten		Wattle Mat-rush
<i>Lomandra filiformis</i> subsp. <i>filiformis</i> (Thunb.) Britten		Wattle Mat-rush
<i>Lomandra glauca</i> (R.Br.) Ewart		Pale Mat-rush
<i>Lomandra hystrix</i> (R.Br.) L.R.Fraser & Vickery		
<i>Lomandra laxa</i> (R.Br.) A.T.Lee		
<i>Lomandra longifolia</i> Labill.		Spiny-headed Mat-rush, Honey Reed
<i>Lomandra multiflora</i> subsp. <i>multiflora</i> (R.Br.) Britten		Many-flowered Mat-rush
<i>Lomandra spicata</i> A.T.Lee		
Luzuriagaceae		
<i>Eustrephus latifolius</i> R.Br. ex Ker Gawl.		Wombat Berry
<i>Geitonoplesium cymosum</i> (R.Br.) A.Cunn. ex Hook.		Scrambling Lily
Nymphaeaceae		
* <i>Nymphaea caerulea</i> subsp. <i>zanzibarensis</i> (Casp.) S.W.L.Jacobs		Cape Waterlily
Orchidaceae		
‡ <i>Acianthus amplexicaulis</i> (F.M. Bailey) Rolfe	2RC-	
<i>Acianthus pusillus</i> D.L.Jones		Gnat Orchid
‡ <i>Arthrochilus prolixus</i> D.L.Jones	2K	
<i>Caladenia carnea</i> R.Br.		Pink Fairy, Pink Fingers
<i>Caladenia catenata</i> (Sm.) Druce		White Caladenia, White Fingers
<i>Caleana major</i> R.Br.		Large Duck Orchid
<i>Cheirostylis notialis</i> D.L.Jones		

Species and Taxonomic Authority	Status	Common Name
<i>Chiloglottis diphyllo</i> R.Br.		
<i>Corybas aconitiflorus</i> Salisb.		Spurred Helmet Orchid
<i>Cryptostylis erecta</i> F.Muell. ex Benth.		Bonnet Orchid, Tartan Tongue Orchid
<i>Cryptostylis subulata</i> (Labill.) Rchb.f.		Large Tongue Orchid
<i>Cymbidium madidum</i> Lindl.		
<i>Cymbidium suave</i> R.Br.		Snake Orchid
<i>Dendrobium aemulum</i> R.Br.		Ironbark Orchid, White Feather Orchid
<i>Dendrobium bowmanii</i> Benth.		
<i>Dendrobium kingianum</i> Bidwill ex Lindl.		Pink Rock Orchid
<i>Dendrobium linguiforme</i> (Sw.) Brieger		Tongue Orchid
‡ <i>Dendrobium melaleucaphilum</i> M.A.Clem. & D.L.Jones	TSC-E	Spider Orchid
<i>Dendrobium monophyllum</i> F.Muell.		Lily-of-the-valley Orchid
<i>Dipodium punctatum</i> (Sm.) R.Br.		
<i>Dipodium variegatum</i> M.A.Clem. & D.L.Jones		
‡ <i>Geodorum densiflorum</i> (Lam.) Schltr	TSC-E	Shepherds Crook Orchid
‡ <i>Oberonia complanata</i> (A.Cunn.) M.A.Clem. & D.L.Jones	TSC-E	
‡ <i>Oberonia titania</i> Lindl.		
‡ <i>Peristeranthus hillii</i> (F.Muell.) T.E.Hunt	TSC-V	
<i>Plectorrhiza tridentata</i> (Lindl.) Dockrill		Tangle Orchid
<i>Pterostylis baptistii</i> Fitzg.		King Greenhood, King Greenhood
<i>Pterostylis nutans</i> R.Br.		Nodding Greenhood
<i>Pterostylis pedunculata</i> R.Br.		Maroonhood
<i>Thelymitra purpurata</i> Rupp		Wallum Sun Orchid
Pandanaceae		
<i>Pandanus tectorius</i> var. <i>australianus</i> Parkinson ex Du Roi		Screw Pine
Philydraceae		
<i>Philydrum lanuginosum</i> (Banks & Sol.) Gaertn.		Woolly Waterlily, Frogmouth
Phormiaceae		
‡ <i>Dianella brevipedunculata</i> R.J.F.Hend.	Rare	
<i>Dianella caerulea</i> Sims		Blue Flax-lily
<i>Dianella congesta</i> R.Br.		
<i>Dianella crinoides</i> R.J.F.Hend.		
<i>Dianella longifolia</i> R.Br.		Blueberry Lily, Blue Flax-lily
<i>Dianella longifolia</i> var. <i>longifolia</i> R.Br.		Blueberry Lily, Blue Flax-lily
<i>Dianella revoluta</i> var. <i>revoluta</i> R.Br.		
Poaceae		
* <i>Andropogon virginicus</i> L.		Whisky Grass, Broomsedge
<i>Aristida vagans</i> Cav.		Threeawn Speargrass
* <i>Axonopus compressus</i> (Sw.) P.Beauv.		Broad-leafed Carpet Grass
* <i>Axonopus fissifolius</i> (Raddi) Kuhl.		Narrow-leafed Carpet Grass
<i>Bothriochloa decipiens</i> (Hack.) C.E.Hubb.		Red Grass, Redleg Grass, Pitted Bluegrass
<i>Bothriochloa macra</i> (Steud.) S.T.Blake		Red Grass, Red-leg Grass
<i>Capillipedium parviflorum</i> (R.Br.) Stapf		Scented-top Grass
<i>Capillipedium spicigerum</i> S.T.Blake		Scented-top Grass
<i>Cenchrus caliculatus</i> Cav.		Hillside Burrgrass
* <i>Chloris gayana</i> Kunth		Rhodes Grass
<i>Chrysopogon filipes</i> (Benth.) Reeder		Australian Vetiver

Species and Taxonomic Authority	Status	Common Name
<i>Cymbopogon refractus</i> (R.Br.) A.Camus		Barbed Wire Grass
<i>Cynodon dactylon</i> (L.) Pers.		Couch, Bermudagrass
<i>Dichelachne micrantha</i> (Cav.) Domin		Shorthair Plumegrass
<i>Digitaria parviflora</i> (R.Br.) Hughes		Small-flowered Finger Grass
<i>Digitaria ramularis</i> (Trin.) Henrard		
<i>Diplachne fusca</i> (L.) P.Beauv.		Brown Beetle Grass
<i>Echinopogon ovatus</i> G.Forst.) P.Beauv.		Forest Hedgehog Grass
<i>Echinochloa crusgalli</i> (L.) P.Beauv.		Barnyard Grass
<i>Entolasia marginata</i> R. Br.		Bordered Panic
<i>Entolasia stricta</i> (R.Br.) Hughes		Wiry Panic
<i>Eragrostis benthamii</i> Mattei		
<i>Eragrostis brownii</i> (Kunth) Nees		Brown's Lovegrass
* <i>Eragrostis curvula</i> (Schrad.) Nees		African Lovegrass
<i>Eragrostis interrupta</i> (R.Br.) P.Beauv.		
<i>Eragrostis leptostachya</i> Steud.		Paddock Lovegrass
<i>Eragrostis pubescens</i> (R.Br.) Steud.		
* <i>Eragrostis tenuifolia</i> (Rich.) Hochst. ex Steud.		Elastic Grass
<i>Eriochloa procera</i> (Retz.) C.E.Hubb.		Spring Grass
<i>Hemarthria uncinata</i> R.Br.		Matgrass
<i>Imperata cylindrica</i> var. <i>major</i> P.Beauv.		Blady Grass
<i>Isachne globosa</i> (Thunb.) Kuntze		Swamp Millet
<i>Ischaemum australe</i> R.Br.		Swamp Millet
<i>Ischaemum triticeum</i> R.Br.		
<i>Lachnagrostis billardierei</i> (Br.) Trin.		
<i>Lachnagrostis filiformis</i> (G.Forst.) Trin.		
<i>Leersia hexandra</i> Sw.		Swamp Ricegrass
* <i>Melinis minutiflora</i> P.Beauv.		Molasses Grass
* <i>Melinis repens</i> (Willd.) Zizka		Red Natal Grass
<i>Microlaena stipoides</i> var. <i>stipoides</i> (Labill.) R.Br.		Weeping Grass
<i>Oplismenus aemulus</i> (R.Br.) Roem. & Schult.		
<i>Oplismenus imbecillis</i> (R.Br.) Roem. & Schult.		
<i>Oplismenus undulatifolius</i> var. <i>mollis</i> (Ard.) P.Beauv.		
<i>Ottlochloa gracillima</i> C.E.Hubb.		
* <i>Panicum bisulcatum</i> Thunb.		Black-seeded Panic
<i>Panicum effusum</i> R.Br.		Hairy Panic
<i>Panicum lachnophyllum</i> Benth.		
* <i>Panicum maximum</i> Jacq.		Guinea Grass
<i>Panicum pygmaeum</i> R.Br.		Pygmy Panic, Dwarf Panic
<i>Panicum simile</i> Domin		Two-colour Panic, Two-colour Panic
<i>Paspalidium distans</i> (Trin.) Hughes		
<i>Paspalidium gausum</i> S.T.Blake		
<i>Paspalidium gracile</i> (R.Br.) Hughes		Slender Panic
* <i>Paspalum conjugatum</i> P.J.Bergius		Sour Grass, Yellow Grass, Hilo Grass, Johnston River Grass
* <i>Paspalum dilatatum</i> Poir.		Paspalum
<i>Paspalum distichum</i> L.		Water Couch
<i>Paspalum orbiculare</i> G.Forst.		Ditch Millet
* <i>Paspalum scrobiculatum</i> L.		Scrobic

Species and Taxonomic Authority	Status	Common Name
* <i>Paspalum urvillei</i> Steud.		Vasey Grass
<i>Paspalum vaginatum</i> L.		Saltwater Couch
* <i>Paspalum wettsteinii</i> Hack.		
* <i>Phalaris minor</i> Retz.		Lesser Canary Grass
<i>Phragmites australis</i> (Cav.) Trin. ex Steud.		Common Reed
<i>Pseudoraphis paradoxa</i> (R.Br.) Pilg.		Slender Mud-grass, Slender Mudgrass
<i>Pseudoraphis spinescens</i> (R.Br.) Vickery		Mud Grass
* <i>Setaria gracilis</i> Kunth		Slender Pigeon Grass
* <i>Setaria sphacelata</i> (Schumach.) Stapf & C.E.Hubb.		South African Pigeon Grass, Setaria
* <i>Sporobolus indicus</i> (L.) R.Br.		Parramatta Grass
<i>Sacciolepis indica</i> (L.) Chase		Indian Cupscale Grass
<i>Sporobolus sessilis</i> B.K.Simon		
<i>Sporobolus virginicus</i> var. <i>minor</i> F.M.Bailey		Marine Couch, Saltwater Couch
<i>Themeda australis</i> (R.Br.) Stapf		Kangaroo Grass
<i>Zoysia macrantha</i> Desv.		Prickly Couch
Restionaceae		
<i>Baloskion pallens</i> (R.Br.) L.A.S.Johnson & B.G.Briggs		
<i>Baloskion tenuiculme</i> (S.T.Blake) L.A.S.Johnson & B.G.Briggs		
<i>Baloskion tetraphyllum</i> (Labill.) L.A.S.Johnson & B.G.Briggs		
<i>Coleocarya gracilis</i> S.T.Blake		
<i>Empodisma minus</i> (Hook.f.) L.A.S.Johnson & D.F.Cutler		
<i>Eurychorda complanata</i> (R.Br.) B.G.Briggs & L.A.S.Johnson		
<i>Hypolaena fastigiata</i> R.Br.		
<i>Leptocarpus tenax</i> (Labill.) R.Br.		
<i>Sporadanthus interruptus</i> (F.Muell.) L.A.S.Johnson & B.G.Briggs		
Smilacaceae		
<i>Smilax australis</i> R.Br.		Lawyer Vine, Wait-a-while, Barbwire Vine
<i>Smilax glycyphylla</i> Sm.		Sweet Sarsaparilla
Sparganiaceae		
<i>Sparganium subglobosum</i> Morong		Floating Burr-reed
Typhaceae		
<i>Typha domingensis</i> Pers.		Narrow-leaved Cumbungi
<i>Typha benthamii</i> C. Presl.		Broadleaf Cumbungi
Xanthorrhoeaceae		
<i>Xanthorrhoea australis</i> R.Br.		Grass Tree
<i>Xanthorrhoea fulva</i> (A.T.Lee) D.J.Bedford		
<i>Xanthorrhoea johnsoni</i> A.T.Lee		
<i>Xanthorrhoea macronema</i> F.Muell. ex Benth		
Xyridaceae		
<i>Xyris complanata</i> R.Br.		
<i>Xyris gracilis</i> R.Br.		
Zingiberaceae		
<i>Alpinia arundelliana</i> (F.M.Bailey) K.Schum.		Native Ginger
<i>Alpinia caerulea</i> (R.Br.) Benth.		Native Ginger
<i>Hedychium gardnerianum</i> ex Ker Gawl.		Ginger Lily