


South West Woodland Nature Reserve

Kulki Precinct


Fire Management Strategy 2012

Mapsheet 1 of 1



Office of Environment & Heritage

NSW National Parks & Wildlife Service



ISBN 978 1 74293 771 7

OEH 2012/0637

Date: August 2012

Version No: 1

Map Details

Datum: Geocentric Datum of Australia (GDA) 1994

Projection: Map Grid of Australia (MGA) Zone 55

Data: Spot Satellite Imagery: 2005.

Related Documents

1:50k Topographic Map: Coleambally 8028-S (AGD-1996)


OEH Fire Management Manual 2011 - 2012.

Operational Guidelines


Brief all personnel involved in suppression operations on the following issues using the SMEACS format:

General	Guidelines
Aerial Water Bombing	<ul style="list-style-type: none">The use of bombing aircraft should support containment operations by aggressively attacking hotspots and spot-overs,The use of bombing aircraft without the support of ground based suppression crews should be limited to very specific circumstances,Where practicable foam should be used to increase the effectiveness of the water,Ground crews must be alerted to water bombing operations.
Aerial Ignition	<ul style="list-style-type: none">Aerial ignition may be used during back-burning or fuel reduction operations where practicable, but only with the prior consent of NPWS Regional Manager, OEH Section 44 delegate or as prescribed in an operational burn plan,Aerial ignition will only be undertaken by accredited navigators & bombardiers,The pattern for aerial ignition will be specified in the IAP during fire suppression,Utilise incendiaries to rapidly burn out large areas where required.
Back-burning	<ul style="list-style-type: none">Temperature and humidity trends must be monitored carefully to determine the safest times to implement back-burns. Generally, when the FDI is Very High or greater, back-burning should commence when the humidity begins to rise in the late afternoon or early evening, with a lower FDI back-burning may be safely undertaken during the day,Where practicable, clear a 1m radius around dead and hollow bearing trees adjacent to containment lines prior to back-burning, or wet down these trees as part of the back-burn ignition,Use parallel containment lines when applicable,All personnel must be fully briefed before back-burning operations begin.
Command & Control	<ul style="list-style-type: none">Standard Incident Management Systems are to be applied,On the arrival of other combatant agencies, the initial incident controller will consult with regard to the ongoing command, control and incident management team requirements as per the relevant BFM Plan of Operations,Where OEH is not the first responding fire authority to arrive at a fire on OEH-managed lands, a competent officer of the first arriving fire authority will direct fire management activities until a competent OEH officer assumes control (unless prior agreements have been made).
Containment Lines	<ul style="list-style-type: none">Construction of new containment lines should be avoided, where practicable, except where they can be constructed with minimal environmental impact,For new containment lines IMT to liaise with and receive consent from a Senior NPWS officer prior to construction,Use parallel containment lines when applicable,All containment lines not required for other purposes should be closed at the cessation of the incident,All personnel involved in containment line construction should be briefed on both natural and cultural heritage sites in the location,Containment line construction using earthmoving equipment must be in accordance with the earthmoving guidelines contained within the RFMS.
Earthmoving Equipment	<ul style="list-style-type: none">Earthmoving equipment may only be used with the prior consent of a senior NPWS officer, and then only if the probability of its success is high,Earthmoving equipment must always be guided and supervised by an appropriately experienced person, and accompanied by a support vehicle. When engaged in direct or parallel attack this vehicle must be a fire fighting vehicle,Containment lines constructed by earthmoving equipment should consider the protection of drainage features, observe the Threatened Species and Cultural Heritage Operational Guidelines, and be surveyed, where possible, to identify unknown cultural heritage sites,Earthmoving equipment must not leave tracks or create new tracks in Machinery Exclusion areas as marked on the Incident Map of a RFMS,Earthmoving equipment must be washed down, where practicable, prior to it entering NPWS estate and again on exiting NPWS estate,Where multiple items of earthmoving equipment are being used, the IMT should consider the establishment of a Plant Operations Manager.
Fire Advantage Recording	<ul style="list-style-type: none">All fire advantages used during wildfire suppression operations must be mapped and where relevant added to the database.
Fire Suppression Chemicals	<ul style="list-style-type: none">Use of wetting and foaming agents (surfactants) is permitted on the reserve,The use of fire retardants are only permitted with the prior consent of the senior NPWS officer and should be avoided where reasonable alternatives are available,Exclude the use of surfactants and retardants within 50m of watercourses, dams and swamps,Areas where fire suppression chemicals are used must be mapped and the used product's name recorded,The Threatened Species Operational Guidelines are to be observed.
Rehabilitation	<ul style="list-style-type: none">Where practicable, containment lines should be stabilised and rehabilitated as part of the wildfire suppression operation.
Smoke Management	<ul style="list-style-type: none">The potential impacts of smoke and possible mitigation tactics must be considered when planning for wildfire suppression and prescribed burning operations,If smoke becomes a hazard on local roads or highways, the police and relevant media must be notified,Smoke management must be in accordance with relevant RTA traffic management guidelines.
Structural Fire Fighting	<ul style="list-style-type: none">OEH personnel are not trained in structural fire fighting and must not enter a structure in order to undertake structural fire fighting,Fire suppression activities may be undertaken from outside a structure in accordance with the policies in the NPWS FMM, in order to protect a built asset.
Visitor Management	<ul style="list-style-type: none">The reserve may be closed to the public during periods of extreme fire danger or during prescribed burning or wildfire suppression operations.
WARNINGS	<ul style="list-style-type: none">Beware of overhead powerlines,Only some trails will be trafficable after significant rainfall events.


Vegetation



RFS Fire Brigade Areas & Towers



Locality



Vegetation Map Legend				
Broad Vegetation Class	Vegetation Type	Biodiversity Thresholds	Fire Behaviour	
Semi-arid Woodlands (Grassy sub-formation)	Black Box Woodland	An interval between fire events less than 9 years should be avoided. There is no maximum interval between fire events specified for this vegetation type as there was insufficient data to give definite intervals. Fire should be avoided where Chenopod species occur. Two fires in the same area in a period of less than 10 years apart may remove younger Black Box trees.	High intensity fast moving fire once grasses have cured. Fire behaviour is dominated by winds, both speed and direction. Even in very low fuel, grass fires can erratic and fast moving. In ephemeral years intensity will be higher and in drought years minimal growth will result in moderate fire behaviour but potentially still fast moving depending on weather conditions at the time. Potential spotting from trees.	
	Grey Box - White Cypress Pine – Yellow Box Woodland	An interval between fire events less than 8 years and greater than 40 years should be avoided.		
Grasslands	Non –native and native grasslands	An interval between fire events less than 3 years and greater than 10 years should be avoided.		
Fire History The fire history data for this area is incomplete.				
Ephemeral Conditions Ephemeral fuel conditions occur after consecutive years of effective rainfall and significant flooding events. This in turn leads to the growth and build up of fine surface fuels such as grasses and herbs, which can create a continuous fuel load across the above vegetation community. As a result expect higher fire intensity.				
Drought Conditions During drought conditions and when the vegetation community is visibly stressed it will be very difficult to undertake prescribed burning across the area as the surface fuels will be very low. Wildfire areas will be minimised.				


Threatened Sites Guidelines	
Site	Guidelines
Aboriginal Cultural Heritage Site Management	
Note	An aboriginal sites survey is yet to be conducted for this reserve (as of August 2012), therefore aboriginal sites may be present, although not shown in this document.
Threatened Fauna Management	
FA1	Utilise mosaic burning and avoid disturbance at known sightings, roostings or refuges and avoid frequent fire (<6 years).

Communications Information		
Service	Channel	Location and Comments
NPWS	10	•UHF
RFS UHF	10	•All Brigades
RFS Jerilderie	P026	•Mc Clennons Bore
RFS Murrumbidgee	P035	•Darlington Point
State Forests VHF Repeater	292	•Square Knob

Contact Information		
Agency	Position / Location	Phone
National Parks & Wildlife Service	Duty Officer (8am-10pm)	02 6332 6350
	Regional Office – 200 Yambil St Griffith	02 6966 8100
Mid Murray Team NSW Rural Fire Service	Fire Control Centre, 305 Duncan St Deniliquin	03 5881 5351
NSW Fire Brigades	Duty Officer (AH)	03 5881 6297
	Jerilderie Fire Station	03 5886 1222
State Forests	Griffith Fire Station	02 6964 4152
Emergency Services	Forbes – Duty Mobile	0428 696 678
SES		000
Police Station (not open 24 hrs)	Jerilderie	03 5886 1244
Police - Local Area Command	Coleambally	02 6954 4104
	Griffith	02 6969 4310
Hospital	Jerilderie	03 5886 1300
Council	Griffith	02 6969 5555
	Jerilderie Shire Council	03 5886 1200

Fire Season Information	
Wildfires	<ul style="list-style-type: none">The critical wildfire season generally occurs from October/November to March/April.Dry lightning storms frequently occur and typical fire weather conditions are winds from the west to the north, high day time temperatures and low humidityParticular care is required following periods of Winter rain and after periods of negative Southern Oscillation Indices.
Prescribed Burning	<ul style="list-style-type: none">Prescribed burning should generally be undertaken during Autumn, Winter or early SpringCare should be taken to ensure a low intensity burn over most of the area treated.

Status of Biodiversity Thresholds




Evaluation of Biodiversity Thresholds

Within Threshold	Long Unburnt
Within the threshold for vegetation in this area. Species have had sufficient time to mature and reproduce, and for habitats to develop. <ul style="list-style-type: none">A fire event is neither required nor should one necessarily be avoided.	Underburnt, excessive time since last fire, species may become extinct. <ul style="list-style-type: none">A fire event may be ecologically advantageous. Consider allowing unplanned fires to burn

NB: Fire thresholds are defined for vegetation communities to conserve biodiversity

Bushfire Risk Management Strategies




Fire Management Zones

The objective of LMZs is to conserve biodiversity and protect cultural and historic heritage. Manage fire consistent with fire thresholds.

Suppression Strategies

Season	Typical Conditions	Indicative Suppression Strategies
Just prior to or during the critical fire season	<ul style="list-style-type: none">Current Fire Danger Rating (FDR) of Very High or Greater,Short and medium range forecasts suggest conditions typical to a FDR of Very High or Greater,A risk to life and/or property exists in the short – medium term,A broad area risk to biodiversity exists.	Direct Initial attacks should be to try to extinguish or to contain to the smallest possible area. Indirect Develop a suppression plan using existing and/or potential containment lines. If possible take into account biodiversity requirements but never to the detriment of life and property.
Outside of the critical fire season	<ul style="list-style-type: none">FDR of High or below,Short – medium term forecast indicate a continuing FDR of High or belowNo risk to life or property exists in the short-medium term,Only small area risk to biodiversity exists.	Direct Evaluate the biodiversity thresholds and use direct attack methods to extinguish if required. Indirect Develop a fire suppression plan to the maximum allowable perimeter based on Biodiversity thresholds.

Incident Map



NPWS Estate

- Powerlines
- Gate

Fire Roads and Trails

BFCC Policy No. 2/2007

- Cat 1, Essential
- Cat 1, Important

Roads and Trails

- Sealed Surface - Two Lanes
- Unsealed Surface - Two Lanes
- Unsealed Road - One Lane
- Threatened Fauna